

JUSTIFICATION FOR SINGLE SOURCE AWARDS IAW [FAR 13.106-1](#)
(OVER MICRO-PURCHASE THRESHOLD(\$3.5K) BUT NOT EXCEEDING THE SAT (\$150K))

IAW [FAR13.104](#), COs must promote competition to the maximum extent practicable to obtain supplies and services from the source whose offer is the most advantageous to the Government, considering the administrative cost of the purchase. When competition is not practicable, IAW [FAR13.106-1\(b\)](#), COs solicit from a single source for purchases not exceeding the simplified acquisition threshold. COs may solicit from one source if the CO determines that the circumstances of the contract action deem only one source reasonably available (e.g., urgency, exclusive licensing agreements, brand-name or industrial mobilization). IAW [FAR13.106-3\(b\)\(3\)](#), COs are required to include additional statements ***explaining the absence of competition*** (see [13.106-1](#) for brand name purchases) if only one source is solicited and the acquisition does not exceed the simplified acquisition threshold (does not apply to an acquisition of utility services available from only one source) or supporting the award decision if other than price-related factors were considered in selecting the supplier. This template when completed can be used to document single source awards IAW [FAR13.106-3\(b\)\(3\)](#). Note: Statements such as "only known source" or "only source which can meet the required delivery date" are inadequate to support a sole source purchase.

1. ACQUISITION PLAN ACTION ID:
VA69D-16-AP-1426

**1A. PROJECT/TASK
No.**
537-13-127

1B. ESTIMATED AMOUNT:
\$12000

2. BRIEF DESCRIPTION OF SUPPLIES OR SERVICES REQUIRED AND THE INTENDED USE:

Johnson Controls BAS devices and certified programming of the existing BAS panel at Jesse Brown VAMC.

3. UNIQUE CHARACTERISTICS THAT LIMIT AVAILABILITY TO ONLY ONE SOURCE, WITH THE REASON NO OTHER SUPPLIES OR SERVICES CAN BE USED:

The existing building automation system is manufactured by Johnson Controls. BAS devices such as temperature sensors are tested and certified for the proper operation for proper operation. Only manufacturer OEM detectors have this certification. In addition this includes certified programming of the existing BAS panel. This does not include installation or choice of supplier.

4. DESCRIPTION OF MARKET RESEARCH CONDUCTED AND RESULTS OR STATEMENT WHY IT WAS NOT CONDUCTED:

Other equipment manufacturers or sources were not researched as this request is for sole source equipment that has full interface and compatibility with the existing facility wide system. All bidders will have the opportunity to quote this equipment from the sole source manufacturer or distributor.

5. Contracting Officer's Certification: *Purchase is approved in accordance with FAR13.106-1(b). I certify that the foregoing justification is accurate and complete to the best of my knowledge and belief.*

Signature: _____

Date: 8/19/2016

Name: _____

Title: Contracting Officer

NCO: 12