

Revisions	Date
1 RESPONSE TO RFI #001	08-29-16

GENERAL NOTES

1. VERIFY ALL DIMENSIONS IN FIELD PRIOR TO START OF FABRICATION.
2. ALL DIMENSIONS TO OUTSIDE SURFACES OF CONCRETE OR CONCRETE MASONRY UNITS (CMU), FACE OF INTERIOR METAL STUD WALLS OR CENTER LINE OF COLUMN UNLESS NOTED OTHERWISE.
3. DO NOT SCALE DRAWINGS. IF DIMENSIONS ARE IN QUESTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING CLARIFICATION FROM THE ARCHITECT BEFORE CONTINUING WITH CONSTRUCTION.
4. REFER TO STRUCTURAL, MECHANICAL, PLUMBING AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
5. PROVIDE SUPPORT BLOCKING FOR ALL WALL-MOUNTED CABINETS, SHELVING AND COUNTER AND FOR ALL PROPOSED AND OPTIONAL ABAAS GRAB BAR LOCATIONS.
6. ALL ABAAS-COMPLIANT WORK SURFACES SHALL NOT EXCEED 34" MAX. A.F.F. NON-COMPLIANT COUNTER HEIGHTS WILL NOT BE ACCEPTED.
7. REFER TO SHEET 2-A801 FOR ROOM SIGNAGE AND MOUNT LOCATION AND ADA/ABAAS MOUNTING REQUIREMENTS.

KEYNOTES

- (O2) OXYGEN FITTING
- (VM) VACUUM FITTING
- (GS) NATURAL GAS FITTING
- (RO) REVERSE OSMOSIS FAUCET
- (1) PLUMBING CHASE. REFER TO PLUMBING DRAWINGS.
- (2) EXISTING DOOR AND FRAME TO REMAIN. CLEAN, PREP AND REFINISH/PAINT DOOR AND FRAME. TYPICAL EACH SIDE OF DOOR. AT ALUMINUM STOREFRONT SYSTEMS CLEAN FRAMES, DOORS AND GLASS.
- (3) EXISTING FRAME TO REMAIN. PREPARE AND MODIFY FRAME AS REQUIRED FOR NEW DOOR AND HARDWARE. CLEAN, PREP AND PAINT AND FRAME. REFER TO DOOR SCHEDULE AND DOOR HARDWARE FOR NEW DOOR REQUIREMENTS.
- (4) ASBESTOS ON EXISTING STEEL COLUMN TO BE ABATED. PROVIDE NEW FRAMING, SUBSTRATES AND FINISHES. REFER TO PARTITION TYPE 2, SHEET 2-A801. AT HOLDING ROOMS AND WHERE COLUMNS OCCUR AT CMU WALLS, PROVIDE 4" CMU WALL VENEER.



FL LIC. # AA0002264
ARCHITECTURAL GROUP, INC.
 5032 GODDARD AVENUE
 ORLANDO, FLORIDA 32804
 (407) 245-3660
 ORLANDO@MRIARCHITECTS.COM
 PETER M. IKEGAMI FL LIC. #AR13065

ACCESSORIES SCHEDULE

MARK	DESCRIPTION	MANUFACTURER (BASIS OF DESIGN)	REMARKS	ACQUISITION CODE
A	GRAB BAR - 42" LONG	BOBRICK B-6806 X 42	TOP OF BAR @ 34" A.F.F., SATIN FINISH	CC
B	GRAB BAR - 36" LONG	BOBRICK B-6806 X 36	TOP OF BAR @ 34" A.F.F., SATIN FINISH	CC
C	GRAB BAR - 18" LONG	BOBRICK B-6806 X 18	SEE RESTROOM ELEVATIONS, SATIN FINISH	CC
D	MIRROR - 18" x 36"	BOBRICK B-290 1836	BOTTOM OF REFLECTIVE SURFACE @ 40" A.F.F. MAX.	CC
E	SURFACE-MOUNTED SOAP DISPENSER		TOP OF UNIT @ 50" A.F.F.	VC
F	SURFACE-MOUNTED SOAP DISH	AMERICAN SPECIALTIES, INC. MODEL NO. 0721-2A	MOUNT UNDER SOAP DISPENSERS THAT ARE NOT OVER A SINK	CC
G	RECESSED CONVERTIBLE PAPER TOWEL DISPENSER AND WASTE RECEPTACLE	BOBRICK B-3961	TOP OF UNIT @ 59-1/2" A.F.F.	CC
H	DOUBLE ROLL STAINLESS STEEL TOILET TISSUE DISPENSER	BOBRICK B-2740	CENTER LINE OF UNIT @ 25" A.F.F.	CC
J	RECESSED TOILET SEAT COVER DISPENSER	BOBRICK B-301	TOP OF UNIT @ 48" A.F.F.	CC
K	SOLID PHENOLIC LOCKERS	SPEC-RITE DESIGNS, DESIGN-TEC	REFER TO INTERIOR FINISH LEGEND FOR FINISH INFORMATION	CC
L	SURFACE-MOUNTED DOUBLE ROBE HOOK	BOBRICK B-76727	TOP OF UNIT @ 40" A.F.F.	CC
M	SHOWER CURTAIN ROD	BOBRICK B-207	CENTER OF ROD @ 78" A.F.F.	CC
N	SHOWER CURTAIN	BOBRICK 204-2	REQUIRES 7 HOOKS	CC
O	STAINLESS STEEL SHOWER CURTAIN HOOKS	BOBRICK 204-1		CC
P	SURFACE-MOUNTED TOWEL BAR	BOBRICK B-6747	TOP OF UNIT @ 48" A.F.F., SATIN FINISH	CC
R	HORIZONTAL TWO-WALL GRAB BAR FOR SHOWER STALL	BOBRICK B-6861	TOP OF UNIT @ 36" A.F.F., SATIN FINISH	CC
S	REVERSIBLE SOLID PHENOLIC FOLDING SHOWER SEAT	BOBRICK B-5181	TOP OF SEAT @ 18" A.F.F.	CC
T	PLASTIC WALL-MOUNTED BENCH	NORDESCO INDUSTRIES, INC.	REFER TO INTERIOR FINISH LEGEND FOR FINISH INFORMATION	CC
U	STAINLESS STEEL MOP/BROOM HOLDER	BOBRICK B-223 X 24	TOP OF UNIT @ 72" A.F.F.	CC
V	SURFACE-MOUNTED PAPER TOWEL DISPENSER	BOBRICK B-2821		CC
W	DRENCH SHOWER AND EYEWASH UNIT WITH HOSE SPRAY	ENCON SAFETY PRODUCTS #01050234	SEE PLUMBING FOR SPECIFICATIONS	CC
X	SINGLE RECESSED CHART STATION	RASPBERRYMED 2007-S		CC
Y	WALL-MOUNTED COAT RACK	BOBRICK B-232 X 24	TOP OF UNIT @ 64" A.F.F., PROVIDE BLOCKING IN WALL	CC
Z	WALL-MOUNTED GAS CYLINDER BRACKET - 2 CYLINDERS	USA SAFETY #GB200FS WITH CHAIN SET	COORDINATE MOUNTING HEIGHT WITH USER. PROVIDE BLOCKING	CC
Z1	WALL-MOUNTED GAS CYLINDER BRACKET - 3 CYLINDERS	USA SAFETY #GB300FS WITH CHAIN SET	COORDINATE MOUNTING HEIGHT WITH USER. PROVIDE BLOCKING	CC

SCHEDULE NOTES:

01. PROVIDE BOBRICK 256 SERIES CONCEALED ANCHOR PLATES FOR ALL GRAB BARS.
02. ALL ACCESSORIES TO BE MOUNTED IN COMPLIANCE WITH ABAAS.
03. COORDINATE WITH OWNER ON INSTALLATION OF SINKS TO INSURE COMPLIANCE WITH "ABAAS".
04. PROVIDE FILLER WHERE LOCKERS MEET WALLS.

ACQUISITION CODE ABBREVIATIONS:

CC: CONTRACTOR FURNISHED AND INSTALLED - CONSTRUCTION FUNDS FOR EQUIPMENT, AND CONSTRUCTION FUNDS FOR INSTALLATION
 VC: VA FURNISHED AND CONTRACTOR INSTALLED - MEDICAL CARE APPROPRIATION FOR EQUIPMENT, AND CONSTRUCTION FUNDS FOR INSTALLATION
 VV: VA FURNISHED AND INSTALLED - VHA APPROPRIATION

