



FILL IN OPENINGS, PATCH AND PAINT WALLS AS NECESSARY

VOICELESS INTERCOM SYSTEM, TIED BACK TO THE MAIN LAB - 3 PLACES

RELOCATE 2 AIR DIFFUSERS

RELOCATE - 2 SPRINKLER HEADS & 1 SMOKE HEAD

THIS LIGHT MAY MOVE

SMALL UTILITY SINK - SPECIMEN

PASS THRU WINDOW

2-1/2" DRAIN

CONSTRUCT BATHROOM AS SHOWN

TRENCH FLOOR IN THIS AREA TO INSTALL 4" C.I. DRAIN CONNECTED TO SANITARY LINE IN SUB-BASEMENT

KEEP THIS BARRIER IN-PLACE UNTIL THE ROOM IS SEALED TO THE CORRIDOR

DEMO TWO (2) WALL SECTIONS

REMOVE CARPET ENTIRE AREA

REMOVE SHELVES

REMOVE SOFFIT LIGHTING, REPAIR CEILING

REMOVE ALL CABINERY UNLESS MARKED

REMOVE ELECTRICAL & DATA STRIP

REMOVE OLD NURSE CALL STATION

REMOVE ROLL-UP DOORS AND ALL HARDWARE

CONSTRUCT BARRIER WALL

DEMO TWO (2) WALLS AND REMOVE DOOR & SAVE

GENERAL DEMOLITION NOTES:

1. REMOVE ALL ITEMS IN THE CONSTRUCTION SPACE AND DISCARD **UNLESS** THE ITEMS ARE MARKED WITH INSTRUCTIONS AS TO DISPOSITION

- LEGEND
- ⊗ = LIGHT FIXTURES
 - = HVAC GRILL
 - ⊗ = SPRINKLER HEAD
 - ⊙ = SMOKE HEAD
 - ⌂ = LIGHT SWITCH
 - ⊖ = OUTLET
 - T ► = THERMOSTAT
 - C/T ► = COMPUTER/ TELEPHONE DROP
 - NC ● = NURSE CALL
 - I ● = INTERCOM
 - P ● = PANIC BUTTON
 - FA ■ = FIRE ALARM

NO.	DATE	DESCRIPTION
REVISIONS		
SHEET TITLE		
CONSTRUCTION LAYOUT		
BLDG. NO.	PROJECT TITLE	
1	RENOVATE THE B-1 PSA AREA FOR SPECIMEN COLLECTION	
DRAWN	CHECKED	DATE
BRM		1/12
APPROVED		DRAWING NUMBER
CHIEF, ENGINEERING SERVICE		2948
APPROVED		DWG. 1 OF 1
DIRECTOR, VAMC, CANANDAIGUA		PROJECT NUMBER
		528A5-12-503
V.A. MEDICAL CENTER		
LOCATION		
CANANDAIGUA, NY 14424		