

Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
1		INFINIA HAWKEYE 4	
1	S8004W	<p>Infinia 3/8" Hawkeye 4 Integrated with Xeleris 3</p> <p>Infinia 3/8" Hawkeye 4 INTEGRATED SYSTEM</p> <p>Infinia 3/8 Hawkeye 4 Integrated System with Xeleris 3 Workstation</p> <p>Infinia TM Hawkeye 4 is a premium, high performance all-purpose dual detector hybrid NM/CT imaging system. The Infinia camera lines foundation is the new advanced, all-digital Elite detector technology in a 3/8" configuration.</p> <p>The free-geometry gantry design enables both 1 80deg and 90deg orientations of the detectors for high scanning efficiency, as well as upright and horizontal detector orientations for maximum clinical versatility. An exclusive slip-ring gantry design provides a solid infrastructure fo advanced acquisition modes.</p> <p>The Hawkeye system provides inherently registered CT Transmission Attenuation Correction and Functional Anatomic Mapping. Other core components include a PC acquisition station, a dual-axis imaging table, and real-time automatic body contouring.</p> <p>Infinia, with the Xeleris 3 Processing and Review workstation, creates a fully integrated productivity solution, resulting in advances such as the exclusive Ignite workflow feature.</p> <p>Infinia is a general-purpose camera featuring static, dynamic,whole body, multi-gated, SPECT, gated SPECT, and whole body SPECT nuclear medicine studies. Furthermore, Hawkeye enables SPECT/CT applications. The Hawkeye 4 system includes an internal wireless communication system. Xeleris 3 - Functional Imaging Workstation for NM, PET, NM/CT & PET/CT - Desktop Configuration</p> <p>Comprehensive Clinical Library Features Include:</p> <ul style="list-style-type: none">• Myovation (TM) Cardiology Suite for NM and PET with Myometrix 3D Analysis Suite• Volumetrix (TM) Tomography Suite for the Review of Single and/or Multi-modality Studies Including NM, PET, SPECT/CT and PET/CT• Emory Cardiac Toolbox processing software• 1 year trial subscription to Emory Reporting Option• Dynamic Motion Correction provides tools to manually and automatically correct motion introduced during dynamic acquisition• SPECT Motion Correction (Stasis & Hopkins Method / GE Motion	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<p>Detection & Correction Method)</p> <ul style="list-style-type: none"> • SPECT/CoDe Iterative Reconstruction • SPECT Compare for Comparison of Two Sets of 3-Plane Slices • First Pass EF Analysis • Cardiac LV EF Analysis for Planar Gated Blood Pool • L-R Shunt Analysis • Renal Analysis for Renal Perfusion and Functional Calculation • Whole Body Bone & Spots Review • Gall Bladder Ejection Fraction • Gastric Emptying • Esophageal Motility Analysis • Lung Ventilation and Perfusion Analysis • Chang Attenuation Correction • Cerebral Blood Flow Segmentation Protocol • Thyroid Spot Review • Thyroid Uptake Index • Parathyroid Imaging Analysis • Time Activity Curves, Histogram Analysis, and ROI Statistical Analysis • Database Tools for Updating Study Information • AVI, MFSC and JPEG Screen Capture Creation <p>Connectivity Features/Solutions</p> <ul style="list-style-type: none"> • NM and PET DICOM 3.0 Support, Including Secondary Capture Image Storage and Query/Retrieve as an SCU and SCP • CT/MR DICOM Support as an SCP and SCU (Converted Into Xeleris Database Format Upon Receipt) • DICOM Part 10 Import and Export via Various Electronic Formats • Archive DICOM to CD/DVD • Queued digital filming and digital hardcopy • Legacy STP Connectivity for the DS Series Gamma Cameras <p>Workflow/Productivity Benefits Including:</p> <ul style="list-style-type: none"> • Ignite Workflow Technology (When Used with Gamma Cameras Also Supporting This Initiative Like Infinia) for One Button Launch of Acquisition and Processing Tasks • Liberty (TM) Protocol Optimization Combines the Speed of Automated Intuitive Processing with the Freedom of Being Able to Modify 	

3/18



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<ul style="list-style-type: none"> Processing Parameters When Necessary Fast & Flexible Search Locates Patients on Any Networked Xeleris Inbox Tool to Review Waiting Datasets and Forward Exams or Reports <p>Aladdin Programming Environment:</p> <ul style="list-style-type: none"> Visual Basic Based User Protocol Development Environment Create Protocols by Recording Actions on the Processing Card Protocol Debugger, Text Editor, and Syntax Checker Compatible with Most eNTEGRA and GENIE P&R User Aladdin Software On-line Help Text with Examples for Most Functions <p>Xeleris 3 Workstation Specifications:</p> <ul style="list-style-type: none"> Tower PC Intely Core 2 Quad processor, Q9300 Intely X38 Chipset with 1333Hz front side bus Windows XP Operating System with SP3 4 GB RAM RAID 0 2x80GB SATA II Hard Drive Database Capability: 100 GB or 10000 Studies (Whichever Comes First) Leadership Graphics NVIDIA Quadro NVS Family PCI-E with 256MB video memory Integrated Ethernet adapter DVD multi recorder (CD R/RW Functionality included) USB/2 101 Key English Keyboard and mouse 22" LCD Color Monitor 1 year licensed Antivirus SW 	
1	H2505TJ	<p>Infinia LEHR Collimators (2) with Cart</p> <p>Infinia Low Energy High Resolution Collimators. Includes:</p> <ul style="list-style-type: none"> Two LEHR Collimators Collimators Mounted on a Dedicated Collimator Cart 	
1	H2505TK	<p>Infinia MEGP Collimators (2) with Cart</p> <p>Infinia Medium Energy General Purpose Collimators. Includes:</p> <ul style="list-style-type: none"> Two MEGP Collimators Collimators Mounted on a Dedicated Collimator Cart 	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
1	H2505ZE	<p>Infinia 10KVA UPS</p> <p>Infinia 10KVA UPS</p> <p>3 Phase 10kVA, 3x208 V, 60 Hz Uninterruptible Power Supply (UPS) required for all Infinia and Infinia Hawkeye Camera in North America:</p> <ul style="list-style-type: none"> • 59cm high x 9cm wide x 60 cm deep • 108kg with batteries • 3x208 VAC voltage • Backup Time 30 minutes • Battery Recharge Time Approx 1-2 hours • Battery size: <ul style="list-style-type: none"> - 45cm high x26cm wide x 60cm deep 	
1	H2505ZG	<p>Infinia Floor Plate Option</p> <p>Infinia Floor Plate Option</p> <p>Optional Metal Floor Plate for Infinia systems installed after August, 2004. Provides additional protection for floor surface. Offers positioning of pivot point for collimator exchange and stretcher patient imaging. Able to be positioned on either left or right side of gantry.</p>	
1	H2505JK	<p>Infinia Integrated EKG Trigger</p> <p>Infinia Integrated EKG Trigger</p> <p>Self-contained EKG trigger integrated into Infinia nuclear medicine camera. Provides Reliable EKG trigger signal synchronized Patients R-wave for gated first pass, MUGA, and multigated cardiac SPECT studies.</p> <p>Features include:</p> <ul style="list-style-type: none"> • Gating user interface integrated into and displayed on Infinia acquisition interface. • Power and interface cabling integrated and hidden in Infinia table, no external connections to EKG required. • Patient leads attached to cradle to move with the patient. • Fully automatic operation just connect leads to the patient. 	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<ul style="list-style-type: none"> • Single channel lead selection for simplicity. • Robust lead-electrode connections for security <p>Included Accessories:</p> <ul style="list-style-type: none"> • 3 lead patient cable • Internal power and signal cables(installed in Infinia table) • Operators manual 	
1	H2508JW	<p>Mobile Computer Cart w/ PC Holder</p> <p>The acquisition cart is an ergonomically designed, flexible, mobile yet stable device. The cart is designed to carry a display monitor, a Keyboard, a mouse and a PC-tower on board. Modular design enables easy customization by flexible positioning of the keyboard support tray , the monitor support bracket height ,the screen angle and the mouse support tray orientation (left/right) per user preferences and needs.</p>	
1	H3602MT	<p>INFINIA CONTINUOUS SPECT</p> <p>INFINIA CONTINUOUS SPECT</p>	
1	S8006P	<p>X2 TO X3 HW SW - 1ST</p> <p>X2 TO X3 HW SW - 1ST</p> <p>X2 to X3 HW SW1st Xeleris 3 Functional Imaging Workstation for NM, PET, NM/CT & PET/CT Desktop Hardware Upgrade from Xeleris 2 (1st System).</p> <p>Xeleris 2 to Xeleris 3 Hardware and Software Upgrade to replace existing Hardware with a new HP Z400 computer and new Xeleris 3 SW.</p> <p>Old Xeleris Hardware Must Be Returned Customer May Retail Existing Monitor(s).</p> <p>Xeleris 2 to 3 HW & SW Upgrade Xeleris and Xeleris View Functional Imaging Workstation for NM, PET,NM/CT & PET/CT Xeleris 3 functional imaging Workstation is a Nuclear Medicine, PET, NM/CT, and PET/CT processing, analysis, and review system.Designed with productivity in mind, it accelerates workflow and provides a powerful clinical diagnostic tool to the medical imaging community.Combining streamlined workflow with a comprehensive clinical library and extensive networking capabilities on a functional imaging workstation, Xeleris 3 is the nucleus of productivity in any Department. Utilizing the GE Healthcare-wide Graphical user interface, Xeleris 3 is the</p>	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<p>processing and review platform of Discovery NM/CT series, Infinia Hawkeye 4, Ventri, Discovery PET/CT 600 series, and all other cameras in GE Healthcare current offering to provide the automated processing and connectivity necessary in today's demanding environment.</p> <p>Xeleris 3 operates in a variety of client-server configurations. It features optional Xeleris Floating License (XFL) technology and Xeleris Suite for PACS. XFL allows patient studies and the Xeleris applications needed for their processing and review to be accessed across a LAN or a WAN network on a facility provided Windows-based PCs (minimum hardware and Software requirements apply) thus providing an untethered solution for simultaneous use of Xeleris applications across the enterprise. Xeleris Suite extends this power to GE Healthcare Centricity PACS systems.</p> <p>Major Features:</p> <ul style="list-style-type: none"> o Comprehensive Clinical Library Including: Connectivity <p>Features/Solutions o Workflow/Productivity Benefits Including: -Aladdin Programming Environment</p> <p>Comprehensive Clinical Library Features Include:</p> <ul style="list-style-type: none"> o Myovation Cardiology Suite for NM and PET with Myometrix 3D Analysis Suite o Volumetrix MI Tomography Suite for the Review of Single and/or Multi-modality Studies Including NM, PET, SPECT/CT and PET/CT o Dynamic Motion Correction provides tools to manually and automatically correct motion introduced during dynamic acquisition o MDC SPECT Motion Correction for General and Cardiac SPECT o SPECT/CoDe Iterative Reconstruction o First Pass EF Analysis o Cardiac LV EF Analysis for Planar Gated Blood Pool o L-R Shunt Analysis o Renal Analysis for Renal Perfusion and Functional Calculation o Whole Body Bone & Spots Review o Dynamic PET Analysis and Review o Whole Body SPECT o Gall Bladder Ejection Fraction o Gastric Emptying 	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<ul style="list-style-type: none"> o Esophageal Motility Analysis o Lung Ventilation and Perfusion Analysis o Chang Attenuation Correction o Cerebral Blood Flow Segmentation Protocol o Thyroid Spot Review o Thyroid Uptake Index o Parathyroid Imaging Analysis o Time Activity Curves, Histogram Analysis and ROI Statistical Analysis o Database Tools for Updating Study Information o AVI Movie, MFSC, JPEG Screen Capture Creation 	
		Connectivity Features/Solutions	
		o NM and PET DICOM 3.0 Support, Including Secondary Capture Image Storage and	
		Query/Retrieve as an SCU and SCP	
		o CT/MR DICOM Support as an SCP and SCU (Converted Into Xeleris Database Format Upon Receipt)	
		o DICOM Part 10 Import and Export via Various Electronic Formats	
		o Archive DICOM to CD/DVD	
		o Interfile Version 3.3 Import and Export	
		o Legacy STP Connectivity for the DS-Series Gamma Cameras 7Queued digital filming and digital hard copy	
		Workflow/Productivity Benefits Including: o Ignite Workflow Technology (When Used with Gamma Cameras Also Supporting This Initiative Like Infinia) for One Button Launch of Acquisition and Processing Tasks	
		o Fast & Flexible Search Located Patients on Any Networked Xeleris	
		o Inbox Tool to Review Waiting Datasets and Forward Exams or Reports	
		Aladdin Programming Environment:	
		o Visual Basic Based User Protocol Development Environment	
		o Create Protocols by Recording Actions on the Processing Card	
		o Protocol Debugger, Text Editor, and Syntax Checker	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<ul style="list-style-type: none"> o Compatible with Most eTEGRA and GENIE P&R User Aladdin Software o On-line Help Text with Examples for Most Functions <p>Xeleris Workstation Specifications:</p> <ul style="list-style-type: none"> o Tower PC o Intel Core2 Quad Processor Q9300 o Intel X38 Chipset with 1333Hz front side bus o Windows XP Professional Operating System o 4 GM DDR II RAM o RAID 0 2x80GB SATA II Hard Drive o Database Capability: 60 GB or 10000 Studies (Whichever Comes First) o Leadership Graphics: NVIDA Quadro NVS 290 (PCI-E) with 256MB video memory o Integrated Ethernet adapter o CD-RW/DVD-RW Multi Drive o USB/2 101 Key English Keyboard o 22 LCD Color Monitor o 1 year Licensed Anti Virus 	
2	S8006PA	<p>X2 TO X3 HW SW 2ND & 3RD</p> <p>X2 to X3 HW SW 2nd & 3rd Xeleris 3 - Functional Imaging Workstation for NM, PET, NM/CT & PET/CT Desktop & XelerisView Desktop Hardware Upgrade from Xeleris 2 (2nd or 3rd System - promotion).One system only upgrade.</p> <p>Xeleris 2 to Xeleris 3 Hardware and Software Upgrade to replace existing Hardware with a new HP Z400 computer and new Xeleris 3 SW.</p> <p>Old Xeleris Hardware Must Be Returned Customer may Retain Existing Monitor(s).</p>	
2	S8006TG	<p>CEDARS SUITE 1ST OR 2ND</p> <p>Cedars Companion Package QGS, QPS & BPGS - 1st or 2nd license Cedars QGS, QPS & BPGS with Companion Software License for a single Xeleris 3 Workstation (1st or 2nd Licenses)</p> <p>This item contains four products that are also available separately.</p> <ul style="list-style-type: none"> o Cedars Companion 	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<p>o Quantitative Gated SPECT is a Protocol That Processes Gated SPECT Data Using the Germano Method. The Ejection Fraction of the Left Ventricle is Calculated and a Three Dimensional Surface Display is Generated.</p> <p>The Protocol Consists of Several Parts: o Input of Data - Gated or Non-Gated Short Axis Slices are Selected. o Automated Processing - Automatic Edge Detection Algorithms Segment the LV and Find the Inner and Outer Surfaces of the Myocardium. Quantitative Results Including EF and LV Volumes are Generated. Three Dimensional Rendering of the Inner and Outer Walls are Created. A User Interactive Rendering and 3D Model is Created. o Summary Page - Displays Featuring Surface Points, Volume Curve, EF, and Polar Maps. Polar Maps Include Perfusion, Regional EF, Wall Motion, Wall-Thickening, and 3D Cine.</p> <p>o Cedars-Sinai Quantitative Perfusion SPECT(QPS) Completely Automatic 3-Dimensional Software Approach to Quantitative Perfusion SPECT for the eNTEGRA Workstation. The Software</p> <p>Main Features are: o Sampling of the Myocardium is Based on an Ellipsoidal Model. o The Entire Count Profile Between the Endocardial and Epicardial Surfaces is Utilized. o The Algorithm is Independent of Myocardial Shape, Size and Orientation, and Establishes a Standard 3D Point-to-Point Correspondence Amongst All Sampled Myocardial Regions. o Quantitative Measurements as Well as 5 Point Semi Quantitative Scores are Automatically Generated for Each of 20 Myocardial Segments, and Summed Perfusion Scores Derived. o Normal Limits Generation is Automatic for Any Given Patient Population, and is Based on Data Fractionally Normalized to Minimize Hot Spot Artifacts.</p> <p>o Cedars Sinai Blood Pool Gated SPECT(BPGS)is an Application for the Quantitative Analysis of Gated Cardiac Blood Pool Datasets.It Automatically Computes Volumes and Ejection Fractions for Both Ventricles and Displays Motion Polar Maps as Well as Static Parametric Surfaces and Gated Endocardial Surfaces.</p> <p>The Protocol Consists of Several Modules Including: o The Slice Pages Display Two Vertical Long Axis Images Allowing Side-by-Side Viewing of Both the Left and Right Ventricles. The Information Display Box Contains Information Pertaining to Both Ventricles Including Volume at Current Interval, EDV, and ESV, EF, and Stroke Volume. o The Splash Screen Displays Four Rows of Images, with Contours that can be Separately Toggled On and Off for the LV and RV. o Surfaces can be Displayed in Various Ways, Including Wireframed Shaded Surfaces, Grid (Wireframe Overlaid on a Shaded Surface) With or</p>	

10/18



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		Without Superimposed ED. All Surfaces can be Rotated and Gated in Real Time. o The Splash3D Display Allows Viewing of Three Synchronized Pairs of 3D Views, which can be Gated and Rotated Interactively. o The Results Display Summarizes the Results Using Motion Polar Maps, Parametric Motion Surfaces and Regular Endocardial Surfaces, in Addition to the Image Display to the Left of the Screen.	
2	H3901PB	XELERIS PLUG-IN FOR CEDAR Xeleris Plug-in for Cedars Xeleris Plug-in for Cedars enables the integration of Cedars cardiac applications within the Myovation workflow. Single license required for all applications.	
2	H3901PA	CEDARS MOCO 1ST OR 2ND Cedars Sinai Motion Correction for SPECT (MoCo) MoCo is a Fully Automatic Motion Correction Program for Nuclear Medicine SPECT Imaging. The Software Uses Interactive Reprojection.	
1	S8006SA	EFB X3 W/ 1 CAMERA LIC Xeleris 3 Evolution for Bone Software License for a single Xeleris 3 Workstation with one Camera License This item contains two software licenses that are also available separately. o Evolution for Bone provides Evolution Resolution Recovery reconstruction on SPECT bone scans. The EfB application may be utilized to provide equivalent image quality on half-dose or half-time bone scans. This license H3901MD processes Infinia, Infinia Hawkeye 4, and Discovery 670 family of camera data. This license can only function with pre-requisite JHU-RR (S8006RZ/S8006S) and (H3602NH) EFB SPECT CAMERA LICENSE o Enables Camera capability to provide data for Evolution for Bone (EfB). EfB provides Evolution Resolution Recovery reconstruction on SPECT bone scans. The EfB application may be utilized to provide equivalent image quality on half-dose or half-time bone scans. This license H3602NH is for the Infinia, Infinia Hawkeye 4 and Discovery 670 family of cameras. This license can only function with pre-requisite JHU-RR (H3901KS/H3901KT) and EFB FOR XELERIS3 (H3901MD)	
1	S8006RZ	X3 PLUGIN EVOL FAMILY 1ST Xeleris 3 Plug-in for Evolution Family - JHU RR 1st Resolution recovery license for first workstations or Evolution products	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
1	S8006S	<p>X3 PLUGIN EVOL FAMILY 2+</p> <p>Xeleris 3 Plug-in for Evolution Family - JHU RR 2nd or more License Required for additional Evolution products greater than one workstations or two (2) Evolution products.</p>	
1	S8006SD	<p>EFC X3 W/ 2 CAMERA LIC</p> <p>Xeleris 3 Evolution for Cardiac Software License for a single Xeleris 3 Workstation with two Camera License</p> <p>This item contains three software licenses that are also available separately.</p> <ul style="list-style-type: none"> o (1 license) Evolution for Cardiac provides EfC provides Evolution Resolution Recovery Reconstruction on SPECT Myocardial Perfusion Imaging (MPI) scans. The EfC application may be utilized to provide equivalent image quality on half-dose or half-time MPI scans. This license H3901ME processes Infinia, Infinia Hawkeye 4, Ventri and Discovery 670 family of camera data. This license can only function with pre-requisite JHU-RR (H3901KS/H3901KT) and (H3602NJ) EFC SPECT CAMERA LICENSE o (2 licenses) Enables Camera capability to provide data for Evolution for Cardiac (EfC). EfC provides Evolution Resolution Recovery reconstruction on SPECT Myocardial Perfusion Imaging (MPI) scans. The EfC application may be utilized to provide equivalent image quality on half-dose or half-time MPI scans. this license H3602NJ is for the Infinia, Infinia Hawkeye 4, Discovery 670 and Ventri family of cameras. This license can only function with pre-requisite JHU-RR (H3901KS/H3901KT) and EFC FOR XELERIS3 (H3901ME) 	
1	H3901ME	<p>Evolution for Cardiac for Xeleris 3</p> <p>EFC FOR XELERIS3</p> <p>Evolution for Cardiac provides EfC provides Evolution Resolution Recovery Reconstruction on SPECT Myocardial Perfusion Imaging (MPI) scans. The EfC application may be utilized to provide equivalent image quality on half-dose or half-time MPI scans. This license H3901ME processes Infinia, Infinia Hawkeye 4, Ventri and Discovery 670 family of camera data. This license can only function with pre-requisite JHU-RR (H3901KS/H3901KT) and (H3602NJ) EFC SPECT CAMERA LICENSE</p>	
2	S8006SL	<p>EV TOOLKIT X3 1 CAMERA LI</p> <p>Xeleris 3 Evolution Tool Kit Software Licenses for a single Xeleris 3 Workstation with one Camera License each.</p>	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<p>This item contains two software licenses that are also available separately.</p> <p>o Xeleris 3 Evolution Toolkit provides Evolution reconstruction benefits integrated within the Volumetrix MI workflow. The Evolution Toolkit contains statistical tools to model reduced time or injected dose. Evolution reconstruction supports Tc99m, In111, Ga67, I123 and Tl201 isotopes and the Discovery 670 NM/CT and Infinia cameras.</p> <p>o Enables Camera capability to provide data for Evolution Toolkit. The Evolution Toolkit provides Evolution Resolution Recovery reconstruction on SPECT scans resulting in improved resolution and contrast. The Evolution Toolkit application may be utilized with included statistical re-sampling tools to determine optimal dose or time reduction on SPECT studies. Evolution Toolkit supports Tl201, Tc99m, I-123, Ga67, In111 isotopes. This license H3602NH is for the Infinia, Infinia Hawkeye 4 and Discovery 670 family of cameras. This license can only function with pre-requisite JHU-RR (S8006RZ / S8006S) and EFB FOR XELERIS3 (H3901MD)</p>	
1	S8006S	<p>X3 PLUGIN EVOL FAMILY 2+</p> <p>Xeleris 3 Plug-in for Evolution Family - JHU RR 2nd or more License Required for additional Evolution products greater than one workstations or two (2) Evolution products.</p>	
1	H3800NE	<p>Xeleris ACQC Software</p> <p>Provides Quality control of registration between SPECT & CT offering both Visual control and Myocardial outline on CT. Includes Manual Mis-registration correction with interactive control</p>	
2	H3602MZ	<p>INFINIA UPGRADE USB HASP</p> <p>Nuclear Medicine Camera License HASP</p>	
1	E4502KB	<p>Powercom 2 KVA UPS for AW, Ultrasound and Nuclear Medicine</p> <p>Powercom 2 KVA Uninterrupted Power Supply for AW, Ultrasound and Nuclear Medicine</p> <p>FEATURES/BENEFITS</p> <ul style="list-style-type: none"> The use of uninterruptible power enables the system imaging to be completed after the loss of supply power, and allows for saving of valuable data and orderly system shutdown The Online Double Conversion UPS eliminates all power anomalies such 	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<p>as noise, transients, over-voltage, and under-voltage, which could damage the imaging system's sensitive computer components</p> <ul style="list-style-type: none"> • Front Panel LCD Display indicates line, bypass, inverter, backup, fault, battery capacity, load capacity, I/P and O/P voltage, I/P and O/P frequency, inside temperature of UPS • Improves imaging system reliability, reduces service costs, and increases system uptime • Advanced Battery Management Plus uses sophisticated battery sensing technology to keep the batteries in sleeping mode if there is small or no loading detective. The two-step battery recharging technology auto charge the battery when it is needed to prevent the temperature from becoming too high, making the battery life longer • Smart RS-232 Communication Port - Establish link between the UPS and the computer through a cable connect to the RS-232 communication port to detect power failure, battery life, schedule UPS on/off, and AC power status display <p>SPECIFICATIONS</p> <ul style="list-style-type: none"> • Dimensions (H x W x D): 15.2" x 7.6" x 18.1" • Weight: 70.4 lbs. • Nominal Voltage: 120 VAC • Frequency: 50/60 Hz, auto-sensing <p>COMPATIBILITY</p> <ul style="list-style-type: none"> • GE Ultrasound LOGIQ 500, LOGIQ 700, LOGIQ 9, System FiVe, Vivid 7, Vivid 7 Pro, Millennium MG (Nuc), Millennium MPR (Nuc), Millennium MPS (Nuc), Optima (Nuc) <p>NOTES:</p> <ul style="list-style-type: none"> • Customer is responsible for rigging and arranging for installation with a certified electrician • ITEM IS NON-RETURNABLE AND NON-REFUNDABLE 	
1	E4502SN	<p>25 KAIC Millenium VG Main Power Disconnect Panel - 208Y/120V</p> <p>25 KAIC Millenium VG Main Power Disconnect Panel - 208Y/120V</p> <p>FEATURES/BENEFITS</p> <ul style="list-style-type: none"> • Low voltage remote emergency off operation of the main breaker operates instantaneously to shut off entire system 	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		<ul style="list-style-type: none"> Reduces installation time and cost by providing a single-point power connection eliminating the need to mount and wire several individual components Eliminates engineering, sourcing and delivery delays associated with obtaining individual devices from a variety of suppliers Custom wiring diagrams for installation and future reference mounted inside door UL and cUL labeled, factory tested, eliminating inspection and acceptance issues Padlocking provisions for OSHA lockout/tagout <p>SPECIFICATIONS</p> <ul style="list-style-type: none"> Dimensions (H x W x D): 24" x 14.6" x 6" Weight: 60 lbs. Mounting: Surface mounting via keyhole slots: Width 9.5" horizontally and 22" vertically <p>COMPATIBILITY</p> <ul style="list-style-type: none"> Millennium VG System (Nuc) <p>NOTES:</p> <ul style="list-style-type: none"> Customer is responsible for rigging and arranging for installation with a certified electrician ITEM IS NON-RETURNABLE AND NON-REFUNDABLE 	
1	W0002NM	<p>2 Days NM TiP Onsite Training</p> <p>2 Days NM TiP Onsite Training</p> <p>Two Day NM Onsite Training provided from 8AM to 5PM, Monday through Friday. Includes T&L expenses. Days provided consecutively.</p> <p>This training program must be scheduled and completed within 12 months after the date of product delivery.</p>	
2	W0004NM	<p>4 Days NM TiP Onsite Training</p> <p>4 Days NM TiP Onsite Training</p> <p>Four Days NM Onsite Training provided from 8AM to 5PM, Monday through Friday. Includes T&L expenses. Days provided consecutively.</p> <p>This training program must be scheduled and completed within 12 months</p>	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
		after the date of product delivery.	
1	R0179NM	<p>Infinia With Xeleris Training</p> <p>NM Infinia with Hawkeye Service (Class/Lab)</p> <p>Content addressing technical service issues related to Infinia (Quasar) nuclear camera & Xeleris Workstation. Students should expect to learn theory, calibration and troubleshooting procedures. This course must be taken within 2 years from the purchase date.</p>	
1	R0184NM	<p>NUCLEAR BASIC SERVICE</p> <p>Nuclear Basic Service (Class/Lab)</p> <p>The Nuclear Basic Service class will provide the student with the theory of how a Gamma Camera operates and allow them to work safely in a nuclear environment. They will gain hands on experience on a variety of current GE Nuclear equipment allowing them to perform basic service This course must be taken within 2 years from the purchase date.</p>	
10	R0100CM	<p>Meals And Lodging Expense</p> <p>Meals and Lodging Expense has been developed to allow the customer the convenience of prepaying for their meals and lodging expenses when attending Technical Service Training at the GE Healthcare Institute located in Waukesha, WI.</p> <p>The price of this convenience is based on a per day basis. Thus a quantity of 1 is equal to 1 day's meals and lodging expense. When purchasing the meals and lodging expense please be mindful of weekend days during the training stay and include 2 days to cover a weekend in the purchase quantity.</p> <p>Examples: A 5-day course needs a quantity of 5. Any course longer than 5 days should include 2 days to account for the weekend stay. Any course longer than 10 days will require an additional 4 days of the meals and lodging expense to cover the 2 weekends of the stay. Thus a 15-day course would have a quantity of 19 days to cover the 2 weekends of the stay. This expense must be used within 2 years from the purchase date.</p> <p>Three meals a day Monday thru Thursday, 2 meals on Friday, pluse breaks are provided in the onsite cafeteria. The GE Healthcare Institute cafeteria closes Friday after lunch and reopens Monday morning for breakfast. Weekend meals are the responsibility of the customer.</p> <p>Only for In-resident courses to be taken at the GE Healthcare Institute.</p>	



Quotation Number: P5-C132567 V 7

Qty	Catalog No.	Description	Ext Sell Price
1	R0101CM	<p>Airfare Expense</p> <p>The AIRFARE EXPENSE has been developed to allow the customer the convenience to prepay their roundtrip Airfare expenses when attending Technical Service Training at the GE Healthcare Institute located in Waukesha, WI. To be used for engineers attending In-Resident Class/Lab courses for Diagnostic Imaging.</p> <p>Customer will make their Airfare arrangements thru the GE Travel Center. Specific directions will be provided to the customer upon confirmation of class. Please note that this expense must be used within 2 years of the purchase date</p>	
1	R0102CM	<p>Lodging Weekend Expense</p> <p>Lodging Weekend Expense</p> <p>Weekend Lodging Expense is to cover Saturday and Sunday lodging expenses for those engineers who are staying at the Rivers Edge Condos while attending Diagnostic Imaging Biomed training at the Healthcare Institute. Please note that there are no meals included on the weekend. Must be used within 2 years from the purchase date.</p>	
1	R0183NM	<p>XELERIS 2.0 SERVICE</p> <p>Xeleris Service Web</p> <p>Xeleris 2.0 e-training provides a comprehensive training tool that allows field engineers to install, configure, maintain and service the Xeleris 2.0 workstation. This course must be taken within 2 years from the purchase date.</p>	
1	R0185NM	<p>INFINIA HAWKEYE 4 SLICE</p> <p>Infinia Hawkeye 4 Slice Option Service Training</p> <p>Upon successful completion of the Hawkeye 4 slice web course, the user will have the understanding of the function and maintenance of the 4 slice CT option on the Infinia 2 gamma camera. This course is designed for engineers who have attended Infinia training prior to July 2007. This course must be taken within 2 years from the purchase date.</p>	
1	R0901CM	<p>Troubleshooting Basics Service (web)</p> <p>Troubleshooting Basics Service (Web)</p> <p>This Course is Intended for Individuals Involved in Servicing Medical</p>	



Qty	Catalog No.	Description	Ext Sell Price
		Equipment. By Taking This Course, You will Learn a Proven Process for Troubleshooting Problems with Medical Equipment. You will Also Learn How to Use Various Tools in a Troubleshooting Situation and How to Interpret Error Messages. This Course Does Not Address How to Troubleshoot Specific Products. It is Recommended That you Have Fundamental Training in a Modality Prior to Taking This Course. This course must be taken within 2 years from the purchase date.	
1		NonProducts	
1		ADAC Removal Rigging	
		Quote Summary:	
		ADAC FORTE	
		Total Quote Net Selling Price	

