

Quotation Number: P2-C137117 Version 3

Item No.	QTY	CATALOG	DESCRIPTION	List Price
			LOGIQ P6 BT11	
			LOGIQ P6 BT11	
1	1	H46242LJ	<p>LOGIQ P6 BT11 Console</p> <p>GE's high performance, fully digital Color Ultrasound System featuring TruScan Architecture with TruAccess, CodeScan, SmartScan, TruConnect and Comfort Scan. Supports convex, linear, sector, and micro convex array probes.</p> <p>Standard features include: Raw Data Processing, SRI, CRI, Coded Harmonics, Phase Inversion Harmonics, Auto Optimize (for B-mode, Color and Doppler), Auto TGC, MpegView, Virtual Convex, Anatomical M-Mode, 17 inch LCD, Articulating LCD arm, Task Lamp, DVD-R, Easy back up, and B/W printer mount (middle shelf, right hand side).</p> <p>Available S/W options: Easy & Advanced 3D, LOGIQ View, B-Flow color, Auto IMT, Report Designer, Pulsatile Flow Detection, TVI & Q-Analysis, Stress Echo, Elastography, DICOM, DB Viewer and PDF Writer.</p> <p>Available H/W options: Real Time 4D, CW Doppler, and ECG.</p> <p>Scanning modes include: B-Mode, M-Mode, Color Flow, Pulsed Wave, Power Doppler, Real time Triplex Mode, 4D Modes and B-Flow color.</p> <p>Comfort Scan's system highlights: Swivel/tilt 17 inch high resolution LCD color monitor, 3 active transducer ports, up to 60 seconds cine memory, 120GB internal hard drive , DVD-R image archive, and user programmable preset parameters. Integrated peripherals storage bay and B&W printer fixture.</p> <p>System supports DVD-R, USB stick and external HDD and digital printers. Comprehensive software, annotation, calculations including Real Time Auto Doppler calculations.</p> <p>Includes one-year warranty with InSite(TM) service and two days of On-site Applications Training. Additional On-site Applications Training days are available for purchase.</p>	
2	1	H4904PC	<p>4C 2-5 MHz Convex Transducer</p> <p>Broad spectrum 2-5MHz convex transducer. Preferred Applications: ABD, OB. Biopsy kit currently available.</p>	



GE Healthcare

QUOTATION

Quotation Number: P2-C137117 Version 3

Item No.	QTY	CATALOG	DESCRIPTION	List Price
3	1	H4012L	<p>i12L 4-12 MHz Intraoperative</p> <p>Broad spectrum 4.4 – 11.5 MHz linear transducer with a 25mm FOV and 29 x 10mm footprint. Preferred Applications: Intraoperative, small parts, peripheral vascular and neonatal. Biopsy kit currently not available.</p>	
4	1	H40452LY	<p>ML6-15L (5-13MHz) Matrix Linear Array Transducer</p> <p>Wide band 5-13MHz matrix linear array transducer. Preferred Applications: Vascular, Neonatal, Pediatrics, Small Parts. Biopsy kit currently available.</p>	
5	1	H46092LP	<p>LOGIQView</p> <p>Integrated, advanced, real-time extended field of view that allows for imaging in both B-Mode and Color Flow. Currently available on all transducers with integrated measurement capability in B-Mode. Improved image registration and filtering techniques offer enhanced imaging.</p>	
6	1	H46092LN	<p>DICOM</p> <p>DICOM software package providing the following DICOM functionality: Print, Store, Multiframe, Modality Worklist, Verify, MPPS (Modality Performed Procedure Step), and Storage commitment. Does not include network hardware, which may be required. Includes initial installation and connection to customer network.</p>	
7	1	H46092LL	<p>Easy 3D</p> <p>Integrated high-speed 3D Image rendering capability. This 3D package is capable of capturing 3-dimensional data with an automatic sweep estimator in order to display the obtained image instantaneously in quad cut plane format. The surface-rendering mode provides a 3 dimensional image of the scanned anatomy. Color data can be acquired. Improved image registration and filtering techniques enable enhanced image acquisition.</p>	
8	1	H46102LD	<p>PDF Writer</p> <p>Adds ability to create PDF format of reports on the system for easy storage on electronic networks and transfer to EMR systems.</p>	



Quotation Number: P2-C137117 Version 3

Item No.	QTY	CATALOG	DESCRIPTION	List Price
9	1	H46092LT	Report Designer Report Designer offers a customizable, report generation package with the ability to import custom graphics, add exam images, plot graphs, and print to on-board or off-board printers.	
10	1	H44492LB	Sony UP D897 Printer with introductory paper Sony UP897 B&W Thermal Printer for on board integrated mounting into the LOGIQ Console. Includes introductory paper.	
11	1	H44442LT	Mounting Kit for B/W Printer – Under Keyboard Mounting kit for the B/W Printer that attaches to the underside of the keyboard on the left side. Please check the console description to determine if the system comes with a B/W printer bracket.	
12	1	H44452LA	Rear Handle Rear mounted handle for pushing system.	
13	1	H44412LC	Full Width Drawer Middle shelf drawer (full width). This option is not compatible with the middle shelf B/W printer mount. In order to use this larger drawer and the B/W Printer you need to order the Mounting Kit for B/W Printer – Under Keyboard.	
14	1	H44552LS	3-Pedal Foot Switch 3-pedal foot switch with programmable functionality.	
15	1	H46032LA	Foot Rest Cover Foot Rest Cover for LOGIQ P6.	
16	1	H44472LY	Swivel Lock Caster Swivel Lock is to lock the front 2 wheels.	
17	1	H44492LL	Keyboard Cover Fluid-resistant keyboard cover.	
18	3	H4801KT	On-Site Application Day One day of On-Site Applications training.	

