



PLUMBING FIXTURE SCHEDULE

MARK	DESCRIPTION	PIPE SIZE					MOUNTING HEIGHT AFF (INCHES)	REMARKS
		CW	HW	VENT	WASTE	TEP		
S-1	KITCHEN SINK	1/2"	1/2"	1-1/2"	1-1/2"	-	-	BASS OF DESIGN: ELKAY MN#LRAD3321 GOURMET DOUBLE BOWL SINK 2 HOLE (MR2) CONFIGURATION, 6-1/2" BOWL DEPTH FAUCET: DELTA MN#980T-DST PILAR SERIES TOUCH TECHNOLOGY SINGLE HANDLE 2 FUNCTION WITH INTEGRATED PULL DOWN SPRAYER.
S-2	KITCHEN SINK	1/2"	1/2"	1-1/2"	1-1/2"	-	-	ELKAY MN# LRAD2521 LUSTERTON SINGLE BOWL SINK 3 HOLE, 6-1/2" BOWL DEPTH FAUCET MN#400-DST-L SINGLE HANDLE DECK MOUNTED.
S-3	KITCHEN SINK	1/2"	1/2"	1-1/2"	1-1/2"	-	-	BASS OF DESIGN: ELKAY MN# LRAD2521 LUSTERTON SINGLE BOWL SINK 2 HOLE (MR2) CONFIGURATION, 6-1/2" BOWL DEPTH FAUCET DELTA MN#980T-DST PILAR SERIES TOUCH TECHNOLOGY SINGLE HANDLE



- SHEET NOTES:**
- SELECTIVE DEMOLITION INCLUDES, BUT IS NOT LIMITED TO, REMOVAL AND DISPOSAL OF EQUIPMENT AND SYSTEMS MADE OBSOLETE AND/OR REPLACED BY NEW WORK AND FOR EXISTING EQUIPMENT AND SYSTEMS WHICH ARE TO REMAIN.
 - THE DEMOLITION WORK INDICATED ON THE DRAWINGS IS INTENDED TO ASSIST THE CONTRACTOR AND GIVE GENERAL INFORMATION. PRIOR TO SUBMITTING BID, THE CONTRACTOR SHALL VISIT THE PROJECT SITE, REVIEW ORIGINAL DRAWINGS IF AVAILABLE. CONTRACTOR IS RESPONSIBLE TO DETERMINE THE FULL EXTENT OF SELECTIVE DEMOLITION, AND INCLUDE ALL REQUIRED SELECTIVE DEMOLITION WORK IN THE BID, WHETHER OR NOT SPECIFICALLY SHOWN ON DRAWINGS. NO ADDITIONAL COSTS WILL BE GRANTED FOR SELECTIVE DEMOLITION. LEGALLY DISPOSE OF ALL ITEMS AND MATERIALS, EXCEPT ANY ITEMS SPECIFICALLY DESIGNATED BY THE OWNER TO BE SALVAGED. REMOVE AND PLACE THE DESIGNATED SALVAGED EQUIPMENT IN A LOCATION DIRECTED BY THE OWNER.
 - REFER TO GENERAL CONSTRUCTION TRADE DRAWINGS FOR EXTENT OF AREA TO BE DEMOLISHED.
 - CONTRACTOR TO VERIFY ALL EXISTING PLUMBING IN FIELD PRIOR TO ANY REMOVAL OR INSTALLATION.

- KEYED NOTES:**
- CONNECT VENT TO EXISTING 2" VENT PIPE AS SHOWN/REQUIRED IN ACCORDANCE WITH IPC.
 - CONNECT TO EXISTING PLUMBING AS SHOWN/REQUIRED.
 - PROVIDE CONNECTIONS TO DISHWASHER FOR HOT WATER AND SANITARY DRAIN.
 - PROVIDE 1/2" COLD WATER LINE TO THE REFRIGERATOR FOR THE ICE MAKER.



1 PLUMBING FLOOR PLAN
SCALE: 1/4" = 1'-0"



KEY PLAN
SCALE: NOT TO SCALE
TRUE NORTH

three inches = one foot
 one and one half inches = one foot
 one inch = one foot
 three quarters inch = one foot
 one half inch = one foot
 three eighths inch = one foot
 one quarter inch = one foot
 one eighth inch = one foot

Revisions ISSUED FOR CONSTRUCTION	2/24/2012
-----------------------------------	-----------

CONSULTANTS:

AJH DESIGN
 216 OAKWOOD AVENUE ELMIRA HEIGHTS, NEW YORK 14903
 P.H.: (607) 737-4638 FAX: (607) 737-1277
 AJH# 11-058

ARCHITECT/ENGINEERS:

LDC
 Larson Design Group • Architects • Engineers • Surveyors
 1000 Commerce Park Drive • Suite 201
 Williamsport, PA 17701
 PHONE 570.323.6603 TOLL FREE 877.323.6603
 FAX 570.323.9902 • www.larsondesigngroup.com

Drawing Title
PLUMBING PLAN

Approved Project Director
CHRISTOPHER HALL

Project Title
KITCHEN RENOVATIONS

Project Number
6944-001

Building Number
#9

Location
BUILDING #9 ROOM 5C

Date
2-24-2012

Checked
MPN

Drawn
DLS

Drawing Number
9-PL 1

Dwg. 1 of 1

Office of
Construction
and Facilities
Management

Department of
Veterans Affairs