PLUMBING SYMBOL LIST		
SYMBOL	DESCRIPTION	ABBREV.
	GATE VALVE	GV
	BALL VALVE	–
	BALANCE VALVE	–
	DOMESTIC COLD WATER PIPING	CW
	DOMESTIC HOT WATER PIPING	HW
	DOMESTIC HOT WATER RECIRCULATING LINE	HWR
SAN	SANITARY PIPING	SAN
	UNION	–
	PIPE UP	UP
	PIPE DOWN	DN
CO	CLEANOUT	CO
	POINT OF CONNECTION	–
	POINT OF DISCONNECTION	–
	INACTIVE PIPE	–
	SANITARY TRAP	TRAP
	SANITARY PIPE REDUCTION	–

SANITARY PLAN NOTES:

1. CONNECT TO EXISTING THRU-WALL WASTE PIPE. USE DIELECTRIC FITTINGS.
2. CONNECT TO EXISTING WASTE PIPE AT THRU-FLOOR PIPE. RESTORE FIRESTOPPING. PROVIDE CLEANOUT AT BOTTOM END OF RISER, SEE DETAIL 7/GI-3
3. CONSTRUCT CAST IRON SANITARY PIPING, FITTINGS, AND CLEANOUTS. CLEANOUTS SHALL BE PLACED AT LOW POINT OF RISERS.

GENERAL NOTES:

1. ALL DARK SANITARY SEWER PIPING IS NEW AND SHALL BE INSTALLED BY THE CONTRACTOR.
2. REFER TO SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS.
3. FOR PIPE HANGER DETAILS, SEE DETAILS 3/GI-3 6/GI-3
4. REVIEW SPECIFICATIONS AND COORDINATE WITH COTR FOR ADDITIONAL TRAP LOCATIONS.

SUB-BASEMENT PLAN - SANITARY

ENG. SCALE: 1" = 8'-0"
ARCH. SCALE: 1/8" = 1'-0"

Revisions:	Date

CONSULTANTS:

STATE OF NEW YORK — REX A. TOLMAN — LIC. NO. 068483 — LICENSED PROFESSIONAL ENGINEER

ARCHITECT/ENGINEERS:

CONSULTING ENGINEERS

TOLMAN ENGINEERING, PLLC
3610 LAWSON ROAD
JAMESTOWN, NEW YORK 14701
PHONE: (716) 484 - 1366
FAX:(716) 484 - 1519

Drawing Title: SUB-BASEMENT PLAN - SANITARY

Approved Project Director:

Project Title: BUILDING 37 SERVICE PIPING REPLACEMENT

Location: CANANDAIGUA VAMC

Date: 03-16-2012 | Checked: BRP | Drawn: EHA/JLE

Project Number: 52A85-12-501

Building Number: 37

Drawing Number: P-2 Dwg. 10 of 10

Office of Construction and Facilities Management

Department of Veterans Affairs

VA FORM 08-6231