BEAM SCHEDULE

MARK	SIZE W	SIZE D	REINFORCING LONGITUDINAL No. SIZE	LONGITUDINAL REMARKS	STIRRUPS No. SIZE	STIRRUPS SPACING EACH END
3B-1	12	34½	2#9	BOTT., 90°-K@GRID'A'		
			2#9	TOP@GRID'B'	26#4 (TIES)	
			2#9	TOP@GRID'A', 90°-K		
3B-2	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'C'	26#4 (TIES)	
3B-3	12	18	2#7	BOTT.		
			2#7	TOP, 90°-K, EA. END	14#3 (TIES)	
3B-4	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'C.7'	18#4 (TIES)	
3B-5	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'D.2'	18#4 (TIES)	
3B-6	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'D.9'	18#4 (TIES)	
3B-7	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'F.1'	24#4 (TIES)	
3B-8	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'G'	24#4 (TIES)	
3B-9	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'G.9'	22#4 (TIES)	
3B-10	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'J'	24#4 (TIES)	
3B-11	12	34½	2#9	BOTT., 90°-K@GRID'J.9'		
			2#9	TOP@GRID'J.9', 90°-K	24#4 (TIES)	
3B-12	16	60	8#10	BOTT. 90°-K@A', (2 LAY.)		
			7#9	TOP@'C', (2 LAY.) 90°-K	58#4 (TIES)	
			4#10	TOP@GRID'A', 90°-K		
3B-13	27	14½	6#6	BOTT, 90°-K@GRID'2'	42#3	
			6#8	TOP@GRID'3',		
			6#7	TOP@GRID'2', 90°-K		
3B-14	27	14½	6#6	BOTT, 90°-K@GRID'4'	40#3	
			6#6	TOP@GRID'4', 90°-K		
3B-15	24	44	4#9	BOTT.	*	
			6#8	TOP@GRID'C'-'D'	76#5	
			8#9	TOP(2 LAY)@'C', CONT. INTO 3B-12 (36 D.)		
3B-16	24	44	4#9	BOTT.	*	
			6#8	TOP@GRID'E'	72#5	
3B-17	24	44	4#9	BOTT.	*	
			5#11	TOP@GRID'F'	77#5	
3B-18	24	44	4#9	BOTT, 90°-K@GRID'G'	*	
			9#9	TOP@'G', CONT. INTO 3B-19, (36 D.)	77#5	
3B-19	50	18	7#7	BOTT.	*	
			8#9	TOP@GRID'H'	32#4	
			4#7	TOP@'G', 90°-K		
3B-20	50	18	7#7	BOTT.	*	
			9#9	TOP@GRID'J'	32#4	
3B-21	50	18	8#7	BOTT, 90°-K@GRID'J.9'		
			7#7	TOP@GRID'J.9', 90°-K	30#4	
			SEE R-11532-1		FCO 6-6-66 15-66	
3B-22	50	18	9#7	BOTT, 90°-K@GRID'G'	*	
			10#9	TOP@GRID'H'	32#4	
			9#7	TOP@GRID'G', 90°-K		
3B-23	50	18	9#7	BOTT.	*	
			10#9	TOP@GRID'J'	32#4	
3B-24	50	18	9#7	BOTT., 90°-K@GRID'J.9'	*	
			9#7	TOP@GRID'J.9', 90°-K	24#4	
3B-25	36	36	7#8	BOTT, 90°-K@GRID'C'		
			8#9	TOP@GRID'D'	38#4	
			4#10	TOP@GRID'C', 90°-K		
3B-26	36	36	4#9	BOTT.	*	
			8#9	TOP@GRID'E'	36#4	
3B-27	36	36	4#9	BOTT.	*	
			8#9	TOP@GRID'F'	38#4	
			7#8			
3B-28	36	36	4#10	BOTT.	*	
			9#9	TOP@GRID'G'	38#4	
3B-29	50	18	8#7	BOTT.	*	
			10#9	TOP@GRID'H'	36#4	
			2#9	TOP@'G', 90°-K		
3B-30	50	18	9#7	BOTT.	*	
			9#9	TOP@GRID'J'	36#4	
3B-31	50	18	8#7	BOTT, 90°-K@GRID'J.9'	*	
			8#7	TOP@GRID'J.9', 90°-K	32#4	

MARK	SIZE W	SIZE D	REINFORCING LONGITUDINAL No. SIZE	LONGITUDINAL REMARKS	STIRRUPS No. SIZE	STIRRUPS SPACING EACH END
3B-32	37	18	6#7	BOTT., 90°-K@GRID'A'	*	
			6#9	TOP@GRID'B'	40#4 (TIES)	
			7#8	TOP@GRID'A', 90°-K		
3B-33	37	18	7#6	BOTT.	*	
			9#9	TOP@GRID'C'	40#4 (TIES)	
3B-34	50	18	8#7	BOTT.	*	
			8#10	TOP@GRID'D'	36#4	
			2#6	TOP@'C', 90°-K		
3B-35	50	18	8#7	BOTT.	*	
			8#10	TOP@GRID'E'	36#4	
3B-36	50	18	8#7	BOTT.	*	
			8#10	TOP@GRID'F'	36#4	
3B-37	50	18	8#7	BOTT	*	
			8#10	TOP@GRID'G'	36#4	
3B-38	50	18	8#7	BOTT.	*	
			9#9	TOP@GRID'H'	36#4	
3B-39	50	18	7#7	BOTT.	*	
			8#9	TOP@GRID'J'	32#4	
3B-40	50	18	7#7	BOTT, 90°-K@GRID'J.9'	*	
			8#7	TOP@GRID'J.9', 90°-K	32#4	
3B-41	12	18	2#7	BOTT, 90°-K@GRID'H.2'		
			3#7	TOP@GRID'H.6'	12#4	
			3#7	TOP@GRID'H.2', 90°-K		
3B-42	12	18	2#7	BOTT.		
			3#7	TOP@GRID'J.1'	18#4	
3B-43	12	18	2#7	BOTT., 90°-K@GRID'J.4'		
			3#7	TOP@GRID'J.4', 90°-K	12#4	
3B-44	50	18	7#7	BOTT., 90°-K@GRID'A'	*	
			7#9	TOP@GRID'B'	40#3	
			7#7	TOP@GRID'A', 90°-K		
3B-45	50	18	7#7	BOTT.	*	
			8#9	TOP@GRID'C'	40#3	
3B-46	50	18	7#7	BOTT.	*	
			7#9	TOP@GRID'D'	40#3	
3B-47	50	18	7#7	BOTT.	*	
			9#7	TOP@GRID'E'	40#3	
3B-48	50	18	7#7	BOTT	*	
			9#7	TOP@GRID'F'	40#3	
3B-49	50	18	7#7	BOTT.	*	
			7#9	TOP@GRID'G'	40#3	
3B-50	50	18	7#7	BOTT.	*	
			4#7	TOP@GRID'H', 90°-K	32#4	
3B-51	50/24	24	5#7	BOTT.		
			5#9	TOP@GRID'J'	32#4	
			6#9	TOP@'H'		
3B-52	24	24	6#7	BOTT., 90°-K@GRID'J.9'		
			6#7	TOP@GRID'J.9', 90°-K	42#4	
3B-53	50	14½	7#6	BOTT.	*	
			7#9	TOP@GRID'G'	42#3	
			7#6	TOP@GRID'F', 90°-K		
3B-54	50	18	7#7	BOTT.	*	
			3#9	TOP@'H', 90°-K	32#4	
3B-55	50/24½	30	5#7	BOTT.		
			7#7	TOP@GRID'J'	28#4	
			6#9	TOP@'H'		
3B-56	24½	30	5#7	BOTT, 90°-K@GRID'J.9'		
			5#7	TOP@GRID'J.9', 90°-K	42#4	
3B-57	12	14½	3#8	BOTT, 90°-K, EA. END		
			3#8	TOP CONTINOUS	11#3 (TIES)	11@12"
3B-58	12	18	3#9	BOTT; CONTINOUS		
			2#6	TOP@GRID'J.9', 90°-K	26#3 (TIES)	
			2#9	TOP@GRID'J', 90°-K		
3B-59	50	18	7#7	BOTT., 90°-K@GRID'A'	*	
			7#9	TOP@GRID'B'	32#3	
			7#7	TOP@GRID'A', 90°-K		
3B-60	50	18	7#7	BOTT.	*	
			8#9	TOP@GRID'C'	32#4	
3B-61	50	18	7#7	BOTT.	*	
			2#8	TOP@'D', 90°-K	32#4	
3B-62	35	18	7#7	BOTT.	*	
			6#8	TOP@'D'	16#3	
			6#7	TOP@'D.3'		

MARK	SIZE W	SIZE D	REINFORCING LONGITUDINAL No. SIZE	LONGITUDINAL REMARKS	STIRRUPS No. SIZE	STIRRUPS SPACING EACH END
3B-63	50	18	7#7	BOTT.	*	
			8#7	TOP@GRID'E.2'	42#3	
			2#7	TOP@'D.3', 90°-K		
3B-64	50	18	7#7	BOTT.	*	
			7#8	TOP@GRID'E.8'	20#3	
3B-65	50	18	5#7	BOTT.	*	
			2#7	BOTT., 90°-K@'F.6'	24#4	
			3#7	TOP@'F.6', 90°-K		
3B-66	22	18	5#7	BOTT.		
			5#7	TOP@'F.6'	16#4	
			5#9	TOP@'G'		
3B-67	50	18	8#7	BOTT@'G' 4-90°-K	*	
			4#9	TOP@'G', 90°-K	38#4	
			2#7	TOP@'H', 90°-K		
3B-68	38	24	6#7	BOTT.		
			4#9	TOP@'J', 90°-K	32#4	
			8#9	TOP@'H'		
3B-69	12	48	3#10	BOTT, 90°-K@EA.END		
			3#10	TOP@GRID'J.9', 90°-K	36#3 (TIES)	
			3#10	TOP@'J'		
3B-70	12	18	2#7	BOTT. CONTINOUS	14#3 (TIES)	
			2#7	TOP CONT, 90°-K EA END		
3B-71	50	18	7#7	BOTT, 90°-K@GRID'A'	*	
			8#9	TOP@GRID'B'	40#3	
			7#7	TOP@GRID'A', 90°-K		
3B-72	50	18	7#7	BOTT.	*	
			10#9	TOP@GRID'C'	36#4	
3B-73	50	18	8#7	BOTT.	*	
			3#8	TOP@'D', 90°-K	36#4	
3B-74	25	18	5#7	BOTT.		
			5#8	TOP@'D'	18#4	
			5#9	TOP@'D.3'		
3B-75	50	14½	7#6	BOTT. 2-90°-K@'D.3'	*	
			7#9	TOP@GRID'E.2'	24#4	
			1#9	TOP@D.3' 90°-K		
3B-76	50	14½	7#6	BOTT.	*	
			7#9	TOP@GRID'E.8'	24#4	
3B-77	50	14½	7#6	BOTT.	*	
			7#9	TOP@GRID'F.6'	24#4	
3B-78	50	18	9#7	BOTT.	*	
			7#9	TOP@GRID'G'	22#3	
3B-79	50	18	7#7	BOTT.	*	
			10#9	TOP@GRID'H'	32#4	
3B-80	50	18	8#7	BOTT, 1-90°-K@'J'		
			2#7	TOP@'J', 90°-K	36#4	
3B-81	39	24	7#7	BOTT., 90°-K@GRID'J.9'	*	
			6#9	TOP@GRID'J.9', 90°-K	36#4	
			7#9	TOP@'J'		
3B-82	50	18	7#7	BOTT, 90°-K@GRID'A'	*	
			8#8	TOP@GRID'B'	40#3	
			7#7	TOP@GRID'A', 90°-K		
3B-83	50	18	7#7	BOTT.	*	
			7#8	TOP@GRID'C'	40#3	
3B-84	50	18	7#7	BOTT.	*	
			8#7	TOP@GRID'D'	40#3	
3B-85	50	14½	9#7	BOTT.	*	
			7#9	TOP@GRID'D.3'	22#3	
			6#4	TOP LAPPED		
3B-86	50	14½	7#6	BOTT.	*	
			7#9	TOP@GRID'E.2'	24#4	
3B-87	50	14½	7#6	BOTT.	*	
			7#9	TOP@GRID'E.8'	24#4	
3B-88	50	14½	7#6	BOTT, 90°-K@GRID'F.6'	*	
			9#7	TOP@GRID'F.6', 90°-K	24#4	
3B-89	50	18	7#9	BOTT, 90°-K@GRID'F.6'	*	
			6#9	TOP@GRID'G'	12#3	
			2#9	TOP LAPPED @	6#3 TOP@GRID'F.6', 90°-K	
3B-90	50	18	7#7	BOTT.	*	
			9#9	TOP@GRID'H'	24#3	
3B-91	50	18	7#7	BOTT.	*	
			2#7	TOP@GRID'J', 90°-K	24#3	
3B-92	39	18	9#6	BOTT., 90°-K@GRID'J.9'	*	
			7#9	TOP@GRID'J.9', 90°-K	26#3	
			9#9	TOP@'J'		
3B-93	50	18	7#7	BOTT.	*	
			8#8	TOP@GRID'G'	22#3	
			7#5	TOP@GRID'F.6', 90°-K		

MARK	SIZE W	SIZE D	REINFORCING LONGITUDINAL No. SIZE	LONGITUDINAL REMARKS	STIRRUPS No. SIZE	STIRRUPS SPACING EACH END
3B-94	50	18	7#7	BOTT.	*	
			8#9	TOP@GRID'H'	32#4	1@4", 3@5", 3@6", 7@8" 2@16"
3B-95	50	18	7#7	BOTT.	*	
			8#9	TOP@GRID'J'	32#4	1@4", 3@5", 3@6", 7@8" 2@16"
3B-96	50	19	7#7	BOTT., 90°-K@GRID'J.9'	*	
			8#7	TOP@GRID'J.9', 90°-K	32#4	1@4", 3@5", 3@6", 7@8" 2@12"
3B-97	50	18	7#7	BOTT, 90°-K@GRID'A'	*	
			7#8	TOP@GRID'B'	40#3	2@3", 5@4", 3@5", 2@6" 5@8", 2@16"
			7#7	TOP@GRID'A', 90°-K		
3B-98	50	18	7#7	BOTT.	*	
			9#7	TOP@GRID'C'	40#3	3@3", 5@4", 3@5", 2@6" 5@8", 2@16"
3B-99	50	18	7#7	BOTT.	*	
			7#7	TOP@GRID'D'	40#3	3@3", 5@4", 3@5", 2@6" 5@8", 2@16"
3B-100	50	18	7#7	BOTT.	*	1@5", 1@6", 4@8", 1@12"
			7#9	TOP@GRID'D.3'	14#3	
3B-101	50	14½	5#7	BOTT.	*	
			8#9	TOP@GRID'E.2'	26#4	2@5", 9@6", 2@12"
3B-102	50	14½	5#7	BOTT.	*	
			8#9	TOP@GRID'E.8'	26#4	2@5", 9@6", 2@12"
3B-103	50	14½	8#7	BOTT, 90°-K@GRID'F.6'	*	
			8#9	TOP@GRID'F.6', 90°-K	26#4	2@5", 9@6", 2@12"
			3#5	TOP LAPPED		
3B-104	50	18	7#7	BOTT., 90°-K@GRID'A'	*	
			7#8	TOP@GRID'B'	40#3	2@3", 5@4", 3@5", 2@6" 5@8", 2@16"
			7#7	TOP@GRID'A', 90°-K		
3B-105	50	18	7#7	BOTT.	*	
			9#7	TOP@GRID'C'	40#3	3@3", 5@4", 3@5", 2@6" 5@8", 2@16"
3B-106	50	18	7#7	BOTT.	*	
			7#7	TOP@GRID'D'	40#3	3@3", 5@4", 3@5", 2@6" 5@8", 2@16"
3B-107	50	18	7#7	BOTT.	*	1@5", 1@6", 4@8", 1@12"
			7#9	TOP@GRID'D.3'	14#3	
3B-108	50	14½	5#7	BOTT.	*	
			8#9	TOP@GRID'E.2'	26#4	2@5", 9@6", 2@12"
3B-109	50	14½	5#7	BOTT.	*	
			8#9	TOP@GRID'E.8'	26#4	2@5", 9@6", 2@12"
3B-110	50	14½	8#7	BOTT, 90°-K@GRID'F.6'	*	
			8#9	TOP@GRID'F.6', 90°-K	26#4	2@5", 9@6", 2@12"
			3#5	TOP LAPPED		
3B-111	50	18	7#7	BOTT.	*	
			8#9	TOP@GRID'G'	18#3	1@3", 2@4", 1@5", 5@8"
			5#6	TOP LAPPED @	5#5 TOP@GRID'F.6', 90°-K	
3B-112	50	18	7#8	BOTT.	*	
			11#9	TOP@GRID'H'	36#4	5@4", 2@5", 2@6", 7@8" 2@16"
3B-113	50	18	8#7	BOTT.	*	
			10#9	TOP@GRID'J'	36#4	2@3", 5@4", 3@5", 2@6" 5@8", 2@16"
3B-114	50	18	8#7	BOTT., 90°-K@GRID'J.9'	*	
			8#8	TOP@GRID'J.9', 90°-K	36#4	5@4", 2@5", 2@6", 7@8" 2@16"
3B-115	12	34½	2#9	BOTT, 90°-K@GRID'A'		
			3#8	TOP@GRID'B'	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
			2#9	TOP@GRID'A', 90°-K		
3B-116	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'C'	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
3B-117	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'D'	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
3B-118	12	34½	4#10	BOTT. (2 LAYERS)		1@5", 2@6", 1@8", 1@10" 2@12".
			6#9	TOP@GRID'D.3'(2 LAY)	14#3 (TIES)	
			2#9	TOP LAPPED		
3B-119	12	34½	3#9	BOTT.		
			4#10	TOP@GRID'E.2'(2 LAY)	34#3 (TIES)	6@4", 5@5", 6@6"
3B-120	12	34½	3#9	BOTT.		
			4#10	TOP@GRID'E.8'(2 LAY)	24#3 (TIES)	6@4", 4@5", 2@8"
3B-121	12	34½	3#10	BOTT.		
			6#9	TOP@GRID'F.6'(2 LAY)	22#3 (TIES)	2@3", 3@4", 2@5", 1@6" 1@10", 1@16", 1@18"
3B-122	12	34½	4#10	BOTT. (2 LAYERS)		2@3", 3@4", 2@5", 1@6"
			3#9	TOP@GRID'G'	20#3 (TIES)	1@10", 1@16"
			2#8	TOP LAPPED		
3B-123	12	34½	2#9	BOTT.		
			3#10	TOP@GRID'H'	34#3 (TIES)	3@3", 5@4", 2@5", 2@6" 1@0", 1@15", 2@16", 1@18"
3B-124	12	34½	2#9	BOTT.		
			3#10	TOP@GRID'J'	34#3 (TIES)	3@3", 5@4", 2@5", 2@6" 1@8", 1@15", 2@16", 1@18"

MARK	SIZE W	SIZE D	REINFORCING LONGITUDINAL No. SIZE	LONGITUDINAL REMARKS	STIRRUPS No. SIZE	STIRRUPS SPACING EACH END
3B-125	12	34½	2#9	BOTT., 90°-K@GRID'J.9'		
			3#9	TOP@GRID'J.9', 90°-K	34#3 (TIES)	3@3', 5@4', 2@5', 2@6' 1@8', 1@15', 2@16', 1@18'
3B-126	12	34½	3#8	BOTT., 90°-K@GRID'1'		
			3#10	TOP@GRID'2'	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
			2#5	TOP LAPPED @	2#9 TOP@GRID'1', 90°-K	
3B-127	12	34½	3#8	BOTT.		
			3#10	TOP@GRID'3'	26#3 (TIES)	13@3", 2@5", 3@6", 2@8" 1@10", 1@12", 4@16"
3B-128	12	34½	3#9	BOTT.		
			3#10	TOP@GRID'4'	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
3B-129	12	34½	3#8	BOTT.		
			3#10	TOP@GRID'5'	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
3B-130	12	34½	2#9	BOTT.		
			3#8	TOP@GRID'6'	28#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 5@16"
3B-131	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'7'	16#3 (TIES)	1@5", 2@6", 1@8", 1@10" 2@12", 1@18"
3B-132	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'8'	16#3 (TIES)	1@5", 2@6", 1@8", 1@10" 2@12", 1@18"
3B-133	12	34½	2#9	BOTT.		1@5", 2@6", 1@8", 1@10"
			2#9	TOP@GRID'9'	16#3 (TIES)	2@12", 1@18"
3B-134	8	34	2#10	BOTT, 90°-K@ EACH EN	**	3@8", 8@12"
			2#10	TOP CONT, 90°-K@EA END	#3	
3B-135	12	14½	3#8	BOTT, 90-K@EACH EN.	11#3 (TIES)	@12"
			3#8	TOP CONT.		
3B-136	12	18	2#7	BOTT.		
			2#6	TOP CONT.	14#3 (TIES)	2@6", 5@12"
3B-137	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'10'	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
3B-138	12	34½	2#9	BOTT.		2@5", 3@6", 2@8", 1@10"
			2#9	TOP@GRID'11'	26#3 (TIES)	1@12", 4@16"
3B-139	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'12'	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
3B-140	12	34½	2#9	BOTT.		
			2#9	TOP@GRID'13'	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
3B-141	12	34½	2#9	BOTT, 90°-K@GRID'14'		
			2#9	TOP@GRID'14', 90°-K	26#3 (TIES)	2@5", 3@6", 2@8", 1@10" 1@12", 4@16"
3B-142	8	34½	2#10	BOTT, 90°-K@ EA. END		3@3", 5@4", 5@6", 4@12"
			2#10	TOP CONT, 90°-K@E. END	#3	
3B-143	30	24	6#7	BOTT, 90°-K@GRID'6'		2@5", 1@6", 1@8", 4@11" 1@16"
			6#9	TOP@GRID'7'	#3	
			7#8	TOP@GRID'6', 90°-K		
3B-144	30	24	6#7	BOTT.		2@5", 1@6", 1@8", 4@11" 1@16"
			6#9	TOP@GRID'8'	#3	
3B-145	30	24	6#7	BOTT.		2@5", 1@6", 1@8", 4@11" 1@16"
			6#9	TOP@GRID'9'	#3	
3B-146	30	24	6#7	BOTT, 90°-K@GRID'10'		2@5", 1@6", 1@8", 4@11" 1@16"
			6#7	TOP@GRID'10', 90°-K	#3	
3B-147	18	24	3#7	BOTT, 90°-K@GRID'2'		1@6", 3@12"
			7#6	TOP@GRID'3'	38#3	SEE SECT. ON SH'T. 1-535
			7#6	TOP@GRID'2', 90°-K		
3B-148	18	24	3#7	BOTT.		1@6", 3@12"
			4#8	TOP@GRID'4'	30#3	SEE SECT. ON SH'T. 1-535

* DOUBLE STIRRUPS OR TIES
** TRIPLE STIRRUPS OR TIES

NOTE: STIRRUP SPACING FROM FACE OF SUPPORT
SEE SHEETS 1-556 & 1-568

1-2-2-1989

ALL ADDENDUM, CLARIFICATION AND CHANGE ORDER DATA HAVE BEEN ADDED TO THIS DRAWING. THIS DRAWING IS NOW COMPLETE AND UP-TO-DATE AS OF 6-25-67

3RD FLOOR BEAM SCHEDULES
BUILDING NO. 1

1062 BED
M. S. & N. HOSPITAL

VETERANS ADMINISTRATION
MIAMI, FLORIDA

DRAWN JLS
CHECKED AJK
PROJ. MGR. R. Smith
DATE May 5, 1967

REVISIONS

SMITH & KORACH
BEISWENGER, HOCH & ARNOLD
ARCHITECTS-ENGINEERS
721 N.W. 21 COURT • MIAMI, FLORIDA

DRAWING NUMBER 1-S32
SHEET 205 OF 502
PROJ. NO. 09-5212

RETURN TRACINGS TO PLAN FILES