




three inches = one foot  
 one and one half inches = one foot  
 one inch = one foot  
 three eighths inch = one foot  
 one half inch = one foot  
 one eighth inch = one foot  
 one quarter inch = one foot  
 one eighth inch = one foot



3 BUILDING 30 - 2ND FLOOR PLUMBING DEMOLITION PLAN  
 1/8" = 1'-0"



2 BUILDING 1 - 1ST FLOOR PLUMBING DEMOLITION PLAN  
 1/8" = 1'-0"




1 BUILDING 1 - 2ND FLOOR PLUMBING DEMOLITION PLAN  
 1/8" = 1'-0"

**PLUMBING KEYED NOTES**

- 1 DISCONNECT, REMOVE AND RELOCATE EX. 3" V. PIPING LOCATED BELOW EXISTING WALKWAY. REFER TO NEW WORK PLAN FOR NEW LOCATION.
- 2 DISCONNECT AND REMOVE EX. 4" ST. & 4" ST. (OFD) PIPING LOCATED BELOW EXISTING WALKWAY.
- 3 DISCONNECT AND REMOVE EX. 4" VRC (OFD).
- 4 DISCONNECT AND REMOVE EX. 4" VRC.
- 5 DISCONNECT AND REMOVE EX. 4" VRC (OFD) TO POINT OF DISCONNECT TO EX. 6" ST. (OFD) LOCATED AT THE GROUND FL. CEILING.
- 6 DISCONNECT AND REMOVE EX. 4" ST. PIPING (LOCATED AT 1ST. FL. CEILING) TO POINT OF DISCONNECT FROM TO EX. 6" VRC.
- 7 DISCONNECT AND REMOVE EX. 4" S. PIPING ABOVE CEILING SERVING DEMOLISHED WATER CLOSET ON FL. ABOVE. CAP PIPING GAS-TIGHT AT POINT OF DISCONNECTION FROM EX. 4" SS.
- 8 DISCONNECT AND REMOVE EX. CW. PIPING ABOVE CEILING SERVING DEMOLISHED RESTROOMS ON FL. ABOVE. CAP PIPING GAS-TIGHT AT POINT OF DISCONNECTION AT EX. SHUT-OFF VALVE.
- 9 DISCONNECT AND REMOVE EX. W. PIPING ABOVE CEILING SERVING DEMOLISHED LAVATORY ON FL. ABOVE. CAP PIPING GAS-TIGHT AT POINT OF DISCONNECTION.
- 10 DISCONNECT, REMOVE AND RELOCATE EX. 4" V AND VTR. REFER TO NEW WORK PLAN FOR NEW LOCATION.
- 11 DISCONNECT, REMOVE AND RELOCATE EX. CW. RISER. REFER TO NEW WORK PLAN FOR NEW LOCATION.
- 12 DISCONNECT AND REMOVE EX. CW, HW, & W. PIPING ABOVE CEILING SERVING DEMOLISHED SINK ON FL. ABOVE. CAP PIPING GAS-TIGHT AT POINT OF DISCONNECTION.
- 13 DISCONNECT AND REMOVE EX. LV, LA, & G. RISERS AND ASSOCIATED PIPING ABOVE CEILING. CAP PIPING GAS-TIGHT AT POINT OF DISCONNECTION AT EX. SHUT-OFF VALVES.
- 14 DISCONNECT AND REMOVE EX. W. PIPING ABOVE CEILING SERVING DEMOLISHED SINK ON FL. ABOVE. CAP PIPING GAS-TIGHT AT POINT OF DISCONNECTION.
- 15 DISCONNECT AND REMOVE EX. LV, LA, & G. ZONE VALVE BOXES AND ALL ASSOCIATE PIPING.
- 16 DISCONNECT AND REMOVE EX. LV, LA, & G. RISERS AND ALL ASSOCIATE PIPING.
- 17 DISCONNECT AND REMOVE ALL EX. LV, LA, & G. PIPING ABOVE CEILING.
- 18 DISCONNECT AND REMOVE EX. WATER CLOSET AND ALL ASSOCIATED PIPING NO LONGER REQUIRED TO REMAIN AS PART OF AN ACTIVE SYSTEM. CAP PIPING GAS TIGHT AT POINT OF DISCONNECTIONS.
- 19 DISCONNECT AND REMOVE EX. LAVATORY AND ALL ASSOCIATED PIPING NO LONGER REQUIRED TO REMAIN AS PART OF AN ACTIVE SYSTEM. CAP PIPING GAS TIGHT AT POINT OF DISCONNECTIONS.
- 20 DISCONNECT AND REMOVE EX. SINK, EYE WASH AND ALL ASSOCIATED PIPING NO LONGER REQUIRED TO REMAIN AS PART OF AN ACTIVE SYSTEM. CAP PIPING GAS TIGHT AT POINT OF DISCONNECTIONS.
- 21 DISCONNECT AND REMOVE EX. SINK AND ALL ASSOCIATED PIPING NO LONGER REQUIRED TO REMAIN AS PART OF AN ACTIVE SYSTEM. CAP PIPING GAS TIGHT AT POINT OF DISCONNECTIONS.
- 22 DISCONNECT, REMOVE & RELOCATED EX. CW & HW. RISERS. REFER TO NEW WORK PLAN FOR NEW LOCATION.
- 23 REMOVE EXISTING FLOOR DRAIN AND RELATED PIPING. CAP AT MAIN AS REQUIRED.
- 24 DISCONNECT AND REMOVE EXISTING 3" S. PIPING ABOVE CEILING SERVING DEMOLISHED FLOOR DRAIN ON FLOOR ABOVE. REMOVE PIPING BACK TO THE MAIN.
- 25 REMOVE AND RE-ROUTE EXISTING 3/4" CW. PIPING SERVING THE HOSE BIBB AS REQUIRED.

**GENERAL PLUMBING DEMOLITION NOTES:**

- 1 CUT AND CAP ALL PLUMBING PIPING BACK TO THE MAIN LATERAL TO ENSURE NO DEAD LEGS OR ENDS ARE CREATED.
- 2 COORDINATE ALL NEW AND DEMOLITION WORK REQUIRED WITH EXISTING USERS TO KEEP AREAS OF WORK UP AND RUNNING IN CASE OF POSSIBLE SHUTDOWNS AND/OR DISRUPTIONS.



PEER REVIEW DOCUMENTS - DECEMBER 21st, 2016

FULLY SPRINKLERED

<b>CONSULTANTS:</b>  		<b>ARCHITECT/ENGINEERS:</b>  		Drawing Title <b>PLUMBING DEMOLITION FLOOR PLANS</b>		Project Title <b>VA CARES CONSOLIDATION VAMC, PITTSBURGH, PA CONNECTING BRIDGE</b>		Project Number <b>646CA2500B</b>		<b>Office of Facilities Management</b>  <b>Department of Veterans Affairs</b>
Revisions: 1 AMENDMENT 3 01-31-17 Date		ARCHITECTURE ENGINEERING INTERIOR DESIGN DESIGN/BUILD <b>ASTORINO</b> <small>227 Fort Pitt Boulevard Pittsburgh Pennsylvania 15222          TEL 412 765 1700 FAX 412 765 1711 www.astorino.com</small>		Approved: Project Director		Location <b>VAPHS UNIVERSITY DRIVE</b>		Building Number <b>1 &amp; 30</b>		
VA FORM 08-6231, OCT 1978								Date _____ Checked _____ Drawn _____ ER MPB		Dwg. of _____