

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| Clinic Management | CRA03 | 1 | Conference Room | | | | | | |
| AC: Exam / Treatment Modules (ETM) | CRA03 | 1 | Conference/ Classroom | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | E0945 | Cart, Computer, Mobile, 36"H x 32"W x 22"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket and Holder 1 Chart Holder 2 Drawers, 3"H (76mm) 2 Drawers, 6"H (152mm) Drawer Organizer Bins | |
| | | | | F0115 | Bookcase, 5 Shelf | 1 | V/ V | Freestanding open metal shelf book case, approximately 74" high X 36" wide X 18" deep with three (5) adjustable shelves and four (4) non-marking floor glides. | |
| | | | | F0220 | Chair, Conference | 12 | V/ V | Conference chair with arms. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters. | |
| | | | | F0465 | Cabinet, Storage, 2 Door, 5 Shelf | 1 | V/ V | Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves. | |
| | | | | F0755 | Table, Conference, Wood | 1 | V/ V | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 168". | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0385 | Projector, Multimedia, Data | 1 | V/ V | Projector, Multimedia, Data | |
| | | | | M0430 | Recorder/ Player, Digital, Video, DVD | 1 | V/ V | Professional video cassette recorder / player, approximately 5" high X 15" wide X 14" deep with VHS, NTSC, PAL, SECAM, MESECAM video cassette recorder / player capacity; 10 X picture search forward and reverse; long pause mode; digital hour meter and channel 1 dubbing. Convenience outlet required at point of use. | |
| | | | | M0500 | Television, Flat Screen | 1 | V/ V | Color television. Unit consists of a color receiver/ monitor, with remote control, full off-air channel capability, automatic light sensor, broadcast stereo sound and automatic color balance. | |
| | | | | M0507 | Video Teleconferencing System | 1 | V/ V | Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------------------------|------------------------------|--|--------------|--------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| AC: Exam / Treatment Modules (ETM) | | 1 | Telehealth Conference | | | | | | |
| | | | | E0945 | Cart, Computer, Mobile, 36"H x 32"W x 22"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket and Holder 1 Chart Holder 2 Drawers, 3"H (76mm) 2 Drawers, 6"H (152mm) Drawer Organizer Bins | |
| | | | | F0295 | Chair, Stacking | 15 | V/ V | Chair, Stacking | |
| | | | | F2010 | Basket, Wastepaper, Step-On | 1 | V/ V | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. | |
| | | | | F2250 | Camera, Video | 1 | V/ V | Portable camera/recorder (camcorder) with video-out capacity to accommodate a remote recorder. | |
| | | | | M0512 | Television, LCD, 60" | 1 | V/ V | Television, LCD, 60" | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | U0019 | Telemedicine Cart | 1 | V/ V | Telemedicine Cart | |
| Education | CRA03 | 1 | Educational Conference Room | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | This JSN is to be used for determining and defining location of decorative artwork. | |
| | | | | E0945 | Cart, Computer, Mobile, 36"H x 32"W x 22"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket and Holder 1 Chart Holder 2 Drawers, 3"H (76mm) 2 Drawers, 6"H (152mm) Drawer Organizer Bins | |
| | | | | F0295 | Chair, Stacking | 26 | V/ V | Chair, Stacking | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F2100 | Lectern, Mobile, With Reading Light | 1 | V/ V | Portable floor lectern with reading light and self-contained audio. May use 110V or batteries (not included). Convenience outlet required if not using batteries. | |
| | | | | F2250 | Camera, Video | 1 | V/ V | Portable camera/recorder (camcorder) with video-out capacity to accommodate a remote recorder. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0512 | Television, LCD, 60" | 1 | V/ V | Television, LCD, 60" | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| Education | CFA03 | 1 | Educational Instruction | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | E0945 | Cart, Computer, Mobile, 36"H x 32"W x 22"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket and Holder 1 Chart Holder 2 Drawers, 3"H (76mm) 2 Drawers, 6"H (152mm) Drawer Organizer Bins | |
| | | | | F0280 | Chair, Swivel, Low Back | 4 | V/ V | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. | |
| | | | | F0465 | Cabinet, Storage, 2 Door, 5 Shelf | 1 | V/ V | Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves. | |
| | | | | F0755 | Table, Conference, Wood | 1 | V/ V | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 168". | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0500 | Television, Flat Screen | 1 | V/ V | Color television. Unit consists of a color receiver/ monitor, with remote control, full off-air channel capability, automatic light sensor, broadcast stereo sound and automatic color balance. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M0507 | Video Teleconferencing System | 1 | V/ V | Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites. | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| AC: Exam / Treatment Modules (ETM) | | 1 | Patient Education | | | | | | |
| | | | | E0042 | Workcenter, Freestanding, 48" W | 3 | V/ V | Workcenter, Freestanding, 48" W | |
| | | | | F0280 | Chair, Swivel, Low Back | 3 | V/ V | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. | |
| | | | | F0305 | Chair, Waiting Room, Single | 5 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0310 | Chahir, Waiting Room, Tandem | 1 | V/ V | Bench, Locker Room, Portable | |
| | | | | F0735 | Table, Coffee | 1 | V/ V | Table, Coffee, 24" X 48" | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| Mental Health | OPMH1 | 2 | Group Therapy | | | | | | |
| | | | | E0945 | Cart, Computer, Mobile, 36"H x 32"W x 22"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket and Holder 1 Chart Holder 2 Drawers, 3"H (76mm) 2 Drawers, 6"H (152mm) Drawer Organizer Bins | |
| | | | | F0295 | Chair, Stacking | 13 | V/ V | Chair, Stacking | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F2010 | Basket, Wastepaper, Step-On | 1 | V/ V | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. | |
| | | | | F2250 | Camera, Portable, CCTV, With Recorder | 1 | V/ V | Portable camera/recorder (camcorder) with video-out capacity to accommodate a remote recorder. | |
| | | | | M0512 | Television, LCD, 60" | 1 | V/ V | Television, LCD, 60" | |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| Radiology | | 1 | CT Control | | | | | | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | X1425 | Imager, Laser | 1 | V/ V | Imager, Laser | |
| | | | | X4112 | Console, PACS, Remote View, 1K X 1K, 2 Monitors | 1 | V/ V | Console, PACS, Remote View, 1K X 1K, 2 Monitors | |
| Prosthetics | | 1 | Prosthetics Clerk | | | | | | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | F0105 | Undercounter Keyboard, adjustable | 1 | V/ L | Undercounter Keyboard, adjustable | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. | |
| Prosthetics | | 1 | Prosthetics Rep | | | | | | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | F0105 | Undercounter Keyboard, adjustable | 1 | V/ L | Undercounter Keyboard, adjustable | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. | |
| Pharmacy | | 1 | Prepackaging | | | | | | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 23 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |
| Pharmacy | | 1 | Mail Out | | | | | | |
| | | | | E0048 | Workstation, Computer Free-Standing, 72" W | 1 | V/ V | Workstation, Computer Free-Standing, 72" W | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | M1830 | Printer, Label, Pharmacy | 1 | V/ V | Printer, Label, Pharmacy | |
| | | | | M7280 | Dispensing System, Prescription, Automatic | 1 | V/ V | Dispensing System, Prescription, Automatic | |
| Prosthetics | | 1 | Mail Room | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | E0048 | Workstation, Computer Free-Standing, 72" W | 1 | V/ V | Workstation, Computer Free-Standing, 72" W | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 2 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |
| Prosthetics | | 1 | Appliance Storage | | | | | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 9 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |
| Prosthetics | | 1 | Storage | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | E0048 | Workstation, Computer Free-Standing, 72" W | 1 | V/ V | Workstation, Computer Free-Standing, 72" W | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|---|------------------------------|--|--------------|--------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/Installation | Item Description | Total Qty |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 3 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |
| Pharmacy | | 1 | Flammable Storage | | | | | | |
| | | | | M2015 | Cabinet, Storage, Flammable, Freestanding | 3 | V/V | Cabinet, Storage, Flammable, Freestanding | |
| Pharmacy | | 1 | Active Storage | | | | | | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 16 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |
| Pharmacy | | 1 | Expired Drugs | | | | | | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 3 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |
| Pharmacy | | 1 | Controlled Substance- Secure Dispensing | | | | | | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 2 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | R6200 | Refrigerator, Undercounter | 1 | V/ V | Undercounter refrigerator approximately 34" H x 28" W x 29" D. | |
| Pharmacy | | 1 | Breakdown and Verification | | | | | | |
| | | | | E0978 | Cart, Wire, Mobile, 72"H x 48"W x 24"D | 1 | V/ V | Cart, Wire, Mobile, 72"H x 48"W x 24"D | |
| | | | | F0535 | Steel Utility Cart | 1 | V/ V | Steel Utility Cart | |
| | | | | F2026 | Container, Recycling, Large | 1 | V/ V | Container, Recycling, Large | |
| Pharmacy | | 1 | Receiving and Issue | | | | | | |
| | | | | F0205 | Chair, Side with arms | 3 | V/ V | Chair, Side with arms | |
| | | | | F0275 | Chair, Swivel, High Back | 3 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 3 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 3 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| Pharmacy | | 1 | Filling and Assembly | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2020 | Can, Trash, 40 Gal. | 1 | V/ V | Forty (40) gallon trash can, 32" high X 24" diameter, with lid. Used to collect and transport refuse from a point of origin to point of disposal (example: from soiled utility or a nursing unit to the trash compactor at housekeeping). | |
| | | | | M1830 | Printer, Label, Pharmacy | 2 | V/ V | Printer, Label, Pharmacy | |
| | | | | M7280 | Dispensing System, Prescription, Automatic | 1 | V/ V | Dispensing System, Prescription, Automatic | |
| | | | | R7050 | Refrigerator, 25 Cu. Ft. | 1 | V/ V | Refrigerator, 25 Cu. Ft. | |
| Pharmacy | | 1 | Refrigerator Freezer | | | | | | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | R6060 | Refrigerator, Biological, SS, 2 Door, 40 cu. Ft. | 1 | V/ V | Refrigerator, Biological, SS, 2 Door, 40 cu. Ft. | |
| | | | | R6100 | Refrigerator, Food, Upright, URS, 23 cu. Ft. | 1 | V/ V | Refrigerator, Food, Upright, URS, 23 cu. Ft. | |
| Pharmacy | | 1 | Dispensing | | | | | | |
| | | | | A1095 | Message Board, Digital | 1 | V/ V | Digital message display board. Electronic 80 character display with data memory enclosed in an aluminum frame. For use in areas like the pharmacy waiting room. | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | E0554 | Cabinet, w/ Sink, O/H Cab, Freestanding, 48" x 24" | 1 | V/ V | Cabinet, w/ Sink, O/H Cab, Freestanding, 48" x 24" | |
| | | | | E0978 | Cart, Wire, Mobile, 72"H x 48"W x 24"D | 1 | V/ V | Cart, Wire, Mobile, 72"H x 48"W x 24"D | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F0280 | Chair, Swivel, Low Back | 1 | V/ V | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2020 | Can, Trash, 40 Gal. | 1 | V/ V | Forty (40) gallon trash can, 32" high X 24" diameter, with lid. Used to collect and transport refuse from a point of origin to point of disposal (example: from soiled utility or a nursing unit to the trash compactor at housekeeping). | |
| | | | | F2540 | Shredder, Paper, Security | 1 | V/ V | Paper shredder, approximately 18" high X 15" wide X 12" deep with shredding unit and waste receptacle. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | L1950 | Deminerlizer, Water, Floor Mounted | 1 | V/ V | Deminerlizer, Water, Floor Mounted | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------------------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. | |
| | | | | M1830 | Printer, Label, Pharmacy | 1 | V/ V | Printer, Label, Pharmacy | |
| | | | | M1855 | Fax Machine | 1 | V/ V | Fax Machine | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 2 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |
| | | | | M3072 | Frame, Infectious Waste Bag w/Lid | 1 | V/ V | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. | |
| | | | | M3150 | Automated medication storage/ dispensing unit | 1 | V/ V | Automated medication storage/dispensing unit (cell), secure, approx. 27" W x 25" D x 78" H (675 mm W x 635 mm D x 1950 mm H) | |
| | | | | M7265 | Counter, Pill/ tablet, Automated, Counter Mounted | 1 | V/ V | Counter, Pill/ tablet, Automated, Counter Mounted | |
| | | | | M7280 | Dispensing System, Prescription, Automatic | 1 | V/ V | Dispensing System, Prescription, Automatic | |
| | | | | R6060 | Refrigerator, Biological, SS, 2 Door, 40 cu. Ft. | 1 | V/ V | Refrigerator, Biological, SS, 2 Door, 40 cu. Ft. | |
| Pharmacy | | 1 | Inventory Control- Data Processing | | | | | | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | F0105 | Undercounter Keyboard, adjustable | 1 | V/ L | Undercounter Keyboard, adjustable | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. | |
| Pharmacy | | 1 | Consult | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | | |
| | | | | F0115 | Bookcase, 5 Shelf | 1 | V/ V | Freestanding open metal shelf book case, approximately 74" high X 36" wide X 18" deep with three (5) adjustable shelves and four (4) non-marking floor glides. | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |
| | | | | F0740 | Table, Occasional Lamp | 1 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. | |
| PMR | | 1 | ADL | | | | | | |
| PMR | | 1 | Open Office | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|--------------|--------------|--------------------------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F0275 | Chair, Swivel, High Back | 4 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 4 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 4 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | U000X | Workstation, Freestanding, 63 x 33 | 4 | V/ V | Workstation, Freestanding, 63 x 33 | |
| Audiology | | 1 | Audiology Office | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | F0275 | Chair, Swivel, High Back | 3 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 3 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 3 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | U000X | Workstation, Freestanding, 63 x 33 | 3 | V/ V | Workstation, Freestanding, 63 x 33 | |
| Audiology and Speech Pathology | HAFR1 | 1 | Hearing Aid Fabrication | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | This JSN is to be used for determining and defining location of decorative artwork. | |
| | | | | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H (76mm) 3 Drawers, 6"H (152mm) 2 Drawers, 9"H (229mm) 1 Tray/Shelf Divider Drawer Organizer Bins | |
| | | | | E0222 | Modular Workstation | 1 | V/ V | Modular Workstation | |
| | | | | E1500 | Rail, Mod, w/ Mntd., Hx144xD | 1 | V/ V | Wall mounted rail used for hanging (mounting) lockers, shelves drawers on a wall. | |
| | | | | F0210 | Chair, Side, Without Arms | 1 | V/ V | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. | |
| | | | | F0280 | Chair, Swivel, Low Back | 1 | V/ V | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |
| | | | | F2010 | Basket, Wastepaper, Step-On | 1 | V/ V | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| | | | | M3072 | Frame, Infectious Waste Bag w/Lid | 1 | V/ V | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|---------------------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M4915 | Chair, Exam/Treatment, ENT, w/Adjustable Light | 1 | V/ V | ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light. Unit is designed for use during examinations, treatments, and minor procedures. | |
| | | | | U0006 | Lathe, Countertop | 1 | V/ V | Lathe, Countertop | |
| | | | | U0007 | Pump, Suction Ceremun | 1 | V/ V | Pump, Suction Ceremun | |
| | | | | U0417 | Hearing Aid Analyzer | 1 | V/ V | Dual probes, two channel measurements, probe monitor, Sensory loss simulator | |
| | | | | U0420 | Cleaner, Ultrasonic | 1 | V/ V | Digital control, heater & timer, | |
| | | | | U3360 | Cabinet, Treatment, ENT | 1 | V/ V | 1000 cc Disposable suction container, control console, Full extension drawers, warming drawer, Gast Pumps, two detachable measuring intruments | |
| Audiology and Speech Pathology | | 2 | Hearing Aid Testing | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | E0222 | Modular Workstation | 1 | V/ V | Modular Workstation | |
| | | | | F0210 | Chair, Side, Without Arms | 2 | V/ V | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| Audiology and Speech Pathology | PEHS4 | 4 | Audiometric Booth | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F2010 | Basket, Wastepaper, Step-On | 1 | V/ V | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| | | | | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | 1 | V/ V | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. | |
| | | | | U3358 | Analyzer, Middle Ear | 1 | V/ V | | |
| EEG | EXRG3 | 1 | Coumadin Exam | | | | | | |
| PMR | EXRG3 | 1 | Hand Therapy | | | | | | |
| PMR | EXRG3 | 1 | Exam | | | | | | |
| Mental Health | EXRG3 | 1 | Exam | | | | | | |
| AC: Exam / Treatment Modules (ETM) | EXRG3 | 27 | Multipurpose Exam Room | | | | | | |
| | | | | A1132 | Rail, Accessory Mounting, Length As Required | 1 | V/ V | Horizontal mounting rail will consist of lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools. The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5107 | Wall mounted glove dispenser, (4 boxes) Plastic cover | 1 | V/ V | Wall mounted glove dispenser, (4 boxes) Plastic cover | |
| | | | | A5180 | Curtain cubicle | 1 | V/ L | Cubicle curtain | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | This JSN is to be used for determining and defining location of decorative artwork. | |
| | | | | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Accessory Rail, Side 2 Drawers, 3" H (76mm) 4 Drawers, 6" H (152mm) Drawer Organizer Bins | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|---------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F2010 | Basket, Wastepaper, Step-On | 1 | V/ V | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. | |
| | | | | F2310 | Rack, Pamphlet | 1 | V/ V | Rack, Pamphlet, Wall Mounted | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1802 | Wall mounted Work Station | 1 | V/ V | Wall mounted Work Station | |
| | | | | M3072 | Frame, Infectious Waste Bag w/Lid | 1 | V/ V | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. | |
| | | | | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | 1 | V/ V | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. | |
| | | | | M4116 | Monitor, Vital Signs | 1 | V/ V | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. | |
| | | | | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | 1 | V/ V | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. | |
| | | | | M5535 | Ophthalmoscope, Wall Hung | 1 | V/ V | Ophthalmoscope, Wall Hung | |
| | | | | M7401 | light, examining | 1 | V/ V | Light, examining, portable, 120 volts, approx. 18" diameter x 75" H (450 mm diameter x 1875 mm H) | |
| | | | | M9025 | Table, Examination/Treatment, With Cabinet | 1 | V/ V | Table, electric, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. | |
| | | | | X3930 | Illuminator, Film, Double, Wall Mounted | 1 | V/ V | X-ray film illuminator approximately 20' H x 29' W x 6" D. This is a double, wall mounted type unit with a continuous viewing surface. The tension film grips are adjustable top and bottom with standard grip strip. The unit's balanced-light viewing is assured by the 32W circular fluorescent lamp. It provides 500 foot candles of cool operation across the entire 14" X 17" | |
| Audiology | EXOS1 | 4 | Audio Therapy | | | | | | |
| | | | | A6305 | Drapes, Pair | 1 | V/ V | Drapes, pair | |
| | | | | F0280 | Chair, Swivel, Low Back | 1 | V/ V | Chair, Swivel, Low Back | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0010 | Recorder, Tape, w/Delayed Audio Feedback | 1 | V/ V | Delayed audio feedback tape recorder. Unit consists of a recorder and playback mechanism which delays speech playback so the patient can directly associate what was said with how it sounds. The unit includes a delay mode/time selector, amplifier and microphone. Electrical specifications are for an optional battery recharger. Some manufacturers equipment requires an ancillary computer for operation; refer to the specific maker's literature. See JSN M1800 for computer equipment. Used for speech modification training and therapy. | |
| | | | | M0025 | Audiometer, Diagnostic, Middle Ear, Impedance | 1 | V/ V | Diagnostic impedance audiometer. Unit includes a clinical ear analyzer and can link to a complete data base computer system that stores patient results. Used for diagnostic audiological testing for middle ear impedance / compliance. | |
| | | | | M0030 | Audiometer, Diagnostic | 1 | V/ V | One person audiometer. Unit includes talk over communication between operator and patient, automatic calibration, frequency and hearing level controls. Unit may require an external printer. Used for clinical audiological testing. | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. | |
| AC: Exam / Treatment Modules (ETM) | | 2 | Triage | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | E0210 | Modular Workstation w/ Under Counter Keyboard Tray, Overhead Storage | 1 | V/ V | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray 1 CPU Holder | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0265 | Chair, Recliner | 1 | V/ V | Reclining chair, 46" high X 33" wide X 40" deep with arms, straight leg base and floor glides or lockable two (2) inch casters. Seat, back and foot rest are foam padded and upholstered with woven textile fabric or vinyl. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. | |
| | | | | F2010 | Basket, Wastepaper, Step-On | 1 | V/ V | Receptacle, waste, step on type, approx. 12" (300 mm) diameter | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 4 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M3085 | Cabinet, Instrument | 1 | V/ V | Cabinet, instrument and treatment, 36" W x 16" D x 78" H (900 mm W x 400 mm D x 1950 mm H) | |
| | | | | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | 1 | V/ V | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. | |
| Audiology | | 1 | Audio Equipment | | | | | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. | |
| | | | | M2070 | Shelving, Storage, 77x36wx18d | 8 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------------------------------|------------------------------|----------------------------------|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| AC: Exam / Treatment Modules (ETM) | | 1 | Medical Records | | | | | | |
| AC: Exam / Treatment Modules (ETM) | | 1 | Veterans Storage | | | | | | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 5 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| AC: Exam / Treatment Modules (ETM) | LCCL1 | 1 | Linen/ Equipment | | | | | | |
| | | | | F0515 | Cart, Supply, Linen | 2 | V/ V | Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 4 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| AC: Exam / Treatment Modules (ETM) | | 1 | New Equipment | | | | | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 4 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Radiology | | 1 | Radiology Storage | | | | | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 3 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Engineering | BMER1 | 1 | Biomedical Engineering Repair Shop | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |

EQUIPMENT GUIDE LIST (Excludes Schedule B Items)

| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
|------------------------------|-----------|--------------|----------|------------------------------|--|--------------|---------------------------|---|-----------|
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. | |
| | | | | F3200 | Clock, 12" Diameter | 1 | V/V | Clock, 12" Diameter, Battery Operated, With Sweep Second Hand, Batteries Not Included (PG-18-5) | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 1 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |
| | | | | T0005 | Electrical, Safety Analyzer | 1 | V/ V | The bench shall be a stationary workbench with a metal top approximately 60" X 30" | |
| | | | | T0015 | Defibrilator, Analyzer, Automatic, Portable | 1 | V/ V | Defibrilator, Analyzer, Automatic, Portable | |
| | | | | T0020 | Stand, Test, Radiological Compliance | 1 | V/ V | Stand, Test, Radiological Compliance | |
| | | | | T0030 | Radiation Light-Field Analyzer | 1 | V/ V | Radiation Light-Field Analyzer | |
| | | | | T0801 | Workbeanch, Electric, Pedestal, Base | 1 | V/ V | Workbeanch, Electric, Pedestal, Base | |
| | | | | T8015 | Calibrator, Audiometer | 1 | V/ V | Calibrator, Audiometer | |
| | | | | T8020 | Generator, Pulse | 1 | V/ V | Pulse generator. Characteristics/components include four output modes; and complement dual outputs that greatly increase unit applicability in logic design areas, especially interfacing within a system or to peripherals. The unique output flexibility within the normal and complement modes is particularly useful in logic design or control applications requiring simultaneous signals. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | T8025 | Generator, Function | 1 | V/ V | Function generator. Characteristics/components include generated size, triangle and square waveforms; covers 0.2 Hz to 2.0 MHz in 7 ranges; voltage controlled amplitude output; 20 dB step attenuator; four digit frequency counter display and ability to generate low-distortion sine waves which make the unit uniquely appropriate for applications requiring audio signals. | |
| | | | | T8040 | Meter, Sound Level | 1 | V/ V | Meter, Sound Level | |
| | | | | T8045 | Oscilloscope, with Accessories | 1 | V/ V | Oscilloscope, with Accessories | |
| | | | | T8055 | Wattmeter, Ultrasonic | 1 | V/ V | Wattmeter, Ultrasonic | |
| Eye Clinic | TREY1 | 5 | Exam Room | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | Artwork, Decorative, With Frame | |
| | | | | F0210 | Chair, Straight without arms | 1 | V/ V | Side chair, straight without arms. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | PC, computer system | 1 | V/ V | PC, computer system, with keyboard | |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. | |
| | | | | M5015 | Desk, Refraction, w/ sink | 1 | V/ V | Desk, Refraction, w/ sink | |
| | | | | M5500 | Autorefractor, Ophthalmic | 1 | V/ V | Autorefractor, Ophthalmic | |
| | | | | M5520 | Lensometer | 1 | V/ V | Full 90 degrees inclination, prism compensator, external power and axis readings | |
| | | | | M5030 | Lamp, Slit, w/ application Tonometer | 1 | V/ V | Lamp, Slit, w/ application Tonometer | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------------------|--|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M5730, M5600, M5530, M5545, M5520, M5535, M5536, M5562, M5600, M5700 | Stand, ophthalmic instrument | 1 | V/ V | Stand, ophthalmic instrument stand with swinging and pivoting arms continuing: * Phoropter * Slit lamp * Keratometer * Lamp-top of ophthalmic column | |
| | | | | M5530 | Stand, Instrument, Ophthalmic | 1 | V/ V | Stand, Instrument, Ophthalmic | |
| | | | | M6040 | Pachymeter, Ultrasound, Corneal | 1 | V/ V | Pachymeter, Ultrasound, Corneal | |
| | | | | U0050 | Digital Acuity System | 1 | V/ V | Digital Acuity System | |
| Eye Clinic | EYFD1 | 1 | Fitting and Dispensing | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | | |
| | | | | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H (76mm) 3 Drawers, 6"H (152mm) 2 Drawers, 9"H (229mm) 1 Tray/Shelf Divider Drawer Organizer Bins | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. | |
| | | | | F3080 | Case, Display, Eyewear, Wall Mounted | 1 | V/ V | Case, Display, Eyewear, Wall Mounted | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------------------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F3200 | Clock, 12" Diameter | 1 | V/ V | Clock, 12" Diameter, Battery Operated, With Sweep Second Hand, Batteries Not Included (PG-18-5) | |
| | | | | M1801 | PC, computer system | 1 | V/ V | PC, computer system, with keyboard | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | M5010 | Desk, Fitting/ Dispensing, Optical | 1 | V/V | Desk, Fitting/ Dispensing, Optical | |
| | | | | M5520 | Lensometer | 1 | V/ V | Full 90 degrees inclination, prism compensator, external power and axis readings | |
| | | | | M5705 | Guage, Distance, Pupillary | 1 | V/ V | Guage, Distance, Pupillary | |
| | | | | M5735 | Warmer, Spectacle, Plastic | 1 | V/V | Warmer, Spectacle, Plastic | |
| Eye Clinic | | 1 | Photography/ Visual Fields | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 2 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 2 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | | |
| | | | | E0210 | Modular Workstation w/ Under Counter Keyboard Tray, Overhead Storage | 1 | V/ V | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray 1 CPU Holder | |
| | | | | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H (76mm) 3 Drawers, 6"H (152mm) 2 Drawers, 9"H (229mm) 1 Tray/Shelf Divider Drawer Organizer Bins | |
| | | | | F0210 | Chair, Straight without arms | 1 | V/ V | Side chair, straight without arms. | |
| | | | | F0300 | Chair, Task, Swivel, With Arms | 2 | V/ V | Task chair, approximately 34" H X 26" W X 22" D with adjustable arms and a five caster adjustable swivel base. Seat and back are foam padded and upholstered in woven fabric or vinyl. | |
| | | | | F0340 | Stool, Self Adjusting | 2 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|--------------------------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. | |
| | | | | F3200 | Clock, 12" Diameter | 2 | V/ V | Clock, 12" Diameter, Battery Operated, With Sweep Second Hand, Batteries Not Included (PG-18-5) | |
| | | | | M1620 | Holder, Chart, Patient, Wall or Door Mounted | 1 | V/ V | Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required. | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 2 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. | |
| | | | | M5025 | Table, Instrument, Ophthalmic, Adjustable | 1 | V/ V | Standard B/Y perimetry, user defined test parameters, free rotation unit, electronic eye fixation, real time display of | |
| | | | | M5027 | Table, Multiple instrument, Ophthalmic | 1 | V/ V | Table, Multiple instrument, Ophthalmic | |
| | | | | M5510 | Camera, Fundus, Digital | 1 | V/ V | The digital fundus camera system is designed for use in diagnosing and recording ocular disorders. It shall consist of a digital imager, computer, printer, monitor, chin rest, joy stick and software to record, store, edit and print digital images. The system shall include a system table and an adjustable patient table. | |
| | | | | M5555 | Perimetry | 1 | V/ V | Standard B/Y perimetry, user defined test parameters, free rotation unit, electronic eye fixation, real time display of | |
| | | | | M5700 | Frame Set, Trial, Lens | 1 | V/ V | Frame Set, Trial, Lens | |
| | | | | M6040 | Pachyometer, Ultrasound, Corneal | 1 | V/ V | Pachyometer, Ultrasound, Corneal | |
| | | | | M6045 | Corneal Tomography Unit | 1 | V/ V | Tomography, Optical Coherence | |
| | | | | R6200 | Refrigerator, Undercounter | 1 | V/ V | Undercounter refrigerator approximately 34" H x 28" W x 29" D. | |
| | | | | U0009 | Cabinet, Medicine, Metal, Lockable | 1 | V/ V | Cabinet, Medicine, Metal, Lockable | |
| EMS | JANC1 | 5 | Housekeeping Aids Closet (HAC) | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | F0500 | Cart, Janitor's | 1 | V/ V | Janitors cart, 38" high X 48" wide X 24" deep with 25 gallon heavy duty collection bag. | |
| | | | | F0505 | Bucket, Mop, With Wringer, 26 Quart | 1 | V/ V | Mobile mop bucket / wringer combination, approximately 35" H x 17" W x 22" D with four 2" casters. Total capacity is 26 quarts. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|---------------------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F2525 | Bucket, Mop, With Wringer, 26 Quart | 1 | V/ V | Mobile mop bucket / wringer combination, approximately 35" H x 17" W x 22" D with four 2" casters. Total capacity is 26 quarts. | |
| PLM: Laboratories | LBVP1 | 4 | Blood Draw | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5107 | Wall mounted glove dispenser, (4 boxes) Plastic cover | 1 | V/ V | Wall mounted glove dispenser, (4 boxes) Plastic cover | |
| | | | | A5108 | Extra Large Sharps Container, Floor-Standing | 1 | V/ V | Extra Large Sharps Container, Floor- Standing | |
| | | | | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Accessory Rail, Side 2 Drawers, 3" H (76mm) 4 Drawers, 6" H (152mm) Drawer Organizer Bins | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M1410 | Phlebotomy Chair, Bariatric | 1 | V/ V | Phlebotomy chair fully upholstered with padded arms. | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. | |
| | | | | M3072 | Frame, Infectious Waste Bag w/Lid | 1 | V/ V | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. | |
| EMS: LLTS | LR002 | 1 | Locker Room, Female | | | | | | |
| EMS: LLTS | LR002 | 1 | Men Locker | | | | | | |
| Laboratory | SRS01 | 1 | Secure Storage | | | | | | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 2 | V/ V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| AC: Exam / Treatment Modules (ETM) | | 2 | Medication | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | F2010 | Basket, Wastepaper, Step-On | 1 | V/ V | Receptacle, waste, step on type, approx. 12" (300 mm) diameter | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M3150 | Automated medication storage/ dispensing unit | 1 | V/ V | Automated medication storage/dispensing unit (cell), secure, approx. 27" W x 25" D x 78" H (675 mm W x 635 mm D x 1950 mm H) | |
| | | | | R7000 | Refrigerator, 14 Cubic Feet | 1 | V/ V | 14 Cubic Foot frostless top mount refrigerator/freezer approximately 64" H x 28" W x 29" D. | |
| | | | | U0005 | Freezer, Countertop, Ultra Low Temperature | 1 | V/ V | Freezer, Countertop, Ultra Low Temperature | |
| MAS | | 1 | Copy Room | | | | | | |
| | | | | F0465 | Cabinet, Storage, 2 Door, 5 Shelf | 1 | V/ V | Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2540 | Shredder, Paper, Security | 1 | V/ V | Paper shredder, approximately 18" high X 15" wide X 12" deep with shredding unit and waste receptacle. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1810 | Printer/ Copier/ Fax/ scanner, floor | 1 | V/ V | Printer/ Copier/ Fax/ scanner, floor | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 1 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | Dietitian | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | MAS Supervisor | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 2 | Health Benefits Advisor | | | | | | |
| Mental Health | OFA02 | 1 | Peer Support | | | | | | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| Pharmacy | OFA02 | 1 | Pharmacy Supervisor | | | | | | |
| Radiology | OFA02 | 1 | Radiologist Office | | | | | | |
| MAS | OFA02 | 1 | Union Office | | | | | | |
| MAS | OFA02 | 1 | ROI Office | | | | | | |
| Service Organization | OFA02 | 1 | Service Organ Secretary | | | | | | |
| Service Organization | OFA02 | 1 | Service Organ Rep | | | | | | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | F0105 | Undercounter Keyboard, adjustable | 1 | V/ L | Undercounter Keyboard, adjustable | |
| | | | | F0110 | Bookcase, 3 Shelf | 1 | V/ V | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|--------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. | |
| Radiology | | 1 | Radiology Tech | | | | | | |
| | | | | F0275 | Chair, Swivel, High Back | 2 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2455 | Transcription Unit, Standalone | 1 | V/ V | Transcription Unit, Standalone | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | X4122 | Workstation, Dig, Image Viewer | 1 | V/ V | Workstation, Dig, Image Viewer | |
| Clinic Management | OFA02 | 1 | Secretary/ Waiting | | | | | | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | F0105 | Undercounter Keyboard, adjustable | 1 | V/ L | Undercounter Keyboard, adjustable | |
| | | | | F0110 | Bookcase, 3 Shelf | 1 | V/ V | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0305 | Chair, Waiting Room, Single | 2 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|---------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F0740 | Table, Occasional Lamp | 1 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. | |
| OIT | | 1 | OIT Equipment | | | | | | |
| OIT | | 2 | IDF | | | | | | |
| OIT | | 1 | OIT Work Room | | | | | | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 2 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| | | | | U000X | Workstation, Freestanding, 63 x 33 | 1 | V/ V | Workstation, Freestanding, 63 x 33 | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| Voluntary Service | | 1 | Office/ Sign-In | | | | | | |
| | | | | E0222 | Modular Workstation | 1 | V/ V | Workstation with under counter keyboard tray and overhead storage | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| AC: Exam / Treatment Modules (ETM) | | 1 | Compensation/ Pension | | | | | | |
| | | | | E0222 | Modular Workstation | 1 | V/ V | Workstation with under counter keyboard tray and overhead storage | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| AC: Exam / Treatment Modules (ETM) | | 1 | Teleretinal | | | | | | |
| AC: Exam / Treatment Modules (ETM) | | 2 | Telehealth | | | | | | |
| Mental Health | | 1 | Telehealth | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F0115 | Bookcase, 5 Shelf | 1 | V/ V | Freestanding open metal shelf book case, approximately 74" high X 36" wide X 18" deep with three (5) adjustable shelves and four (4) non-marking floor glides. | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |
| | | | | F0740 | Table, Occasional Lamp | 1 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. | |
| | | | | M3072 | Frame, Infectious Waste Bag w/Lid | 1 | V/ V | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. | |
| | | | | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | 1 | V/ V | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. | |
| | | | | U0019 | Telemedicine Cart | 1 | V/ V | Telemedicine Cart | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 3 | Consult | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|--------------------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |
| | | | | F0740 | Table, Occasional Lamp | 39 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2130 | Rack, Pamphlet, Wall Mounted | 1 | V/ V | Rack, Pamphlet, Wall Mounted | |
| | | | | F3010 | Bulletin Board, 30"h x 48"w | 2 | V/ V | Board, Bulletin Board, 30"h x 48"w | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | GEU Social Worker | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | NS Social Worker | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | CHSC Social Worker | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | | |
| | | | | F0115 | Bookcase, 5 Shelf | 1 | V/ V | Freestanding open metal shelf book case, approximately 74" high X 36" wide X 18" deep with three (5) adjustable shelves and four (4) non-marking floor glides. | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |
| | | | | F0740 | Table, Occasional Lamp | 39 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|---------------------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. | |
| AC: Exam / Treatment Modules (ETM) | | 1 | Triage/ Nurse Call Center | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | F0275 | Chair, Swivel, High Back | 10 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 10 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 10 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | U000X | Workstation, Freestanding, 63 x 33 | 10 | V/ V | Workstation, Freestanding, 63 x 33 | |
| AC: Exam / Treatment Modules (ETM) | | 1 | Home Based Primary Care | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | F0275 | Chair, Swivel, High Back | 4 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 2 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 4 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 4 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | U000X | Workstation, Freestanding, 63 x 33 | 4 | V/ V | Workstation, Freestanding, 63 x 33 | |
| AC: Exam / Treatment Modules (ETM) | | 2 | Work Area | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | F0275 | Chair, Swivel, High Back | 4 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0300 | Chair, Task, Swivel, With Arms | 4 | V/ V | Task chair, approximately 34" H X 26" W X 22" D with adjustable arms and a five caster adjustable swivel base. Seat and back are foam padded and upholstered in woven fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 6 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F0820 | Table, Ofifce, Round | 1 | V/ V | Table, Office, Round | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 4 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3010 | Bulletin Board, 30"h x 48"w | 2 | V/ V | Board, Bulletin Board, 30"h x 48"w | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 4 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | U0075 | Workstation, L-Shaped, Freestanding, 60x 54 | 4 | V/ V | Workstation, L-Shaped, Freestanding, 60x 54 | |
| AC: Exam / Treatment Modules (ETM) | | 2 | Height & Weight | | | | | | |
| | | | | M4030 | Scale, Sit/ Stand,, 800 lb Capacity | 1 | V/ V | Fold down weighing platform. Has a minimum profule when not in use. 800 lb. capacity | |
| | | | | M4040 | Scale, Weighting, 300 lb capacity | 1 | V/ V | Physicians scales with digital readout and hand posst and height rod | |
| EEG | | 1 | Coumadin Work | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 4 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| | | | | T0135 | Bench, Work, Metal Top | 1 | V/ V | Bench, Work, Metal Top | |
| Logistics | OFA02 | 1 | Open Office | | | | | | |
| | | | | F0275 | Chair, Swivel, High Back | 2 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 2 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 2 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | U0075 | Workstation, L-Shaped, Freestanding, 60x 54 | 2 | V/ V | Workstation, L-Shaped, Freestanding, 60x 54 | |
| Eye Clinic | OFA03 | 2 | Eye Cubicle | | | | | | |
| Dental | OFA03 | 6 | Dental Cubicle | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA03 | 12 | Open Cubicle | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 2 | Case Manager | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 4 | Physicians Extender | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | GEU Clerk | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | GEU Nurse | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | GEU Physician | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | CHBC Clerk | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | CHBC Nurse | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFA02 | 1 | CHBC Physician | | | | | | |
| AC: Exam / Treatment Modules (ETM) | OFD03 | 8 | Physicians/ Provider | | | | | | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|--------------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | U0075 | Workstation, L-Shaped, Freestanding, 60x 54 | 1 | V/ V | Workstation, L-Shaped, Freestanding, 60x 54 | |
| AC: Exam / Treatment Modules (ETM) | WRCH1 | 1 | Work Room | | | | | | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2027 | Sensitive Materials Cabinet | 1 | V/ V | Sensitive Materials Cabinet | |
| | | | | F2540 | Shredder, Paper, Security | 1 | V/ V | Paper shredder, approximately 18" high X 15" wide X 12" deep with shredding unit and waste receptacle. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1810 | Printer/ Copier/ Fax/ scanner, floor | 1 | V/ V | Printer/ Copier/ Fax/ scanner, floor | |
| AC: Exam / Treatment Modules (ETM) | | 2 | Alcove | | | | | | |
| Mental Health | OFDC1 | 8 | Counseling Offices | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | This JSN is to be used for determining and defining location of decorative artwork. | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | F0110 | Bookcase, 3 Shelf | 1 | V/ V | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. | |
| | | | | F0205 | Chair, Side With Arms | 3 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|--------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0740 | Table, Occasional Lamp | 1 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| Mental Health | | 1 | Chief Office | | | | | | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | This JSN is to be used for determining and defining location of decorative artwork. | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | F0105 | Undercounter Keyboard, adjustable | 1 | V/ L | Undercounter Keyboard, adjustable | |
| | | | | F0205 | Chair, Side With Arms | 2 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 2 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3010 | Bulletin Board, 30"h x 48"w | 2 | V/ V | Board, Bulletin Board, 30"h x 48"w | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space in limited. | |
| Mental Health | | 1 | AO Office | | | | | | |
| Mental Health | | 1 | MO Office | | | | | | |
| Mental Health | | 1 | NO Office | | | | | | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | This JSN is to be used for determining and defining location of decorative artwork. | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | F0105 | Undercounter Keyboard, adjustable | 1 | V/ L | Undercounter Keyboard, adjustable | |
| | | | | F0110 | Bookcase, 3 Shelf | 1 | V/ V | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. | |
| | | | | F0205 | Chair, Side With Arms | 2 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. | |
| AC: Exam / Treatment Modules (ETM) | RECP1 | 1 | Reception | | | | | | |
| | | | | A4025 | Time-Date Stamp | 1 | V/ V | Time-Date Stamp | |
| | | | | F0205 | Chair, Side With Arms | 6 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 6 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 6 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 6 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| Mental Health | RECP1 | 1 | Mental Health Reception | | | | | | |
| | | | | F0205 | Chair, Side With Arms | 2 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 2 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 2 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2540 | Shredder, Paper, Security | 1 | V/ V | Paper shredder, approximately 18" high X 15" wide X 12" deep with shredding unit and waste receptacle. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 2 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| AC: Exam / Treatment Modules (ETM) | | 2 | Clerical | | | | | | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| Mental Health | | 1 | ROI | | | | | | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|--------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| Canteen Service | SL001 | 1 | Break Room 1 | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | F0225 | Chair, Dining Room | 40 | V/ V | Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat. | |
| | | | | F0795 | Table, Dining | 10 | V/ V | Dining table. Round 42" diameter or square 42" X 42". | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | K1552 | Coffee Maker | 1 | V/ V | Coffee Maker | |
| | | | | K4665 | Oven, Microwave, Consumer | 1 | V/ V | Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. | |
| | | | | K8250 | Toaster | 1 | V/ V | Toaster | |
| | | | | M0506 | Television, Flat Screen | 1 | V/ V | Television, Flat Screen | |
| | | | | R7000 | Refrigerator, 14 Cubic Feet | 1 | V/ V | 14 Cubic Foot frostless top mount refrigerator/freezer approximately 64" H x 28" W x 29" D. | |
| Canteen Service | SL001 | 1 | Break Room 2 | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | F0225 | Chair, Dining Room | 36 | V/ V | Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat. | |
| | | | | F0795 | Table, Dining | 9 | V/ V | Dining table. Round 42" diameter or square 42" X 42". | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | K1552 | Coffee Maker | 1 | V/ V | Coffee Maker | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|--------------|--------------|--------------------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | K4665 | Oven, Microwave, Consumer | 1 | V/ V | Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. | |
| | | | | K8250 | Toaster | 1 | V/ V | Toaster | |
| | | | | M0506 | Television, Flat Screen | 1 | V/ V | Television, Flat Screen | |
| | | | | R7000 | Refrigerator, 14 Cubic Feet | 1 | V/ V | 14 Cubic Foot frostless top mount refrigerator/freezer approximately 64" H x 28" W x 29" D. | |
| Pharmacy | SL001 | 1 | Break Room | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | F0225 | Chair, Dining Room | 36 | V/ V | Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat. | |
| | | | | F0795 | Table, Dining | 9 | V/ V | Dining table. Round 42" diameter or square 42" X 42". | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | K1552 | Coffee Maker | 1 | V/ V | Coffee Maker | |
| | | | | K4665 | Oven, Microwave, Consumer | 1 | V/ V | Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. | |
| | | | | K8250 | Toaster | 1 | V/ V | Toaster | |
| | | | | M0506 | Television, Flat Screen | 1 | V/ V | Television, Flat Screen | |
| | | | | R7000 | Refrigerator, 14 Cubic Feet | 1 | V/ V | 14 Cubic Foot frostless top mount refrigerator/freezer approximately 64" H x 28" W x 29" D. | |
| Voluntary Service | | 1 | Multipurpose | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | F0225 | Chair, Dining Room | 2 | V/ V | Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat. | |
| | | | | F0795 | Table, Dining | 1 | V/ V | Dining table. Round 42" diameter or square 42" X 42". | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | K1552 | Coffee Maker | 1 | V/ V | Coffee Maker | |
| Clinic Management | | 1 | Support Equipment | | | | | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 7 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Voluntary Service | SRS01 | 1 | Storage | | | | | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 3 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| AC: Exam / Treatment Modules (ETM) | | 1 | Storage | | | | | | |
| | | | | F0295 | Chair, Stacking | 3 | V/ V | Chair, Stacking | |
| | | | | F0860 | Table, Mobile | 4 | V/ V | Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. | |
| Mental Health | | 1 | Storage | | | | | | |
| | | | | F0295 | Chair, Stacking | 5 | V/ V | Chair, Stacking | |
| | | | | F0860 | Table, Mobile | 4 | V/ V | Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. | |
| Lobby | | 1 | Lobby | | | | | | |
| | | | | A5215 | Bracket, Television, Ceiling Mounted, Adjustable Arm, V/ L | 2 | V/ L | 12 ga steel support plates and attachment hardware | |
| | | | | F0104 | Undercounter Keyboard, adjustable | 1 | V/ V | Undercounter Keyboard, adjustable | |
| | | | | F0215 | Chair, Child's | 8 | V/ V | Chair, Child's | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0305 | Chair, Waiting Room, Single | 33 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0306 | Chair, Side With Arms, Bariatric | 2 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Capacity minimum 600 lbs. | |
| | | | | F0376 | Love Seat, Upholstered | 1 | V/ V | Love Seat, Upholstered | |
| | | | | F0735 | Table, Coffee | 1 | V/ V | Table, Coffee, 24" X 48" | |
| | | | | F0736 | Table, Coffee | 9 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F0740 | Table, Occasional Lamp | 9 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F0760 | Table, Child's | 2 | V/ V | Table, Child's | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 5 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2315 | Magazine Rack, Floor Mounted | 5 | V/ L | Magazine Rack, Floor Mounted | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F3200 | Clock, 12" Diameter | 3 | V/V | Clock, 12" Diameter, Battery Operated, With Sweep Second Hand, Batteries Not Included (PG-18-5) | |
| | | | | M0510 | TV/VCR Combination | 2 | V/ V | TV/VCR Combination with Remote Control, The unit shall have the following minimum features: Front end audio/video/earphone inputs jacks, on screen menu display, 181 channel tuning capability and video tracking adjustment capability. | |
| | | | | M0512 | Television, LCD, 60" | 2 | V/ V | Television, LCD, 60" | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| Dental | LCCL1 | 1 | Clean Cart | | | | | | |
| | | | | F0515 | Cart, Supply, Linen | 2 | V/ V | Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen. | |
| | | | | M2070 | Shelving, Storage, 77x36wx18d | 2 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Dental | LCSL1 | 1 | Soiled Cart | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | A5107 | Wall mounted glove dispenser, (4 boxes) Plastic cover | 1 | V/ V | Wall mounted glove dispenser, (4 boxes) Plastic cover | |
| | | | | F0510 | Soiled Linen Cart | 1 | V/ V | Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen. | |
| | | | | F2020 | Can, Trash, 40 Gal. | 1 | V/ V | Forty (40) gallon trash can, 32" high X 24" diameter, with lid. Used to collect and transport refuse from a point of origin to point of disposal (example: from soiled utility or a nursing unit to the trash compactor at housekeeping). | |
| EMS | | 1 | AMMS/ EMS Storage | | | | | | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M2070 | Shelving, Storage, 77x36wx18d | 24 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| | | | | M2085 | Storage, Pallet, Open, 48" x 96" x 96" | 2 | V/ V | Storage, Pallet, Open, 48" x 96" x 96" | |
| | | | | M2090 | Shelving, Storage, Warehouse | 5 | V/ V | Shelving, Storage, Warehouse | |
| | | | | M2105 | Pallet Lift, Hydraulic, Manual, 48" Pallet | 1 | V/ V | Hydraulic manual pallet equipped with floor lock and wheels for easy transport. Unit accommodates 48" pallets and is | |
| | | | | M2115 | Truck, Hand, 2 Wheel | 2 | V/ V | 2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse. | |
| | | | | M2120 | Truck, Platform ,4 wheel | 1 | V/V | Electric lift truck. Equipped with heavy duty hydraulic system and 12 V battery. For use within enclosed warehouse spaces. Adjustable 25" (approx) long forks. Complete with 10 amp charger. Counterweight must be used to help prevent tipping. NOTE: Not recommended for moving long distances or over uneven surfaces. | |
| | | | | M2130 | Truck, Hydraulic Lift, Electric | 1 | V/V | Electric lift truck. Equipped with heavy duty hydraulic system and 12 V battery. For use within enclosed warehouse spaces. Adjustable 25" (approx) long forks. Complete with 10 amp charger. Counterweight must be used to help prevent tipping. NOTE: Not recommended for moving long distances or over uneven surfaces. | |
| | | | | M4035 | Scale, Roll on, Freestanding | 1 | V/V | Scale, Roll on, Freestanding | |
| EMS | SHRHM1 | 1 | Infectious Waste | | | | | | |
| | | | | F2020 | Can, Trash, 40 Gal. | 2 | V/ V | Forty (40) gallon trash can, 32" high X 24" diameter, with lid. Used to collect and transport refuse from a point of origin to point of disposal (example: from soiled utility or a nursing unit to the trash compactor at housekeeping). | |
| | | | | M2005 | Cabinet, Storage, Acid, Floor Standing, Shelves | 1 | V/ V | Cabinet, Storage, Acid, Floor Standing, Shelves | |
| | | | | M2020 | Cabinet, Storage, Safety, Built-In, Vented | 1 | V/ V | Safety storage cabinet. This unit is of double steel wall construction, with vented grounding attachment, raised leak proof door sill, and adjustable shelving. Equipped with two doors and three-point key lock. The construction meets standards set by OSHA and NFPA Code 30 requirements. Designed for storage of flammable type liquids. The cabinet fits into a laboratory casework configuration and its ventilation ports are in the back to leave the counterspace free. The cabinet requires ventilation ducting and an exhaust fan as part of the HVAC (heating, ventilation and air conditioning) system. | |
| EMS | UTC01 | 1 | Recycle | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | F2020 | Can, Trash, 40 Gal. | 4 | V/ V | Forty (40) gallon trash can, 32" high X 24" diameter, with lid. Used to collect and transport refuse from a point of origin to point of disposal (example: from soiled utility or a nursing unit to the trash compactor at housekeeping). | |
| Lobby | | 1 | Vestibule | | | | | | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M4705 | Wheelchair, Patient Transport, Folding | 4 | V/ V | Wheelchair, Patient Transport, Folding | |
| PMR | DR001 | 1 | Dressing Room | | | | | | |
| Radiology | DR001 | 3 | Dressing Room | | | | | | |
| | | | | A1030 | Locker, 2 person, Over/ Under | 1 | V/ V | Locker, 2 person, Over/ Under | |
| | | | | A5025 | Bench, Locker Room, Portable | 1 | V/ V | Bench, Locker Room, Portable | |
| Lobby | | 2 | Kiosks | | | | | | |
| | | | | M1806 | Kiosk, Wall Mounted | 4 | V/ V | Kiosk, Wall Mounted | |
| AC: Exam / Treatment Modules (ETM) | TLTU1 | 2 | Toilet, Public | | | | | | |
| AC: Exam / Treatment Modules (ETM) | TLTU1 | 4 | Toilet, Staff | | | | | | |
| Mental Health | TLTU1 | 1 | Toilet, Staff | | | | | | |
| Mental Health | TLTU1 | 1 | Toilet, Public | | | | | | |
| Audiology | TLTU1 | 1 | Toilet, Public | | | | | | |
| Radiology | TLTU1 | 2 | Toilet | | | | | | |
| EMS: LLTS | TLTU1 | 1 | Toilet, Women | | | | | | |
| EMS: LLTS | TLTU1 | 1 | Toilet, Men | | | | | | |
| Dental | TLTU1 | 1 | Toilet | | | | | | |
| Lobby | TLTU1 | 2 | Family Toilet | | | | | | |
| Radiology | TLTU1 | 1 | Toilet | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| Lobby | TLTU1 | 1 | Women Toilet | | | | | | |
| Lobby | TLTU1 | 1 | Men Toilet | | | | | | |
| AC: Exam / Treatment Modules (ETM) | TLTU1 | 4 | Toilet, Public | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 1 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| EMS: LLTS | TLTS1 | 1 | Men Shower | | | | | | |
| EMS: LLTS | TLTS1 | 1 | Women Shower | | | | | | |
| Lobby | TLTU1 | 1 | Women Toilet | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 2 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-------------------|------------------------------|---|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | U0027 | Dispenser, Sanitary Napkin | 1 | V/ L | Dispenser, Sanitary Napkin | |
| Lobby | TLTU1 | 1 | Men Toilet | | | | | | |
| | | | | A5075 | Wall mounted Soap Dispenser, adhered to mirror. | 2 | V/ V | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| PLM: Laboratories | TLTU1 | 2 | Toilet, Specimen | | | | | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| AC: Exam / Treatment Modules (ETM) | TRGM1 | 1 | MP Procedure Room | | | | | | |
| | | | | A1132 | Rail, Accessory Mounting, Length As Required | 1 | V/ V | Horizontal mounting rail will consist of lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools. The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5107 | Wall mounted glove dispenser, (4 boxes) Plastic cover | 1 | V/ V | Wall mounted glove dispenser, (4 boxes) Plastic cover | |
| | | | | A5108 | Extra Large Sharps Container, Floor-Standing | 1 | V/ V | Extra Large Sharps Container, Floor- Standing | |
| | | | | E0915 | Locker, Supply, Medication, Wall Mtd. 23" w x 20"d | 1 | V/ V | Locker, Supply, Medication, Wall Mtd. 23" w x 20"d | |
| | | | | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | 2 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Accessory Rail, Side 2 Drawers, 3" H (76mm) 4 Drawers, 6" H (152mm) Drawer Organizer Bins | |
| | | | | F0205 | Chair, Side With Arms | 2 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 2 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. | |
| | | | | M3070 | Hamper, Linen, Mobile, w/Lid | 1 | V/ V | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. | |
| | | | | M3072 | Frame, Infectious Waste Bag w/Lid | 1 | V/ V | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. | |
| | | | | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | 1 | V/ V | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. | |
| | | | | M4116 | Monitor, Vital Signs | 1 | V/ V | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. | |
| | | | | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | 1 | V/ V | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. | |
| | | | | M4655 | Stretcher, Mobile, CRS, 9 Position | 1 | V/ V | Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures. | |
| | | | | M5535 | Ophthalmoscope, Wall Hung | 1 | V/ V | Ophthalmoscope, Wall Hung | |
| | | | | M7401 | Light, examining | 1 | V/V | Light, examining, portable, 120 volts, approx. 18" diameter x 75" H (450 mm diameter x 1875 mm H) | |
| | | | | M7660 | Defibrillator/Monitor/Recorder, Portable | 1 | V/ V | Portable defibrillator-monitor-recorder. Integral unit system operable from self-contained rechargeable batteries. ECG may be viewed through paddles or patient cable. Options include external pacing and 12-Lead. | |
| | | | | M7710 | Electrocardiograph, 12 Lead, Portable | 1 | V/V | Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|--------------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M8810 | Stand, Mayo | 1 | V/ V | Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms. | |
| AC: Exam / Treatment Modules (ETM) | UCCL1 | 2 | Clean Utility Room | | | | | | |
| | | | | E0903 | Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H (229mm) 4 Tray/Shelves Drawer Organizers | |
| | | | | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H (76mm) 3 Drawers, 6"H (152mm) 2 Drawers, 9"H (229mm) 1 Tray/Shelf Divider Drawer Organizer Bins | |
| | | | | E0912 | Locker, Supply, Med Surg, Wall Mtd | 1 | V/ V | Medical/Surgical Supply locker, Wall Mounted, Approx 23"W x20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H (76mm) 2 Drawers, 6"H (152mm) 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| Radiology | UCCL1 | 1 | Clean Utility Room | | | | | | |
| | | | | E0903 | Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D | 2 | V/ V | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H (229mm) 4 Tray/Shelves Drawer Organizers | |
| | | | | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | 2 | V/ V | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H (76mm) 3 Drawers, 6"H (152mm) 2 Drawers, 9"H (229mm) 1 Tray/Shelf Divider Drawer Organizer Bins | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|---------------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | E0912 | Locker, Supply, Med Surg, Wall Mtd | 3 | V/ V | Medical/Surgical Supply locker, Wall Mounted, Approx 23"W x20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H (76mm) 2 Drawers, 6"H (152mm) 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| Radiology | USCL1 | 1 | Soiled Utility | | | | | | |
| AC: Exam / Treatment Modules (ETM) | USCL1 | 2 | Soiled Utility Room | | | | | | |
| | | | | F0510 | Soiled Linen Cart | 2 | V/ V | Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen. | |
| | | | | F0535 | Steel Utility Cart | 2 | V/ V | Steel Utility Cart | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| AC: Exam / Treatment Modules (ETM) | | 1 | Instrument Wash | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | F0535 | Steel Utility Cart | 1 | V/ V | Steel Utility Cart | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| Police and Security | OPMH4 | 1 | Operations Room | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5215 | Bracket, Television, Ceiling Mounted, Adjustable Arm, V/ L | 2 | V/ L | 12 ga steel support plates and attachment hardware | |
| | | | | A5222 | Bracket, Television, Backing | 2 | V/ L | | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | E0718 | Table, Process, Mobile 1 Drawers, 72"W x 24"D | 1 | V/ V | Table, Process, Mobile 1 Drawers, 72"W x 24"D | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0410 | Cabinet, Filing, Undercounter | 2 | V/ V | Half height vertical filing cabinet, 2 drawer, handles. Locking device and drawer label holders. Drawers adjustable to either legal or letter size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 2 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|---------------------|------------------------------|--|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0510 | TV/VCR Combination | 1 | V/ V | TV/VCR Combination with Remote Control. The unit shall have the following minimum features: Front end audio/video/earphone inputs jacks, on screen menu display, 181 channel tuning capability and video tracking adjustment capability. | |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| Police and Security | | 1 | Armory | | | | | | |
| | | | | A1032 | Locker, 6 Tier, Box/ Purse | 1 | V/ V | Locker, 6 Tier, Box/ Purse | |
| | | | | F3100 | Safe, Collection Agent | 1 | V/ V | Safe, Collection Agent | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 1 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Police | LR002 | 1 | Lockers | | | | | | |
| | | | | A1040 | Locker, 2 Person, Side by Side, 72x15x18 | 4 | V/ V | Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available. | |
| | | | | A5025 | Bench, Locker Room, Portable | 1 | V/ V | Bench, Locker Room, Portable | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| Police and Security | | 1 | Holding | | | | | | |
| Logistics | CSDE2 | 1 | Receiving and Issue | | | | | | |
| | | | | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 72x72 | 1 | V/ V | L shaped work station with under counter keyboard tray and overhead storage. | |
| | | | | F0104 | Undercounter Keyboard, adjustable | 1 | V/ V | Undercounter Keyboard, adjustable | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 1 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2700 | Reader, Bar Code, Hand Held, With Interface | 1 | V/ V | Hand held laser bar code reader with computer interface. Used for automated inventory, using bar code stickers / labels. Convenience outlet required at point of use. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 1 | V/V | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. | |
| | | | | M7780 | Scanner, Document | 1 | V/ V | Scanner for recording printed material in an electronic format. Some models process both color and black-and-white images. Options include automatic paper feeders and transparency adapters. Most models require connection to a microcomputer for independent operation or use as part of a network. Larger models for high use applications which connect directly to a network without passing information through a microcomputer are available. | |
| Logistics | | 1 | Medical Gas | | | | | | |
| | | | | M2115 | Truck, Hand, 2 Wheel | 1 | V/ V | 2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse. | |
| Logistics | | 1 | Vented Battery Charge | | | | | | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 2 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Logistics | | 1 | Clean Cart | | | | | | |
| | | | | F0535 | Steel Utility Cart | 2 | V/ V | Steel Utility Cart | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|--------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 2 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Logistics | | 1 | Soiled Cart | | | | | | |
| | | | | F0535 | Steel Utility Cart | 2 | V/ V | Steel Utility Cart | |
| Logistics | | 1 | Flammable Storage | | | | | | |
| | | | | M2020 | Cabinet, Storage, Safety, Built-In, Vented | 1 | V/ V | Safety storage cabinet. This unit is of double steel wall construction, with vented grounding attachment, raised leak proof door sill, and adjustable shelving. Equipped with two doors and three-point key lock. The construction meets standards set by OSHA and NFPA Code 30 requirements. Designed for storage of flammable type liquids. The cabinet fits into a laboratory casework configuration and its ventilation ports are in the back to leave the counterspace free. The cabinet requires ventilation ducting and an exhaust fan as part of the HVAC (heating, ventilation and air conditioning) system. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 2 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Lab | LMCH1 | 1 | Clinical Chemistry | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 3 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 2 | V/ V | Hand Antisepti Holder | |
| | | | | E0570 | Workstation, Chemistry Lab, Minimal | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F0230 | Chair, Drafting, Rotary | 3 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F2010 | Basket, Wastepaper, Step-On | 3 | V/ V | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | L0213 | HbALc & B-Thal in one compact analyzer | 1 | V/ V | HbALc & B-Thal in one compact analyzer | |
| | | | | L1035 | Analyzer, Chemistry, Stat | 1 | V/ V | | |
| | | | | L1052 | Techne Dry Bath or Heating Blocks Dri-Block Heater | 1 | V/ V | | |
| | | | | L1116 | G8 HPLC Analyzer | 1 | V/ V | | |
| | | | | L1182 | Refractometer | 1 | V/ V | | |
| | | | | L1350 | Centrifuge, Table, small, 3200 rpm, 6 place | 1 | V/ V | | |
| | | | | L1502 | Centrifuge, Tabletop | 1 | V/ V | | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 3 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. | |
| | | | | R6070 | Refrigerator/Freezer, Biological, SS, 2 Door | 1 | V/ V | Refrigerator, biological, reach-in, with hinged glass doors, 18 cu. Ft. | |
| PLM: Laboratories | | 1 | Accessioning | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 2 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| Radiology | XDR01 | 1 | General Purpose X-Ray | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | This JSN is to be used for determining and defining location of decorative artwork. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | E0903 | Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H (229mm) 4 Tray/Shelves Drawer Organizers | |
| | | | | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Accessory Rail, Side 2 Drawers, 3" H (76mm) 4 Drawers, 6" H (152mm) Drawer Organizer Bins | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |
| | | | | F0355 | Footstool, Straight | 1 | V/ V | Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M3070 | Hamper, Linen, Mobile, w/Lid | 1 | V/ V | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. | |
| | | | | M4255 | Stand, IV, Adjustable | 1 | V/ V | Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions. | |
| | | | | X1405 | Stand, Bucky, Vertical, Tilt, Automatic | 1 | V/ V | Vertical and tilting bucky stand. This unit is mounted to the floor and wall to provide a vibration-free mounting platform for the universal bucky. The grid line free radiographs are produced at exposure times as short as two milliseconds. Characteristics and components include aluminum interspaced grid with a 36 inch (914 mm) to 40 inch (1016 mm) focal range. The unit's cassette size sensing tray accommodates all cassette sizes between 5 and 17 inches. The unit tilts at angles of +90/-20 degrees from the vertical position. The unit is used in X-ray facilities for processing radiography images. | |
| | | | | X4122 | Workstation, Dig, Image Viewer | 1 | V/ V | Workstation, Dig, Image Viewer | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------|------------------------------|--|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | X5900 | Radiographic Unit, 80 kW, NonTilt Table | 1 | V/ V | This system is specifically designed to perform radiographic examinations in the Radiology Department. This units characteristics and components include, 80kW micro-processor controlled X-ray generator, a non-tilting table with a floating table top and an adjustable bucky, a ceiling suspended 0.6/1.2 mm tube unit and vertical bucky stand. | |
| Radiology | | 1 | Ultrasound | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | E0903 | Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H (229mm) 4 Tray/Shelves Drawer Organizers | |
| | | | | E0930 | Locker, Supply, 6 Drawers, Mobile, 29 x 22 | 1 | V/ V | Locker, Supply, 6 Drawers, Mobile, 29 x 22 | |
| | | | | E0945 | Mobile Cart with adjustable shelves | 1 | V/ V | Mobile Cart with adjustable shelves | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0340 | Stool, Self Adjusting | 1 | V/ V | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. | |
| | | | | F0355 | Footstool, Straight | 1 | V/ V | Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0750 or M0755 | Flow meter, oxygen | 1 | V/ V | Flow meter, oxygen | |
| | | | | M0765 | Regulator, Vacuum | 1 | V/ V | An air/oxygen mixer is designed to accurately control a pressurized gas mixing with an oxygen concentration. Unit contains audible alarms to warn of supply failure, an auxiliary outlet and a oxygen concentration control adjustment range from 21% to 100%. The unit can also be used to supply an accurate pre-mixed gas source to respiration or ventilator units. A specific application may require an additional air inlet filter/water trap. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1620 | Holder, Chart, Patient, Wall or Door Mounted | 1 | V/ L | Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required. | |
| | | | | M1801 | PC, computer system | 1 | V/ V | PC, computer system, with keyboard | |
| | | | | M3072 | Receptacle, infectious waste | 1 | V/V | Receptacle, waste, step on type, approx. 12" (300 mm) diameter | |
| | | | | M4255 | Stand, IV, Adjustable | 1 | V/ V | Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions. | |
| | | | | M4266 | Pump, Volumetric, Infusion, Multiple Line | 1 | V/ V | Pump, Volumetric, Infusion, Multipel Line | |
| | | | | M4655 | Stretcher, Mobile, CRS, 9 Position | 1 | V/ V | Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures. | |
| | | | | M8810 | Stand, Mayo | 1 | V/ V | Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms. | |
| | | | | X2100 | Scanner, Ultrasound, General Purpose | 1 | V/ V | Scanner, Ultrasound, General Purpose | |
| | | | | X3930 | Illuminator, Film, Double, Wall Mounted | 1 | V/ V | X-ray film illuminator approximately 20' H x 29' W x 6" D. This is a double, wall mounted type unit with a continuous viewing surface. The tension film grips are adjustable top and bottom with standard grip strip. The unit's balanced-light viewing is assured by the 32W circular fluorescent lamp. It provides 500 foot candles of cool operation across the entire 14" X 17" | |
| Radiology | | 1 | CT | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | 1 | V/ V | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. | |
| | | | | F0355 | Footstool, Straight | 1 | V/ V | Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0750 or M0755 | Flow meter, oxygen | 1 | V/ V | Flow meter, oxygen | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------------------------------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M0765 | Regulator, Vacuum | 1 | V/ V | An air/oxygen mixer is designed to accurately control a pressurized gas mixing with an oxygen concentration. Unit contains audible alarms to warn of supply failure, an auxiliary outlet and a oxygen concentration control adjustment range from 21% to 100%. The unit can also be used to supply an accurate pre-mixed gas source to respiration or ventilator units. A specific application may require an additional air inlet filter/water trap. | |
| | | | | X6196 | Injector, CT | 1 | V/ V | Injector, CT | |
| | | | | X6240 | Radiographic Unit, Computeized Tomography | 1 | V/ V | Radiographic Unit, Computeized Tomography | |
| SPS | | 1 | Breakdown | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" | |
| | | | | F2020 | Can, Trash, 40 Gal. | 2 | V/ V | Forty (40) gallon trash can, 32" high X 24" diameter, with lid. Used to collect and transport refuse from a point of origin to point of disposal (example: from soiled utility or a nursing unit to the trash compactor at housekeeping). | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| SPS | | 1 | Sterile/ Nonsterile Storage Area | T0135 | Bench, Work, Metal Top | 1 | V/ V | Bench, Work, Metal Top | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 19 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| SPS | | 1 | Equipment Storage | | | | | | |
| Dental | | 1 | Dental Storage | | | | | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 6 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Logistics | | 1 | Mail Room | | | | | | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |

EQUIPMENT GUIDE LIST (Excludes Schedule B Items)

| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
|---|--------------|--------------|-------------------|------------------------------|---|--------------|---------------------------|--|-----------|
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| | | | | T8060 | Meter, Scale, Postage | 1 | V/ V | Meter, Scale, Postage | |
| | | | | U3406 | Cart, Mail Transfer | 1 | V/ V | Cart, Mail Transfer | |
| | | | | U9905 | Detector, Mail Bomb | 1 | V/ V | Detector, Mail Bomb | |
| Mental Health | | 1 | Quiet Room | | | | | | |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | This JSN is to be used for determining and defining location of decorative artwork. | |
| | | | | F0305 | Chair, Waiting Room, Single | 3 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0306 | Chair, Side With Arms, Bariatric | 2 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Capacity minimum 600 lbs. | |
| | | | | F0740 | Table, Occasional, Lamp | 1 | V/ V | Table, coffee, 24" x 24" | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2300 | Rack, Magazine | 1 | V/ V | Rack, Magazine, Wall Mounted | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0510 | TV/VCR Combination | 1 | V/ V | TV/VCR Combination with Remote Control. The unit shall have the following minimum features: Front end audio/video/earphone inputs jacks, on screen menu display, 181 channel tuning capability and video tracking adjustment capability. | |
| AC: Exam / Treatment Modules (ETM) | WRC01 | 1 | Waiting | | | | | | |
| | | | | A5222 | Bracket, Television, Backing | 1 | V/ L | 12 ga steel support plates and attachment hardware | |
| | | | | F0305 | Chair, Waiting Room, Single | 12 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0735 | Table, Coffee | 2 | V/ V | Table, coffee, 20" x 48" | |
| | | | | F0740 | Table, Occasional, Lamp | 4 | V/ V | Table, coffee, 24" x 24" | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|----------------------------------|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2135 | Magazine Rack, Floor Mounted | 2 | V/ L | Magazine Rack, Floor Mounted | |
| | | | | M0510 | TV/VCR Combination | 1 | V/ V | TV/VCR Combination with Remote Control, The unit shall have the following minimum features: Front end audio/video/earphone inputs jacks, on screen menu display, 181 channel tuning capability and video tracking adjustment capability. | |
| Mental Health | WRC01 | 1 | Waiting | | | | | | |
| | | | | A5222 | Bracket, Television, Backing | 1 | V/ L | 12 ga steel support plates and attachment hardware | |
| | | | | F0305 | Chair, Waiting Room, Single | 2 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0306 | Chair, Side With Arms, Bariatric | 2 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Capacity minimum 600 lbs. | |
| | | | | F0735 | Table, Coffee | 2 | V/ V | Table, coffee, 20" x 48" | |
| | | | | F0740 | Table, Occasional, Lamp | 2 | V/ V | Table, coffee, 24" x 24" | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | M0510 | TV/VCR Combination | 1 | V/ V | TV/VCR Combination with Remote Control, The unit shall have the following minimum features: Front end audio/video/earphone inputs jacks, on screen menu display, 181 channel tuning capability and video tracking adjustment capability. | |
| Prosthetics | WRC01 | 1 | Waiting | | | | | | |
| | | | | F0305 | Chair, Waiting Room, Single | 3 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0735 | Table, Coffee | 1 | V/ V | Table, coffee, 20" x 48" | |
| Lab | WRC01 | 1 | Waiting | | | | | | |
| | | | | A1095 | Message Board, Digital | 1 | V/ V | Digital message display board. Electronic 80 character display with data memory enclosed in an aluminum frame. For use in areas like the pharmacy waiting room. | |
| | | | | F0305 | Chair, Waiting Room, Single | 2 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0740 | Table, Occasional, Lamp | 1 | V/ V | Table, coffee, 24" x 24" | |
| Pharmacy | WRC01 | 1 | Waiting | | | | | | |
| | | | | F0305 | Chair, Waiting Room, Single | 3 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|--------------|--------------|-------------------------|------------------------------|----------------------------------|--------------|---------------------------|--|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | F0306 | Chair, Side With Arms, Bariatric | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Capacity minimum 600 lbs. | |
| | | | | F0740 | Table, Occasional, Lamp | 1 | V/ V | Table, coffee, 24" x 24" | |
| Radiology | WRC01 | 1 | Waiting | | | | | | |
| | | | | A1095 | Message Board, Digital | 1 | V/ V | Digital message display board. Electronic 80 character display with data memory enclosed in an aluminum frame. For use in areas like the pharmacy waiting room. | |
| | | | | F0305 | Chair, Waiting Room, Single | 6 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2420 | Lamp, Table, with shade | 2 | V/ V | Lamp, Table, with shade | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0510 | TV/VCR Combination | 1 | V/ V | TV/VCR Combination with Remote Control. The unit shall have the following minimum features: Front end audio/video/earphone inputs jacks, on screen menu display, 181 channel tuning capability and video tracking adjustment capability. | |
| PMR | WRC01 | 1 | Waiting | | | | | | |
| | | | | F0305 | Chair, Waiting Room, Single | 4 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0306 | Chair, Side With Arms, Bariatric | 2 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Capacity minimum 600 lbs. | |
| | | | | F0735 | Table, Coffee | 1 | V/ V | Table, coffee, 20" x 48" | |
| | | | | F0740 | Table, Occasional, Lamp | 2 | V/ V | Table, coffee, 24" x 24" | |
| Dental | WRC01 | 1 | Waiting | | | | | | |
| | | | | F0305 | Chair, Waiting Room, Single | 4 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0736 | Table, Coffee | 1 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F0740 | Table, Occasional Lamp | 2 | V/ V | Table, Coffee, 30" Dia. | |
| Audiology | WRC01 | 1 | Waiting | | | | | | |
| | | | | F0305 | Chair, Waiting Room, Single | 4 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0735 | Table, Coffee | 1 | V/ V | Table, coffee, 20" x 48" | |
| | | | | F0740 | Table, Occasional, Lamp | 1 | V/ V | Table, coffee, 24" x 24" | |
| Eye Clinic | | 1 | Dilation Waiting | | | | | | |
| | | | | A1095 | Message Board, Digital | 1 | V/ V | Digital message display board. Electronic 80 character display with data memory enclosed in an aluminum frame. For use in areas like the pharmacy waiting room. | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|-----------------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | A6046 | Artwork, Decorative, With Frame | 1 | V/ V | This JSN is to be used for determining and defining location of decorative artwork. | |
| | | | | F0305 | Chair, Waiting Room, Single | 2 | V/ V | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. | |
| | | | | F0306 | Chair, Side With Arms, Bariatric | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Capacity minimum 600 lbs. | |
| | | | | F0740 | Table, Occasional Lamp | 1 | V/ V | Table, Coffee, 30" Dia. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2300 | Rack, Magazine | 1 | V/ V | Rack, Magazine, Wall Mounted | |
| | | | | F2310 | Rack, Pamphlet | 1 | V/ V | Rack, Pamphlet, Wall Mounted | |
| | | | | F2420 | Lamp, Table, with shade | 1 | V/ V | Lamp, Table, with shade | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0510 | TV/VCR Combination | 1 | V/ V | TV/VCR Combination with Remote Control. The unit shall have the following minimum features: Front end audio/video/earphone inputs jacks, on screen menu display, 181 channel tuning capability and video tracking adjustment capability. | |
| Dental | | 1 | Instrument Wash | | | | | | |
| | | | | F0230 | Chair, Drafting, Rotary | 1 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2700 | Reader, Bar Code, Hand Held, With Interface | 1 | V/ V | Hand held laser bar code reader with computer interface. Used for automated inventory, using bar code stickers / labels. Convenience outlet required at point of use. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | PC Computer System w/ Keyboard | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; | |
| | | | | M1825 | Printer, Computer | 1 | V/ V | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. | |
| | | | | M1830 | Printer, Label, Pharmacy | 1 | V/ V | Printer, Label, Pharmacy | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------------------------------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M2070 | Shelving, Storage, 77x36wx18d | 4 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| Dental | DNPL1 | 1 | Dental Laboratory- General Purpose | | | | | | |
| | | | | A1012 | Telephone, Wall Mounted, 1 line | 1 | V/ V | Telephone, Wall Mounted, 1 line | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | D3295 | Chair, Rotary, Laboratory, Dental | 1 | V/ V | Chair, Rotary, Laboratory, Dental | |
| | | | | D4360 | Pump, Vacuum, Dental Oven | 1 | V/ V | Pump, Vacuum, Dental Oven | |
| | | | | D8060 | Furnace, Porcelain, Vacuum | 1 | V/ V | Furnace, Porcelain, Vacuum | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | PC Computer System w/ Keyboard | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; | |
| Dental | DNTG2 | 7 | Dental Operatory | | | | | | |
| | | | | A5075 | Dispenser, Wall Mtd. | 2 | V/ V | Wall mounted Soap Dispenser. | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5107 | Wall mounted glove dispenser, (4 boxes) Plastic cover | 1 | V/ V | Wall mounted glove dispenser, (4 boxes) Plastic cover | |
| | | | | A5108 | Extra Large Sharps Container, Floor-Standing | 1 | V/ V | Extra Large Sharps Container, Floor- Standing | |
| | | | | A5215 | Bracket, Flat Panel Monitor | 1 | V/ V | Bracket, Flat Panel Monitor | |
| | | | | D3320 | Dental Chair | 1 | V/ V | dental chair | |
| | | | | D3380 | Stool, Operating, Dental, Doctor | 1 | V/ V | Dental operating stool. Used by the dentist in the care and treatment of patients. This chair has a gas cylinder to adjust the height of the chair. It also has backrest as an integral part of the unit. The unit is to be equipped with casters. Various color combinations of vinyl or fabric are available. | |
| | | | | D3390 | Stool, Operating, Dental, Assistant | 1 | V/ V | Dental assistant's operating stool used in dental operatories during procedures. This chair has a body support arm or abdominal support that can be left or right hand adaptable. It is also gas cylinder operated for height adjustments. The chair is available in multiple vinyl or fabric color combinations. | |
| | | | | D3565 | Resin Curing Unit | 1 | V/ V | Resin Curing Unit | |
| | | | | D6570 | Bath, Water , Impression | 1 | V/ V | Bath, Water , Impression | |
| | | | | D7090 | Utility Center, Dental, Wall or Floor Mounted | 1 | V/ L | | |
| | | | | D8250 | Delivery System, Dental Operating | 1 | V/ V | | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|------------------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | D8850 | Amalgamator, Dental | 1 | V/ V | Dental amalgamator. The amalgamator is used in dental operatories to triturate alloys for restoration of teeth after removal of caries. | |
| | | | | D9060 | Prophylys Unit, Ultrasound | 1 | V/ V | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0505 | Television, Color, Bedside | 1 | V/ L | Television, Color, Bedside | |
| | | | | M0750 or M0755 | Flow meter, oxygen | 1 | V/ V | Flow meter, oxygen | |
| | | | | M0765 | Regulator, Vacuum | 1 | V/ V | An air/oxygen mixer is designed to accurately control a pressurized gas mixing with an oxygen concentration. Unit contains audible alarms to warn of supply failure, an auxiliary outlet and a oxygen concentration control adjustment range from 21% to 100%. The unit can also be used to supply an accurate pre-mixed gas source to respiration or ventilator units. A specific application may require an additional air inlet filter/water trap. | |
| | | | | M1801 | PC Computer System w/ Keyboard | 1 | V/ V | PC Computer | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. | |
| | | | | M3072 | Receptacle, infectious waste | 1 | V/V | Receptacle, waste, step on type, approx. 12" (300 mm) diameter | |
| | | | | M4116 | Monitor, Vital Signs | 1 | V/ V | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. | |
| | | | | X6600 | Radiographic Unit, Dental, Wall Mounted, 7 mA | 1 | V/ V | Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL , with a focal spot of 0.6. | |
| | | | | X6610 | Sensor, Dental Imaging System | 1 | V/ V | Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL , with a focal spot of 0.6. | |
| Dental | DNTG2 | 1 | Hygiene Operator | | | | | | |
| | | | | A5075 | Dispenser, Wall Mtd. | 2 | V/ V | Wall mounted Soap Dispenser. | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5107 | Wall mounted glove dispenser, (4 boxes) Plastic cover | 1 | V/ V | Wall mounted glove dispenser, (4 boxes) Plastic cover | |
| | | | | A5108 | Extra Large Sharps Container, Floor-Standing | 1 | V/ V | Extra Large Sharps Container, Floor- Standing | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | A5215 | Bracket, Flat Panel Monitor | 1 | V/V | Bracket, Flat Panel Monitor | |
| | | | | D3320 | Dental Chair | 1 | V/ V | dental chair | |
| | | | | D3380 | Stool, Operating, Dental, Doctor | 1 | V/ V | Dental operating stool. Used by the dentist in the care and treatment of patients. This chair has a gas cylinder to adjust the height of the chair. It also has backrest as an integral part of the unit. The unit is to be equipped with casters. Various color combinations of vinyl or fabric are available. | |
| | | | | D3390 | Stool, Operating, Dental, Assistant | 1 | V/ V | Dental assistant's operating stool used in dental operatories during procedures. This chair has a body support arm or abdominal support that can be left or right hand adaptable. It is also gas cylinder operated for height adjustments. The chair is available in multiple vinyl or fabric color combinations. | |
| | | | | D3565 | Resin Curing Unit | 1 | V/ V | Resin Curing Unit | |
| | | | | D6570 | Bath, Water , Impression | 1 | V/ V | Bath, Water , Impression | |
| | | | | D7090 | Utility Center, Dental, Wall or Floor Mounted | 1 | V/ L | | |
| | | | | D8250 | Delivery System, Dental Operating | 1 | V/ V | | |
| | | | | D8850 | Amalgamator, Dental | 1 | V/ V | Dental amalgamator. The amalgamator is used in dental operatories to triturate alloys for restoration of teeth after removal of caries. | |
| | | | | D9060 | Prophylys Unit, Ultrasound | 1 | V/ V | | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M0505 | Television, Color, Bedside | 1 | V/ V | Television, Color, Bedside | |
| | | | | M0750 or M0755 | Flow meter, oxygen | 1 | V/ V | Flow meter, oxygen | |
| | | | | M0765 | Regulator, Vacuum | 1 | V/ V | An air/oxygen mixer is designed to accurately control a pressurized gas mixing with an oxygen concentration. Unit contains audible alarms to warn of supply failure, an auxiliary outlet and a oxygen concentration control adjustment range from 21% to 100%. The unit can also be used to supply an accurate pre-mixed gas source to respiration or ventilator units. A specific application may require an additional air inlet filter/water trap. | |
| | | | | M1801 | PC Computer System w/ Keyboard | 1 | V/ V | PC Computer | |
| | | | | M1802 | Work Station, Computer, Retractable, Wall Mounted | 1 | V/ V | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. | |
| | | | | M3072 | Receptacle, infectious waste | 1 | V/ V | Receptacle, waste, step on type, approx. 12" (300 mm) diameter | |
| | | | | M4116 | Monitor, Vital Signs | 1 | V/ V | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. | |

EQUIPMENT GUIDE LIST (Excludes Schedule B Items)

| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
|------------------------------|-----------|--------------|------------|------------------------------|---|--------------|---------------------------|--|-----------|
| | | | | X6600 | Radiographic Unit, Dental, Wall Mounted, 7 mA | 1 | V/ V | Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL , with a focal spot of 0.6. | |
| | | | | X6610 | Sensor, Dental Imaging System | 1 | V/ V | Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL , with a focal spot of 0.6. | |
| Dental | DNXD1 | 1 | X-Ray Area | | | | | | |
| | | | | A5075 | Dispenser, Wall Mtd. | 1 | V/ V | Wall mounted Soap Dispenser. | |
| | | | | A5077 | Hand Antiseptic Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | A5107 | Wall mounted glove dispenser, (4 boxes) Plastic cover | 1 | V/ V | Wall mounted glove dispenser, (4 boxes) Plastic cover | |
| | | | | D2520 | Cabinet, Mobile, Storage/Assistant, Dental | 1 | V/ V | Mobile storage cabinet used in dental spaces. Multiple drawer and cupboard configurations are available. Specific configurations with sliding shelves or tops are often called Alabama and North Carolina. | |
| | | | | D3300 | Chair, Operating, Dental | 1 | V/ V | Dental operating chair designed for the treatment and comfort of dental patients. The chair shall be capable of multiple positions, shall swivel, contain a adjustable headrest and arm rests that pivot up and down. The chair shall operate by means of electrohydraulics. The upholstery shall be seamless with no crevices to catch debris and be easy to clean. | |
| | | | | E0824 | Casework, Mod., 2 Lat. Files, 3 Shelves | 1 | V/ V | Casework, Mod., 2 Lat. Files, 3 Shelves | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0230 | Chair, Drafting, Rotary | 2 | V/ V | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |

| EQUIPMENT GUIDE LIST (Excludes Schedule B Items) | | | | | | | | | |
|--|-----------|--------------|----------|------------------------------|---|--------------|---------------------------|---|-----------|
| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
| | | | | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 2 | V/ V | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. The computer is used throughout the facility to input, manipulate and retrieve information. | |
| | | | | X6505 | Radiographic Unit, Dental Panoramic and Cephalo | 1 | V/ V | Radiographic Unit, Dental Panoramic and Cephalo | |
| | | | | X6600 | Radiographic Unit, Wall Mounted, 7 mA | 1 | V/ V | Radiographic Unit, Wall Mounted, 7 mA | |
| PMR | | 1 | Storage | | | | | | |
| | | | | M2070 | Shelving, Storage, 77x36wx18d | 6 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |
| PMR | PTEA1 | 1 | Exercise | | | | | | |
| | | | | A5075 | Dispenser, Soap, Wall MTD | 1 | V/ V | Dispenser, Soap, adhered to mirror | |
| | | | | A5077 | Hand Antisepti Holder | 1 | V/ V | Hand Antisepti Holder | |
| | | | | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | 1 | V/ V | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Accessory Rail, Side 2 Drawers, 3" H (76mm) 4 Drawers, 6" H (152mm) Drawer Organizer Bins | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | G0144 | Ergometer, Recumbent Stepper | 1 | V/ V | Ergometer, Recumbent Stepper | |
| | | | | G1007 | Ergometer, Stationary, Stair | 1 | V/ V | Ergometer, Stationary, Stair | |
| | | | | G1026 | Exercise Apparatus, Weight Training, | 1 | V/ V | Exercise Apparatus, Weight Training, Multi Station | |
| | | | | G1037 | Weight Set, Exercise, Dumbbell | 1 | V/ V | Weight Set, Exercise, Dumbbell | |
| | | | | G1040 | Rack, Dumbbell | 1 | V/ V | Rack, Dumbbell | |
| | | | | G1043 | Ergometer, Recumbent Bicycle, | 1 | V/ V | Ergometer, Recumbent Bicycle, Computer Assisted | |
| | | | | M8125 | Ergometer, Bicycle, Stationary | 1 | V/ V | Ergometer, Bicycle, Stationary | |
| | | | | M8240 | Parallel Bar, Adjustable Electrical | 1 | V/ V | Parallel Bar, Adjustable Electrical | |
| | | | | M8320 | Table, Treatment, Hi Lo | 1 | V/ V | Table, Treatment, Hi Lo | |
| | | | | M8330 | Treadmill, Electric | 1 | V/ V | Treadmill, Electric | |
| | | | | M3070 | Hamper, Linen, Mobile, w/Lid | 1 | V/ V | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. | |

EQUIPMENT GUIDE LIST (Excludes Schedule B Items)

| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
|------------------------------|-----------|--------------|-----------------|------------------------------|--|--------------|---------------------------|---|-----------|
| | | | | M3072 | Frame, Infectious Waste Bag w/Lid | 1 | V/ V | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. | |
| Dental | RECP1 | 1 | Reception | | | | | | |
| | | | | F0205 | Chair, Side With Arms | 3 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 3 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F0420 | Cabinet, Filing, Lateral, Half Height | 3 | V/ V | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 3 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2540 | Shredder, Paper, Security | 1 | V/ V | Paper shredder, approximately 18" high X 15" wide X 12" deep with shredding unit and waste receptacle. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 3 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| Dental | | 1 | Dental Clerical | | | | | | |
| | | | | F0205 | Chair, Side With Arms | 1 | V/ V | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. | |
| | | | | F0275 | Chair, Swivel, High Back | 1 | V/ V | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. | |
| | | | | F2000 | Basket, Wastepaper, Round, Metal | 1 | V/ V | Round wastepaper basket, approximately 18" high X 16" diameter. | |
| | | | | F2540 | Shredder, Paper, Security | 1 | V/ V | Paper shredder, approximately 18" high X 15" wide X 12" deep with shredding unit and waste receptacle. | |
| | | | | F3200 | Clock, Battery, 12" Diameter | 1 | V/ V | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). | |

EQUIPMENT GUIDE LIST (Excludes Schedule B Items)

| Department / Functional Area | Room Code | Qty of Rooms | Function | Equipment Symbol or JSN Code | Item Name | Qty per Room | Acquisition/ Installation | Item Description | Total Qty |
|------------------------------|-----------|--------------|----------|------------------------------|--|--------------|---------------------------|--|-----------|
| | | | | M1801 | Computer, Micro processing, w/Flat Panel Monitor | 1 | V/ V | Desk top micro processing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; a 3.5" floppy drive; 1.44MB network interface card; video 32 MB NVIDIA; a 15 inch flat panel color monitor. | |
| | | | | M1810 | Copier, Floor Standing,Digital | 1 | V/ V | Copier, Floor Standing,Digital | |
| | | | | M1840 | Printer/Copier/Fax Combination | 1 | V/ V | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. | |
| | | | | M2070 | Shelving, Storage, 77hx36wx18d | 1 | V/ V | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. | |