

E2 REFLECTED CEILING PLAN
1/4" = 1'-0"

ARCHITECTURAL FLOOR PLAN
1/4" = 1'-0"

GENERAL NOTES:













1. THESE PLANS ARE GENERAL IN NATURE. CONTRACTOR IS RESPONSIBLE FOR REMOVING ALL ITEMS NECESSARY TO ACCOMPLISH WORK. SEE MECHANICAL, ELECTRICAL & PLUMBING DRAWINGS FOR ADDITIONAL WORK.
2. REFER TO SECTION FOR PHASING PLANS. REFER TO MECHANICAL AND SPECIFICATIONS FOR REFERRED TO SECTION FOR MECHANICAL FINISHES.
3. REFER TO A1011 FOR EQUIPMENT AND FINISHES.
4. LOCATE 24" X 24" ACCESS PANELS @ EACH VAV (CONTROLLER SIDE).
5. REFER TO MECHANICAL FOR VAV AND EXHAUST FAN QUANTITIES AND LOCATIONS.
6. NEW LOCATIONS OF SPRINKLER HEADS TO BE COORDINATED.

SHEET NOTES: (x)

1. RELOCATED ACCESS PANEL.
- 2.
3. INSTALL NEW DOOR (HM) / FRAME. SEE AS01 FOR SCHEDULE.
4. INSTALL NEW PASS-THROUGH WINDOW / FRAME.
5. NEW ENDOSCOPE EXHAUST. REFER TO MECHANICAL DRAWINGS.
6. EXISTING WALL MOUNTED FIRE EXTINGUISHER TO REMAIN.
7. REMOVE REMOVAL OF EXISTING DOOR. PROVIDE NEW ODU FILLER TO PATCH A
- 8.
9. REFER TO ENGINEERING DWGS FOR UTILITY LOCATION AND CONNECTIONS IN
10. WASHER ENCLOSURE.
11. REFER TO A701 FOR EQUIPMENT.
12. INSTALL NEW DRAIN. REFER TO PLUMBING.
13. PATCH, REPAIR AND PAINT AS REQUIRED IN AREAS OF NEW CONSTRUCTION
14. / TILE-IN TO EXISTING.
15. SEE A701 FOR NEW FINISHES.


13. REUSE EXISTING SS. PANELS TO FINISH AROUND EQUIPMENT / PROVIDE
MOISTURE RESISTANT GYP WALL WITH EPOXY PAINT AS INDICATED ON
PARTITION TYPES.
14. PROVIDE SOFFIT.
15. RELOCATED WALL MOUNTED FIRE EXTINGUISHER.
16. RELOCATED AS NEEDED. COORDINATE WITH MECHANICAL DRAWINGS.

LEGEND:

- | | |
|---|----------------------------------|
|  | DEMO WALL |
|  | CMU INFILL |
|  | NEW GYP. WALL |
|  | TEMPORARY CONSTRUCTION BARR. |
|  | LIGHT FIXTURE |
|  | SUPPLY DIFFUSERS |
|  | EXHAUST DIFFUSERS |
|  | ACCESS PANEL |
|  | SPRINKLER HEAD (CEILING MOUNTED) |
|  | SMOKE DETECTOR (CEILING MOUNTED) |
|  | FLOOR DRAIN |
|  | PARTITION TYPE |

100% ISSUED FOR CONSTRUCTION
COMPLETION ITEM NO. 3

FULLY SPRINKLERED

[illegible]

Dept. of Veterans Affairs
Medical Center
1670 Clairmont Road
Decatur, Georgia 30033



PROFESSIONAL SEAL:

ARCHITECT/ENGINEERS

VEG
ENVIRONMENTAL VENTURES GROUP, INC.

Smith Carter ARCHITECTURE ENGINEERING PLANNING

VETERAN ENGINEERING GROUP, INC.
4411 Suwanee Dam, Ste 230, Suwanee, GA, 30086
770.391.1100
www.veteranengr.com

Drawing Title
ARCHITECTURAL FLOOR PLAN AND
REFLECTED CEILING PLAN

Approved: Project Director

RENOVATION OF EXISTING STERILE PROCESSING SERVICE (SPS)

YAMC. DECATUR. GA.

Date	Feb 24, 2012
Checker	

五

508-10-11
Building Number

Building Number

C

Page 6 of 27

s Aff

**Office of
Facilities
Management**

Department of
Veterans Affairs