

A. REFER TO A-101 FOR DIMENSIONS

- ## COORDINATION DRAWINGS

THE MECHANICAL CONTRACTOR SHALL TAKE THE LEAD IN PREPARATION OF COORDINATION DRAWINGS. SUCH DRAWINGS SHALL BE ARRANGED AND DESIGNED THROUGHOUT FROM COORDINATION WITH ALL OTHER MAJOR AND MINOR SUBCONTRACTORS AND THE GENERAL CONTRACTOR. PROVIDE PLAN VIEWS, SECTIONS AND ELEVATIONS AS REQUIRED TO FULLY COORDINATE ALL NEW WORK WITH EXISTING CONDITIONS. DRAW TO SCALE (AT LESS THAN $\frac{3}{8}" = 1'-0"$). DRAWINGS SHALL SHOW, BUT NOT BE LIMITED TO, THE FOLLOWING: ALL AIR HANDLING UNITS, DUCTWORK, OUTLET DAMPERS; MECHANICAL EQUIPMENT, FLEXIBLE CONNECTIONS, ALL PLUMBING, PIPING, CABLE TRAYS (WITH ELEVATIONS NOTED); LIGHTING FIXTURES (WHEN CEILING MOUNTED); CEILING GRID AND CEILING HEIGHT; MAJOR BEAMS AND JOISTS (WITH ELEVATIONS MARKED); FIRE ALARM DEVICES AND SPEAKERS (WHERE CEILING MOUNTED); ELECTRICAL CONDUITS LARGER THAN 2-INCH DIAMETER; ELECTRICAL BUSWAY AND REQUIRED CLEARANCES; EQUIPMENT PROVIDED BY OTHERS THAT PROTRUDE INTO CEILING CAVITIES OR IMPROBE THE LOCATION OR ACCESS TO ANY OTHER SYSTEM; IDENTIFICATION OF OTHER EQUIPMENT. INDICATE THROUGHOUT WHERE SHOWN, ALL MAJOR AND MINOR SYSTEMS OF ALL CONTRACTS. IF THERE ARE ANY OUTSTANDING ISSUES THAT CANNOT BE RESOLVED, CONSULT WITH THE ARCHITECT AND/OR ENGINEER (THROUGH THE VA COTR) FOR GUIDANCE AND MAKE CORRECTIONS IN ACCORDANCE WITH DIRECTIONS GIVEN. IT IS IMPORTANT TO NOTE THAT FABRICATION CANNOT BEGIN UNTIL COORDINATION DRAWINGS HAVE BEEN APPROVED. ANY MATERIAL, EQUIPMENT, SYSTEMS, ETC., PROCUREMENT OR INSTALLATION COMMENCED PRIOR TO APPROVAL, IS TAKEN AT THE CONTRACTORS OWN RISK AND MAY HAVE TO BE MODIFIED, MOVED AND/OR RECONFIGURED AT THE CONTRACTORS COST.

EXISTING WALL, DOOR, WINDOW, MILLWORK, FUTURE
OR OTHER FUTURE OR ASSEMBLY TO BE REMOVED.

EXISTING WALL, DOOR, WINDOW, MILLWORK, FUTURE
OR OTHER FUTURE OR ASSEMBLY TO REMAIN.

NEW WALL

SMOKE TIGHT WALL

1-HOUR FIRE RATED WALL

2-HOUR FIRE RATED WALL

1 HOUR FIRE SMOKE RATED WALL

PROJECT LIMITS OF WORK

NO PIPING OR CULVERTWORK SHALL BE ROUTED
THROUGH ELECTRICAL AND/OR DATA ROOMS.

BLDG. #13

BLACKWOOD DRIVE

JOHNSON DRIVE

Ball Field

Gymnasium

Cafeteria

Classroom

Office

Storage


Restroom

Locker Room


First Floor

Second Floor

Legend: A = First Floor, B = Second Floor



Department of Veterans Affairs
Medical Center
1826 Veterans Blvd.
Dublin, Ga. 31021



Architect/Engineer Address

**Harrell,
Saltrick &
Hopper**

Design & Management Solutions for the Built Environment

151 LOCUST STREET, SUITE #1
ANNANDALE ESTATES, VA 22022

P 704.844.3325
F 704.321.0635


WWW.HSRP.COM

COPYRIGHT © 2011 HARRELL, SALTTRICK & HOPPER, PC
HSI PROJECT # 10004

Recommended Approvals:	
1. MEDICAL DIRECTOR	6. OPERATIONS SERVICE LINE MANAGER
2. ASSOCIATE DIRECTOR	7. INFECTION CONTROL SAFETY MANAGER
3. CHIEF OF STAFF	8. SAFETY MANAGER
4. ASSOC. DIRECTOR	9. GENERAL ENGINEER
5. SERVICE LINE MGRS.	10. COTR

Drawing Title	ARCHITECTURAL FLOOR PLAN
	FULLY SPRINKLERED

Project Title RENOVATE 13A FOR ENDOSCOPY SUITE		
Drawn MJF	Building Number	AutoCAD File Name
Checked	Reviewed	Const. Contract No

Date June 10, 2011	 Veterans Affairs
Project Number 557-10-108	
DRAWING No. A-102	

