

THE MECHANICAL CONTRACTOR SHALL TAKE THE LEAD IN PREPARATION OF COORDINATION DRAWINGS. SUCH DRAWINGS SHALL BE ARRANGED AND DESIGNED THROUGHOUT AND IN COORDINATION WITH ALL OTHER MAJOR AND MINOR SUBCONTRACTORS AND THE GENERAL CONTRACTOR. PROJECT PLAN VIEWS, SECTIONS AND ELEVATIONS ARE REQUIRED FOR ALL EQUIPMENT. NEW WORKING DRAWINGS SHALL BE SUBMITTED TO THE SCALAR ENGINEER AT NOT LESS THAN 3/8" = 1'-0". DRAWINGS SHALL SHOW, BUT NOT BE LIMITED TO: ALL WALL RATINGS; ALL DUCTWORK; AIR DISTRIBUTION; MECHANICAL EQUIPMENT; MECHANICAL PIPING; FIRE PROTECTION PIPING; ALL PLUMBING PIPING; CABLE TRAYS WITH ELEVATIONS; ALL ELECTRICAL PIPING; ALL LIGHTING FIXTURES; ALL FLOOR AND CEILING HEIGHT; MAJOR BEAMS AND JOISTS (WITH ELEVATIONS MARKED); FLOOR ALARMS DEVICES AND SPEAKERS (WHERE CEILING MOUNTED); ELECTRICAL CONDENSERS; RARELarger than 2-INCH DIAMETER; ELECTRICAL BUSWAY AND REQUIRED CLEARANCES. EQUIPMENT PROVIDED BY THE CONTRACTOR SHALL BE NOTED IN THE DRAWINGS. THE LOCATION OF ALL EQUIPMENT SHALL BE ABOVE CEILING PLUMBING AND OF OTHER EQUIPMENT. SECTIONS SHALL BE CUT THROUGH AREAS SHOWING MATERIALS AND SYSTEMS OF ALL CONTRACTS. IF THERE ARE ANY OUTSTANDING ISSUES THAT CANNOT BE RESOLVED, CONSULT WITH THE ARCHITECT AND/OR ENGINEER (THROUGH THE VA COTR) FOR CLARIFICATION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE COORDINATION. IT IS IMPORTANT TO NOTE THAT FABRICATION CANNOT BEGIN UNTIL COORDINATION DRAWINGS HAVE BEEN APPROVED. ANY MATERIAL, EQUIPMENT, SYSTEMS, ETC., PROCUREMENT OR INSTALLATION COMMENCED PRIOR TO APPROVAL IS TAKEN AT THE CONTRACTORS OWNERS RISK AND SHALL BE TO BE MODIFIED, MOVED AND/OR RECONFIGURED AT THE CONTRACTORS COST.




Drawing Title <b>BUILDING SECTIONS</b>	Project Title <b>RENOVATE 13A FOR ENDOSCOPY SUITE</b>			Date June 10, 2011
				Project Number 557-10-108
<b>FULLY SPRINKLERED</b>	Drawn M/J	Building Number M/J	AutoCAD File Name	DRAWING No. <b>A-301</b>
	Checked	Reviewed	Const. Contract No.	

REVISION NO.	REVISION DESCRIPTION		
Revisions		Bv	Date



Department of Veterans Affairs  
Medical Center  
1826 Veterans Blvd.  
Dublin, Ga. 31021



Architect/Engineer Address

**Harrell,  
Saltrick &  
Hopper**

De  
151  
AVE

**Design & Management Solutions for the Built Environment**

151 LOCUST STREET, SUITE #1  
AVONDALE ESTATES, GA 30002

P 704.814.1322  
F 704.321.0833

WWW.HSHPC.COM

COPYRIGHT © 2011 HARRELL, SALTRICK & HOPPER, PC  
HSH PROJECT # 10004

Recommended Approvals:	
1. MEDICAL DIRECTOR	6. OPERATIONS SERVICE LINE MANAGER
2. ASSOCIATE DIRECTOR	7. INFECTION CONTROL SAFETY MANAGER
3. CHIEF OF STAFF	8. SAFETY MANAGER
4. ASSOC. DIRECTOR	9. GENERAL ENGINEER
5. SERVICE LINE MGRS.	10. COTR