



1 FLOOR PLAN
SCALE: 1/8"=1'-0"



3 ENLARGED TOILET PLAN
SCALE: 1/4"=1'-0"




2 ENLARGED TOILET PLAN
SCALE: 1/4"=1'-0"

CONSTRUCTION LEGEND:

	EXISTING DOOR TO REMAIN
	EXISTING WALL CONSTRUCTION TO REMAIN
	NEW METAL STUD / GYPSUM PARTITION SEE WALL TYPES SHEET A100
	NEW WINDOW
	NEW WINDOW 1x6 - SEE SHEET A101
	NEW DOOR
	NEW DOOR 1x6 - SEE SHEET A101
	NEW HANDRAIL AND CART BUMPER REFER TO PLAN FOR LOCATION SEE DETAILS 1-1460(1) - 1-1460(2)
	1-HR FIRE RATING SEE 1/460
	COLUMN SURROUND 2-HR FIRE RATING SEE 3/460
	2-HR FIRE RATING SEE 5/460

CONSTRUCTION NOTES:

- NOTE 1: DIMENSIONS NOTED ARE APPROXIMATE. MAKE DIMENSIONS OR NEW FINISH NEAR COLUMNS KEEP CORRIDOR SIDE OF SURROUND IN LINE WITH CORRIDOR WALLS.
- NOTE 2: OUTHINGING DOORS WHEN OPEN SHALL NOT EXTEND MORE THAN 6" INTO CORRIDOR. ADJUST HANDRAIL LENGTH TO ACCOMMODATE THIS DIMENSION.
- NOTE 3: 2"x12" ACCESS PANEL, SEE DETAIL 7/460(2). COORDINATE PANEL LOCATION WITH VALANCE DRAIN. SEE FINISH SCHEDULE FOR PANEL ACCESS PANEL.
- NOTE 4: REPAIR EXISTING GLAZED TILE TO RECEIVE NEW SMOOTH PLASTER FINISH. FEATHER NEW PLASTER INTO EXISTING ADJACENT PLASTER OR GYP. BO. SURFACES. CUT CORNER TO RECEIVE NEW VENT. BASE. SEE FINISH FLOOR PLAN.
- NOTE 5: EXISTING 2-HR MECHANICAL CHASE CONTRACTORS TO VERIFY CHASE IS AS MECHANICAL CHASE TO CHECK AND REPAIR CALLER ALL HOLES.
- NOTE 6: DOOR 4 ISHARE REPAIR AGEMENT ONLY PATCH DRYLAGED WALLS AFTER INSTALLATION OF NEW FRAME DOUBLE DOOR WITH OPPOSITE HINGE AND FRAME ARE PART OF THE EXISTING SHORE BARRIERS AND ARE TO BE MARKED CLEAR.
- NOTE 7: NEW DOORS AT MECHANICAL ROOM NEW LOWER SYSTEM REQUIREMENTS PER MECHANICAL DRAWINGS. VENTILATION REQUIREMENTS PER MECHANICAL DRAWINGS.
- NOTE 8: MAINTAIN 4" GAP BETWEEN METAL STUD WALLS AND SOUND BOOTHS.
- NOTE 9: METAL STUD NEWLY AT EXISTING WINDOWS THAT ARE RECESSED BY 2" SOUND BOOTH SEE DETAIL 9/460.



Revisions

Revision	Date
REVISION #1	4/19/12
ISSUE FOR BID	5/23/12
100% CONSTRUCTION DOCUMENTS	5/29/12
90% CONSTRUCTION DOCUMENTS	12/14/11
60% CONSTRUCTION DOCUMENTS	09/12/11

VA WESTERN NEW YORK
HEALTHCARE SYSTEM
3495 BAILEY AVENUE
BUFFALO, NEW YORK 14215

KROMAC DESIGN
ELECTRICAL
MECHANICAL
ENGINEERING
10545 MAIN STREET
LARGESIDE, NY 14081
WWW.KROMACDESIGN.COM

ROBERTS SHACKLETON BOY ARCHITECTS AND ENGINEERS
ARCHITECTS AND ENGINEERS
1 EHS ENGINEERING, PC
PROFESSIONAL ENGINEERS
1000 W. MAIN STREET
SARASOTA, FL 34237
PHONE: 774-86-9600
FAX: 774-86-9606

BS ARCHITECTS
ARCHITECTS
68 CANTON ROAD
SARASOTA, FL 34237
PHONE: 774-86-9600
E-MAIL: design@bsarch.com

Department Manager	DATE	Engineering Manager	DATE
Infection Control	DATE	Caroline Manager	DATE
Safety Officer	DATE	Chief of Staff	DATE

Drawing Title	Project Title
FLOOR PLAN	AUDIOLOGY RENOVATIONS
Medical Center Director	Building Number
Associate Medical Center Director	Location

DATE	DATE	DATE	DATE
DATE	DATE	DATE	DATE

DATE	DATE	DATE	DATE
DATE	DATE	DATE	DATE

DATE	DATE	DATE	DATE
DATE	DATE	DATE	DATE

DATE	DATE	DATE	DATE
DATE	DATE	DATE	DATE

DATE	DATE	DATE	DATE
DATE	DATE	DATE	DATE

DATE	DATE	DATE	DATE
DATE	DATE	DATE	DATE

11-103-A101

Office of Facilities

Department of Veterans Affairs