




Δ B.8-1 NORTH ELEVATION




Δ B.8-2 EAST ELEVATION




Δ B.8-3 SOUTH ELEVATION




Δ B.8-4 WEST ELEVATION




Δ B.8-1A




Δ B.8-1B




Δ B.8-1C




Δ B.8-1D



Δ B.8-1E



Δ B.8-1F



Δ B.8-1G

REVISIONS	DATE

--	--

CAD FILE NAME:
XREF FILE NAME:

DRAWING TITLE
BUILDING NO. 8
SITE SURVEY DATA
APPROVED: DIVISION CHIEF
APPROVED: SERVICE DIRECTOR

PROJECT TITLE
PAINT AND REPAIR
PHASE III
BUILDING NUMBER
8
CHECKED
DRAWN
LOCATION
VAMC BOISE, IDAHO

DATE
02/01/2012
PROJECT NO.
531-09-104
DRAWING NO.
B8-1
DWG.
4 OF 29




KEYED SHEETNOTES


1. REMOVE ENTIRE EXIST'G ASPHALT SHINGLE, FELT UNDERLAYMENT AND METAL FLASHING ROOF SYSTEM AT THIS ROOF - INSTALL NEW ASPHALT SHINGLES - ICE DAM MEMBRANE FROM EAVE BACK TO 24" BEHIND OUTSIDE FACE OF EXTERIOR WALL, 30# FELT UNDERLAYMENT + PREFINISHED GALV. SHT. MET. FLASH'G. TO MATCH PROFILE + COLOR OF (E) FLASHINGS - REMOVE + REINSTALL COPPER GUTTERS + DOWNSPOUTS PER SHEET NOTE 4 BELOW
2. EXIST'G ROOF VENT - PROTECT AS REQ'D.
3. REPAIR/REPLACE EXIST'G LEAD BEARING PAINTED WOOD EAVE BOARD - REPLACE W/NEW BOARD TO MATCH EXIST'G SIZE + PROFILE - SEE SHT. B8-2 FOR DETAILS - REMOVE EXIST'G LOOSE LEAD PAINT @ EXPOSED JOIST TAILS + EXPOSED UNDERSIDE OF ROOF SHEATHING - REMEDIATE FIRMLY BONDED LEAD PAINT REMAINING PER SPEC SHT. TS-2 - PREP + PRIME WOOD SUBSTRATE AS REQ'D + PAINT AS SPECIFIED
4. REPAIR + RELINE EXIST'G COPPER GUTTER SYSTEM, CONDUCTOR HEADS + DOWNSPOUTS AS REQ'D TO CARRY OUT RENOVATIONS AND REINSTALL IN SAME POSITIONS IN WORK'G ORDER ONCE OTHER WORK IS COMPLETED - PROVIDE NEW PRECAST CONC. SPLASH BLOCK AT EACH DOWNSPOUT OUTLET TO GRADE
5. NOT USED
6. NOT USED
7. NOT USED
8. NOT USED
9. BRICK REPAIR: PATCH + REPAIR EXIST'G BRICKWORK PER SHT. TS-4.1 + TS-4.2 REQUIREMENTS
10. BRICK CLEANING: CLEAN BRICKWORK AT THIS BLDG FACADE PER SHT. TS-4.1 + TS-4.2 REQUIREMENTS
11. SEAL ALL OPENINGS IN BRICK AROUND UTILITY LINES TO REMAIN
12. NOT USED
13. REPAIR ALL DOORS/SCREENS: REMOVE LEAD BEARING PAINT AT WOOD DOOR + FRAME, METAL DOOR + FRAME AND WOOD SCREEN DOOR (WHERE OCCURS) PER SHT. TS-2 REQ'TS. - PREP, PRIME + PAINT AS SPECIFIED - WHERE DOORS CONTAIN GLASS LITES INSTALLED W/PUTTY + GLAZING POINTS PATCH AND REPAIR GLAZING PUTTY + POINTS AS REQ'D. - REMOVE (E) SCREEN CLOTH + INSTALL (N) SCREENING AS SPECIFIED
14. NOT USED
15. NOT USED
16. EXIST'G INDUSTRIAL SASH WINDOW - CLEAN LOOSE PAINT + GLAZING PUTTY - REPUTTY AS REQ'D. + PAINT SASH AS SPECIFIED. REPLACE ANY DAMAGED OR STAINED GLASS UNITS.
17. NOT USED
18. REPAIR ALL EXIST'G PAINTED WOOD WALL LOUVERS - PREP + PAINT AS SPECIFIED
19. MAINTAIN EXIST'G WALL MOUNTED UTILITY LINES IN WORKING ORDER - REMOVE LOOSE LEAD BEARING PAINT + REMEDIATE REMAINDER OF FIRMLY BONDED LEAD BEARING PAINT PER SHT. TS-2 REQ'TS. - SCHEDULE ALL UTILITY LINE SHUT W/RESIDENT ENGINEER
20. MAINTAIN EXIST'G WALL/WINDOW MOUNTED EQUIPMENT IN WORKING ORDER - PROVIDE PROTECTIVE COVERS AS REQUIRED
21. NOT USED
22. EXIST'G. BLDG. SIGNAGE + FIXTURES - REMOVE + REINSTALL IN SAME LOCATION AS REQ'D. FOR RENOVATION WORK
23. REMOVE EXIST'G. VINE DEBRIS AND LOOSE LEAD BEARING PAINT @ WEST STOOP PORTICO - REMEDIATE REMAINDER OF LEAD BEARING PAINT FIRMLY BONDED TO WOOD SUBSTRATE PER SHT. TS-2 REQ'TS. - FILL + PIN SPLITS + CRACKS IN WOOD COLUMNS - REPLACE BOTTOM 1'-3/4" H. TORUS MOULDING + 13-1/2" x 13-1/2" x 2-1/2" WOOD BASE W/TREATED HEM-FIR OR RESTORE W/WOOD CONSOLIDANT TREATMENT PER MFG. INSTRUCTIONS - PRIME, PREP + PAINT AS REQ'D.
24. EXIST'G. COPPER ROOF SYS. TO REMAIN - SEAL TO REFURBISHED PORTICO AS REQ'D. FIX DRIP EDGE SO WATER DOES NOT RUN DOWN FASCIA.
25. EXIST'G. DORMERS W/ASPHALT SHINGLE SIDING - REMOVE SHINGLES + INSTALL NEW SHINGLES TO MATCH NEW ADJACENT ROOFING
26. REPAINT METAL RAILING
27. REPAINT EXTERIOR LIGHT FIXTURE

NOTE: PATCH, CAULK, PREP + PAINT TRIM AT INTERIOR SIDE OF REMOVED OR REPAIRED DOORS + WINDOWS WHERE DISTURBED OR DAMAGED BY THE OPERATIONS OF THIS CONTRACT - WHERE WALL SURFACES ADJACENT TO DOOR OR WINDOW TRIM IS DAMAGED BY THE WORK OF THIS CONTRACT PAINT ENTIRE WALL FROM FLOOR TO CEILING AND CORNER TO CORNER IN WHICH OPENING OCCURS.


**REMOVE ALL NON-WORKING UTILITY LINES




OVERALL SITE PLAN



GROUND FLOOR PLAN



UPPER FLOOR PLAN



ROOF PLAN

