



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|--------------------|------|-----------------------|----------------------------------|--|---------------------------|------------------------|--|--|--|
| FIRST FLOOR | | | | | | | | | |
| FLOORS | CPT1 | Carpet Tile | Interface Carpet | Architectural Plans Collection, To Scale #1465202500 | Details #7776 | 50cm x 50cm 20"x20" | Non Directional, Tac Tiles Installation, except for waiting rooms - glue down. | Waiting Rooms, Offices, Conference Rooms, Consult Rooms, Check In Desks, On-Call Rooms, Meditation & Consult Rooms | *1 Center the installation to maintain equal cut tiles at front and back, side to side |
| | CPT2 | Walk Off Carpet Tile | Tandus Centiva | Assertive Stria #04839 | Lead Shot #26207 | 24"x24" | Vertical Ashlar | Entrance Vestibules | *1 |
| | SVT1 | Solid Vinyl Tile | Johnsonite | IQ Granite | Vintage #445 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT2 | Solid Vinyl Tile | Johnsonite | IQ Granite | Pebblestone #463 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors, Storage Rooms, Nourishment, Medication Rooms | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT3 | Solid Vinyl Tile | Johnsonite | IQ Granite | Mercury #449 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT4 | Solid Vinyl Tile | Johnsonite | IQ Granite | Sawyer #448 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT5 | Solid Vinyl Tile | Venue Series Tandus Centiva | Venue Abstracts | Jute #5142 | .12"x6"x36" | Standard Surface, Square Edge. All end joints offset 18" (Running Bond) | Clinic Hallways & Exam Rooms | *1, Designer May 'Mix' SVT5 & SVT6 in Overall Pattern |
| | SVT6 | Solid Vinyl Tile | Contour Series Tandus Centiva | Fossil Stone | Fossil Stone Acorn #0834 | .12"x9"x36" | Standard Surface, Square Edge. All end joints offset 18" (Running Bond) | Clinic Hallways & Exam Rooms | *1, Designer May 'Mix' SVT5 & SVT6 in Overall Pattern |
| | WSF | Welded Sheet Flooring | Johnsonite | IQ Granite | Pebblestone #463 | | | Clean Linen, Clean Utility, Soiled Utility | *1, *2 |
| | TT1 | Terrazzo Tile | Nurazzo | Crystal Collection | C #510 Ivory | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors, Elevator Lobbies | *1, *2 |
| | TT2 | Terrazzo Tile | Nurazzo | N/A | DC #802 | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors, Elevator Lobbies | *1, *2 |
| | TT3 | Terrazzo Tile | Nurazzo | N/A | DC #598 | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors, Elevator Lobbies | *1, *2 |
| | RES2 | Resinous Flooring | Stonhard | Stontec | Mojave Beige, 1/16" Flake | | Cap w/ Schluter Schiene Stainless Steel | All Restrooms; including Inpatient Toilets, Locker Rooms, Staff and Public Toilets | Meets TIL Requirements for RES-2 Vinyl Chip Broadcast Flooring |
| | TX1 | Flooring Transition | Johnsonite | | Sandalwood #45 | | | | carpet to vinyl tile |
| | TX2 | Flooring Transition | Schluter | | Schiene | | | | Terrazzo Tiles to vinyl tile |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|---------------------|------------------------|-----------------------------|------------------------------------|------------------------------|--------------------------------|--------------------|--|---|--|
| FIRST FLOOR | | | | | | | | | |
| BASE | RB | Rubber Base | Johnsonite | Rubber Wall Base | Sandalwood #45 | 1/8"x6" | Use 120' Coils | all flooring locations U.N.O. | Cove with Toe, Interior and Exterior Corners |
| | RES-B | Integral Cove Resinous Base | Stonhard | Stontec | Mojave Beige, 1/16" Flake | 6" Cove | Cap w/ Schluter Schiene Stainless Steel | All Locations w/ RES1 Flooring | |
| | TT-B | Terrazzo Tile Base | Nurazzo | | DC #802, C #510 Ivory, DC #598 | 3/16"x6" | Match Base to Floor | All Locations w/ TT1, TT2, TT3 Flooring | 6" Base to Have Eased Top Edge |
| | WSF-B | Welded Sheet Flooring Base | Johnsonite | IQ Granite | Pebblestone #463 | | Integral Cove 6" Base, Cap w/ Schluter Schiene Stainless Steel | All Locations w/ WSF Flooring | |
| WALLS / TRIM | P1 | Paint | Dunn Edwards | | Tapering Light DE5497 | | Eggshell | Primary Field Color | *3 |
| | P2 | Paint | Dunn Edwards | | Cochise DE761 | | Eggshell | All Door Frames, Metal Doors, Restrooms (walls & ceilings) and Secondary Accent Color | *3 |
| | P3 | Paint | Dunn Edwards | | Baked Potato DEC717 | | Eggshell | Secondary Accent Color | *3 |
| | P4 | Paint | Dunn Edwards | | Bison Beige DEC750 | | Eggshell | Secondary Accent Color | *3 |
| | P5 | Paint | Dunn Edwards | | Galway Bay DE6305 | | Eggshell | Secondary Accent Color | *3 |
| | PT1 | Porcelain Tile | Crossville | Cross Colors Retro Active | Empress White | 12"x24" & 6"x24" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 |
| | PT2 | Porcelain Tile | Crossville | Cross Colors Retro Active | Featherstone | 12"x24" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 |
| | PT3 | Porcelain Tile | Crossville | Cross Colors Retro Active | Seabreeze | 12"x12" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 |
| | PT4 | Porcelain Tile | Trinity Tile | Thread | Cotton | 12"x24" | Matte, Rectified Edge Cap (base & top) w/ Schluter Schiene Stainless Steel | All Restroom Walls, Stacked Bond Pattern | *2, Grout: CBP Alabaster #333 |
| | PT5 | Porcelain Tile | Trinity Tile | Thread | Flax | 6"x24" | Matte, Rectified Edge Cap (base & top) w/ Schluter Schiene Stainless Steel | All Restrooms - Accent Color Band Stacked Vertically | *2, Grout: CBP Alabaster #333 |
| | SS-W | Acrylic Solid Surface-Wall | Avonite | Wet Wall Panel System | Bone F1-8010 | 1/4" Sheets x 96"H | | Showers at all Locations; Patient and Staff Included | Recommend use of Avonite ADA Shower Base 33"x60" |
| | WP1 | Wall Protection | CS Acrovyn | Acrovyn 4000 | Teton White #517 | .060" | Suede Texture. Use coordinating cap, end, corner and trim pieces | All Major Corridors to 36" AFF. Gurney, Equipment and Crash Cart Alcoves, etc... | |
| | WP2 | Wall Protection | CS Acrovyn | Acrovyn by Design, Crosswind | Riviera | .040" | Use coordinating cap, end, corner and trim pieces | Behind Drinking Fountains, Floor to Ceiling | |
| HPR | High Performance Resin | 3Form | Varia Ecoresin, Artisan Collection | Mix Light Natural, Parallel | | Sandstone | Wayfinding and Decorative | Designer May Use Any Material Found Within This Pattern | |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|--------------------|------|-----------------------------------|---|--|---|-----------|--|--|---|
| FIRST FLOOR | | | | | | | | | |
| SURFACES | PL1 | High Pressure Plastic Laminate | Formica | | Amber Maple 7012 | | Matte #58 | Primary Vertical Casework & Desk Worksurfaces | Use Doelken Woodtape 3mm Amber Maple #4498 |
| | PL2 | High Pressure Plastic Laminate | Wilsonart | Wilsonart Contract Collection | Amber Cherry 7919K | | Fine Grain #78 AEON Scratch & Scuff Resistant | Secondary Accent Color for Vertical Casework | Use Doelken Woodtape 3mm Amber Cherry #5229 |
| | PL3 | High Pressure Plastic Laminate | Wilsonart | Wilsonart Home Collection | Sedona Spirit 1823K | | Mirage #35 AEON Scratch & Scuff Resistant | Secondary Accent Color for Vertical Casework | Fry Reglet Reveal or Schluter straight or radius - as Decorative Detail |
| | PL4 | High Pressure Plastic Laminate | Formica | Deco Metal | Brushed Aluminum M2022 | | Finish #99 | Secondary Accent Color for Vertical Casework | Fry Reglet Reveal or Schluter straight or radius - as Decorative Detail |
| | SS | Acrylic Solid Surface | Formica | | Luna Fossil #774 | | | Countertops and Transaction Tops | |
| CEILING | AT1 | Acoustical Ceiling Tiles | Armstrong | Ultima #1911 | White | 24" x 24" | 15/16" Beveled Tegular | Waiting Rooms, Conference Rooms, Consult Rooms, Exam Rooms, Procedure Rooms, Inpatient Rooms, Check In Desks, Meditation & Consult Rooms | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| | AT2 | Acoustical Ceiling Tiles | Armstrong | Mesa Second Look #688 | White | 24" x 48" | Angled Tegular | Employee Only (Back of House) Corridors, On-Call Rooms, Offices, Breakrooms, Nutrition Rooms, Medication Rooms | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| | AT3 | Perforated Metal Ceiling Tiles | Armstrong | | Maple | 24"x24" | Square Lay-In | Public (Front of House) Corridors | |
| | AT4 | Perforated Metal Ceiling Tiles | Armstrong | | White | 24"x24" | Square Lay-In | Public (Front of House) Elevator Lobbies | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| | CCT | Cubicle Curtain Track | Barrier Free Lifts | Curtain Track Rail Support System (CTRSS) Linear Track System, Door Surround | White | | 84" AFF | All Patient Care Areas needing Privacy Curtains | |
| | CC | Cubical Curtain | Arc Com | Tidal Stripe | Seafoam #6 | | Easy On - Easy Off Hookless Cubicle Curtain | All Patient Care Areas Needing Privacy Curtains | |
| | SCR | ShowerCurtain Rod | Barrier Free Lifts | Curtain Track Rail Support System (CTRSS) Shower Rod System | White | | 72" AFF | All Patient Care Areas needing Shower Curtains | |
| | SC | Shower Curtain | Hookless Shower Curtains for Healthcare | Hookless Flex-On Rings | Mystery Beige | | 100% Polyester | All Showers | |
| | TP | Toilet Partition & Urinal Screens | Wilsonart | Phenolic Black Core Compact HPL | Amber Cherry 7919 | | Matte #60 | All Restrooms with Multiple Fixtures | 3/4" Double Faced Board @ Stiles, Doors & Panels |
| | HR | Handrails | CS Acrovyn | HRB-20N, Acrovyn 4000 | Combination Classic Maple #372 @ Handrail & Teton White #517 @ Bumper Guard | | Suede Texture. @ 34" AFF w/ WP1 Behind @36" AFF. | All Major Corridors (Back of House and Front of House) & Inpatient Units | |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|--------------------|------|------------------|--|---|---|--|---|--|---|
| FIRST FLOOR | | | | | | | | | |
| MISCELLANEOUS | CG | Corner Guard | CS Acrovyn | SM-20N, Acrovyn 4000 | Teton White #517 | | 3", Suede Texture. Full Height | All Corners | SM-20MN for 135 Degree Corners |
| | DR1 | Interior Doors | CS Acrovyn | Flush Door, Square Edge | Door Slab and Door Edge Classic Maple #372 Lite Kit - Standard Metal (NR 90min) Painted (DE761 Cochise or SIM.) | per Architectural Door Schedule | | Public (Front of House) Interior Doors | Continuous Aluminum Privacy Hinge Office doors do not have closers, unless required by fire code. |
| | DR2 | Interior Doors | Graham, Assa Abloy | Flush Door with Stainless Steel Door Kick | #100 Clear Wood Species and Cut TBD | per Architectural Door Schedule | | Employee (Back of House) Interior Doors | Formaldehyde-Free Adhesives Continuous Aluminum Privacy Hinge Office doors do not have closers, unless required by fire code. |
| | LK | Lockers | Ideal Products | Locker Series 2000 with Sloped Tops Model 'L' | Formica Amber Maple 7012 | | High Pressure Laminate, Poly Vinyl Edgeband | All Locations with Lockers | Surface Mounted Padlock Hasp, Aluminum Clothes Hook, Satin Chrome Number Disc |
| | | Modular Casework | Dwyer Products Co. (Goelst Medical Casework) | Medical Casework | Formica Amber Maple 7012 @ Doors & Drawer Fronts, Nickel @ Cabinet Boxes | Varies | Powder Coated Steel Cabinet Boxes & Thermofoil Door & Drawer Fronts | Replaces all Wall Mounted, Built-In Casework | |
| | | Headwall System | Hill-Rom | Elements Headwall System | Formica Amber Maple 7012, Art Glass Resin | Width Varies, Height: Floor to Ceiling | | All Inpatient Rooms, Emergency Room Bed Wall | |

***Notes:**

1. Moisture testing to be completed for flooring materials, installation adhesives per manufacturers' directions
2. Product Must be Sealed per Manufacturers Directions
3. Suprema Low VOC, Acrylic Latex. Eggshell @ Offices, Corridors, Exams, Inpatient Rooms. Semi Gloss @ Metal Doors & Frames, Wet Areas, Restrooms, Service Areas.



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|---------------------|------|-----------------------|-------------------------------|--|---------------------------|------------------------|---|--|--|
| SECOND FLOOR | | | | | | | | | |
| FLOORS | CPT1 | Carpet Tile | Interface Carpet | Architectural Plans Collection, To Scale #1465202500 | Details #7776 | 50cm x 50cm 20"x20" | Quarter Turn, Tac Tiles Installation, except for waiting rooms - glue down. | Waiting Rooms, Offices, Conference Rooms, Consult Rooms, Check In Desks, On-Call Rooms, Meditation & Consult Rooms | *1 Center the installation to maintain equal cut tiles at front and back, side to side |
| | SVT1 | Solid Vinyl Tile | Johnsonite | IQ Granite | Vintage #445 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT2 | Solid Vinyl Tile | Johnsonite | IQ Granite | Pebblestone #463 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors, Storage Rooms, Nourishment, Medication Rooms | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT3 | Solid Vinyl Tile | Johnsonite | IQ Granite | Mercury #449 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT4 | Solid Vinyl Tile | Johnsonite | IQ Granite | Aloe #407 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT5 | Solid Vinyl Tile | Venue Series Tandus Centiva | Venue Abstracts | Jute #5142 | .12"x6"x36" | Standard Surface, Square Edge. All end joints offset 18" (Running Bond) | Clinic Hallways & Exam Rooms | *1, Designer May 'Mix' SVT5 & SVT6 in Overall Pattern |
| | SVT6 | Solid Vinyl Tile | Contour Series Tandus Centiva | Fossil Stone | Fossil Stone Acorn #0834 | .12"x9"x36" | Standard Surface, Square Edge. All end joints offset 18" (Running Bond) | Clinic Hallways & Exam Rooms | *1, Designer May 'Mix' SVT5 & SVT6 in Overall Pattern |
| | WSF | Welded Sheet Flooring | Johnsonite | IQ Granite | Pebblestone #463 | | | Clean Linen, Clean Utility, Soiled Utility | *1 |
| | TT1 | Terrazzo Tile | Nurazzo | Crystal Collection | C #510 Ivory | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors, Elevator Lobbies | *1, *2 |
| | TT2 | Terrazzo Tile | Nurazzo | N/A | DC #870 | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors, Elevator Lobbies | *1, *2 |
| | TT3 | Terrazzo Tile | Nurazzo | N/A | DC #1254 | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors, Elevator Lobbies | *1, *2 |
| | RES2 | Resinous Flooring | Stonhard | Stontec | Mojave Beige, 1/16" Flake | | Cap w/ Schluter Schiene Stainless Steel | All Restrooms; including Inpatient Toilets, Locker Rooms, Staff and Public Toilets | Meets TIL Requirements for RES-2 Vinyl Chip Broadcast Flooring |
| | TX1 | Flooring Transition | Johnsonite | | Sandalwood #45 | | | | carpet to vinyl tile |
| | TX2 | Flooring Transition | Schluter | | Schiene | | | | Terrazzo Tiles to vinyl tile |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|---------------------|-------|-----------------------------|--------------|------------------------------------|--------------------------------|--------------------|--|---|---|
| SECOND FLOOR | | | | | | | | | |
| BASE | RB | Rubber Base | Johnsonite | Rubber Wall Base | Sandalwood #45 | 1/8"x6" | Use 120' Coils | all flooring materials U.N.O. | Cove with Toe, Interior and Exterior Corners |
| | RES-B | Integral Cove Resinous Base | Stonhard | Stontec | Mojave Beige, 1/16" Flake | 6" Cove | Cap w/ Schluter Schiene Stainless Steel | All Locations w/ RES1 Flooring | |
| | TT-B | Terrazzo Tile Base | Nurazzo | | DC #802, C #510 Ivory, DC #598 | 3/16"x6" | Match Base to Floor | All Locations w/ TT1, TT2, TT3 Flooring | 6" Base to Have Eased Top Edge |
| | WSF-B | Welded Sheet Flooring Base | Johnsonite | IQ Granite | Pebblestone #463 | | Integral Cove 6" Base, Cap w/ Schluter Schiene Stainless Steel | All Locations w/ WSF Flooring | |
| WALLS / TRIM | P1 | Paint | Dunn Edwards | | Tapering Light DE5497 | | Eggshell | Primary Field Color | *3 |
| | P2 | Paint | Dunn Edwards | | Cochise DE761 | | Eggshell | All Door Frames, Metal Doors, Restrooms (walls & ceilings) and Secondary Accent Color | *3 |
| | P3 | Paint | Dunn Edwards | | Baked Potato DEC717 | | Eggshell | Secondary Accent Color | *3 |
| | P4 | Paint | Dunn Edwards | | Bison Beige DEC750 | | Eggshell | Secondary Accent Color | *3 |
| | P5 | Paint | Dunn Edwards | | Olive Hint DE5500 | | Eggshell | Secondary Accent Color | *3 |
| | PT1 | Porcelain Tile | Crossville | Cross Colors Retro Active | Empress White | 12"x24" & 6"x24" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 |
| | PT2 | Porcelain Tile | Crossville | Cross Colors Retro Active | Featherstone | 12"x24" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 |
| | PT3 | Porcelain Tile | Crossville | Cross Colors Retro Active | Seal Taupe | 12"x12" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 |
| | PT4 | Porcelain Tile | Trinity Tile | Thread | Cotton | 12"x24" | Matte, Rectified Edge Cap (base & top) w/ Schluter Schiene Stainless Steel | All Restroom Walls, Stacked Bond Pattern | *2, Grout: CBP Alabaster #333 |
| | PT5 | Porcelain Tile | Trinity Tile | Thread | Flax | 6"x24" | Matte, Rectified Edge Cap (base & top) w/ Schluter Schiene Stainless Steel | All Restrooms - Accent Color Band Stacked Vertically | *2, Grout: CBP Alabaster #333 |
| | SS-W | Acrylic Solid Surface-Wall | Avonite | Wet Wall Panel System | Bone F1-8010 | 1/4" Sheets x 96"H | | Showers at all Locations; Patient and Staff Included | Recommend use of Avonite ADA Shower Base 33"x60" |
| | WP1 | Wall Protection | CS Acrovyn | Acrovyn 4000 | Teton White #517 | .060" | Suede Texture. Use coordinating cap, end, corner and trim pieces | All Major Corridors to 36" AFF. Gurney, Equipment and Crash Cart Alcoves, etc... | |
| | WP2 | Wall Protection | CS Acrovyn | Acrovyn by Design, Crosswind | Cypress | .040" | Use coordinating cap, end, corner and trim pieces | Behind Drinking Fountains, Floor to Ceiling | |
| | HPR | High Performance Resin | 3Form | Varia Ecoresin, Artisan Collection | Mix Green, Parallel | | Sandstone | Wayfinding and Decorative | Designer May Use Any Material Found Within This Pattern |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|---------------------|------|-----------------------------------|---|--|---|------------|---|--|---|
| SECOND FLOOR | | | | | | | | | |
| SURFACES | PL1 | High Pressure Plastic Laminate | Formica | | Amber Maple 7012 | | Matte #58 | Primary Vertical Casework & Desk Worksurfaces | Use Doelken Woodtape 3mm Amber Maple #4498 |
| | PL2 | High Pressure Plastic Laminate | Wilsonart | Wilsonart Contract Collection | Amber Cherry 7919K | | Fine Grain #78 AEON Scratch & Scuff Resistant | Secondary Accent Color for Vertical Casework | Use Doelken Woodtape 3mm Amber Cherry #5229 |
| | PL3 | High Pressure Plastic Laminate | Wilsonart | Wilsonart Home Collection | Deepstar Agate #1815K | | Mirage #35 AEON Scratch & Scuff Resistant | Secondary Accent Color for Vertical Casework | Fry Reglet Reveal or Schluter straight or radius - as Decorative Detail |
| | PL4 | High Pressure Plastic Laminate | Formica | Deco Metal | Brushed Aluminum M2022 | | Finish #99 | Secondary Accent Color for Vertical Casework | Fry Reglet Reveal or Schluter straight or radius - as Decorative Detail |
| | SS | Acrylic Solid Surface | Formica | | | eSeed #754 | | Countertops and Transaction Tops | |
| CEILINGS | AT1 | Acoustical Ceiling Tiles | Armstrong | Ultima #1911 | White | 24" x 24" | 15/16" Beveled Tegular | Consult Rooms, Exam Rooms, Procedure Rooms, Inpatient Rooms, | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| | AT2 | Acoustical Ceiling Tiles | Armstrong | Mesa Second Look #688 | White | 24" x 48" | Angled Tegular | Corridors, On-Call Rooms, Offices, Breakrooms, Nutrition Rooms, | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| | AT3 | Perforated Metal Ceiling Tiles | Armstrong | | Maple | 24"x24" | Square Lay-In | Public (Front of House) Corridors | |
| | AT4 | Perforated Metal Ceiling Tiles | Armstrong | | White | 24"x24" | Square Lay-In | Public (Front of House) Elevator Lobbies | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| NEOUS | CCT | Cubicle Curtain Track | Barrier Free Lifts | Curtain Track Rail Support System (CTRSS) Linear Track System, Door Surround | White | | 84" AFF | All Patient Care Areas needing Privacy Curtains | |
| | CC | Cubical Curtain | Arc Com | Tidal Stripe | Seafoam #6 | | Easy On - Easy Off Hookless Cubicle Curtain | All Patient Care Areas Needing Privacy Curtains | |
| | SCR | ShowerCurtain Rod | Barrier Free Lifts | Curtain Track Rail Support System (CTRSS) Shower Rod System | White | | 72" AFF | All Patient Care Areas needing Shower Curtains | |
| | SC | Shower Curtain | Hookless Shower Curtains for Healthcare | Hookless Flex-On Rings | Mystery Beige | | 100% Polyester | All Showers | |
| | TP | Toilet Partition & Urinal Screens | Wilsonart | Phenolic Black Core Compact HPL | Amber Cherry 7919 | | Matte #60 | All Restrooms with Multiple Fixtures | 3/4" Double Faced Board @ Stiles, Doors & Panels |
| | HR | Handrails | CS Acrovyn | HRB-20N, Acrovyn 4000 | Combination Classic Maple #372 @ Handrail & Teton White #517 @ Bumper Guard | | Suede Texture. @ 34" AFF w/ WP1 Behind @36" AFF. 3", Suede Texture. Full Height | All Major Corridors (Back of House and Front of House) & Inpatient Units | |
| | CG | Corner Guard | CS Acrovyn | SM-20N, Acrovyn 4000 | Teton White #517 | | | All Corners | SM-20MN for 135 Degree Corners |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|---------------------|------|------------------|---|---|---|------|---|---|--|
| SECOND FLOOR | | | | | | | | | |
| MISCELLA | DR1 | Interior Doors | CS Acrovyn | Flush Door, Square Edge | Door Slab and Door Edge Classic Maple #372 Lite Kit - Standard Metal (NR 90min) Painted (DE761 Cochise or SIM.) | | per Architectural Door Schedule | Public (Front of House) Interior Doors | Continuous Aluminum Privacy Hinge Office doors do not have closers, unless required by fire code. |
| | DR2 | Interior Doors | Graham, Assa Abloy | Flush Door with Stainless Steel Door Kick | #100 Clear Wood Species and Cut TBD | | per Architectural Door Schedule | Employee (Back of House) Interior Doors | Formaldehyde-Free Adhesives Continuous Aluminum Privacy Hinge Office doors do not have closers, unless required by fire code. |
| | LK | Lockers | Ideal Products | Locker Series 2000 with Sloped Tops Model 'L' | Formica Amber Maple 7012 | | High Pressure Laminate, Poly Vinyl Edgeband | All Locations with Lockers | Surface Mounted Padlock Hasp, Aluminum Clothes Hook, Satin Chrome Number Disc |
| | | Modular Casework | Dwyer Products Co. (Goelst Medical Casework) | Medical Casework | Formica Amber Maple 7012 @ Doors & Drawer Fronts, Nickel @ Cabinet Boxes | | Powder Coated Steel Cabinet Boxes & Thermofoil Door & Drawer Fronts | Replaces all Wall Mounted, Built-In Casework | |
| | | Headwall System | Hill-Rom | Elements Headwall System | Formica Amber Maple 7012, Art Glass Resin | | Width Varies, Height: Floor to Ceiling | All Inpatient Rooms, Emergency Room Bed Wall | |

***Notes:**

1. Moisture testing to be completed for flooring materials, installation adhesives per manufacturers' directions
2. Product Must be Sealed per Manufacturers Directions
3. Suprema Low VOC, Acrylic Latex. Eggshell @ Offices, Corridors, Exams, Inpatient Rooms. Semi Gloss @ Metal Doors & Frames, Wet Areas, Restrooms, Service Areas.



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|--------------------|---------------------|-----------------------|-------------------------------|--|---------------------------|------------------------|--|--|--|
| THIRD FLOOR | | | | | | | | | |
| FLOORS | CPT1 | Carpet Tile | Interface Carpet | Architectural Plans Collection, To Scale #1465202500 | Details #7776 | 50cm x 50cm 20"x20" | Non Directional, Tac Tiles Installation, except for waiting rooms - glue down. | Waiting Rooms, Offices, Conference Rooms, Consult Rooms, Check In Desks, On-Call Rooms, Meditation & Consult Rooms | *1 Center the installation to maintain equal cut tiles at front and back, side to side |
| | SVT1 | Solid Vinyl Tile | Johnsonite | IQ Granite | Vintage #445 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT2 | Solid Vinyl Tile | Johnsonite | IQ Granite | Pebblestone #463 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors, Storage Rooms, Nourishment, Medication Rooms | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT3 | Solid Vinyl Tile | Johnsonite | IQ Granite | Mercury #449 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT4 | Solid Vinyl Tile | Johnsonite | IQ Granite | Sawyer #448 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT5 | Solid Vinyl Tile | Venue Series Tandus Centiva | Venue Abstracts | Jute #5142 | .12"x6"x36" | Standard Surface, Square Edge. All end joints offset 18" (Running Bond) | Clinic Hallways & Exam Rooms | *1, Designer May 'Mix' SVT5 & SVT6 in Overall Pattern |
| | SVT6 | Solid Vinyl Tile | Contour Series Tandus Centiva | Fossil Stone | Fossil Stone Acorn #0834 | .12"x9"x36" | Standard Surface, Square Edge. All end joints offset 18" (Running Bond) | Clinic Hallways & Exam Rooms | *1, Designer May 'Mix' SVT5 & SVT6 in Overall Pattern |
| | WSF | Welded Sheet Flooring | Johnsonite | IQ Granite | Pebblestone #463 | | | Clean Linen, Clean Utility, Soiled Utility | *1 |
| | TT1 | Terrazzo Tile | Nurazzo | Crystal Collection | C #510 Ivory | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors | *1, *2 |
| | TT2 | Terrazzo Tile | Nurazzo | N/A | DC #662 | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors | *1, *2 |
| | TT3 | Terrazzo Tile | Nurazzo | N/A | DC #169 | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors | *1, *2 |
| | RES2 | Resinous Flooring | Stonhard | Stontec | Mojave Beige, 1/16" Flake | | | All Restrooms; including Inpatient Toilets, Locker Rooms, Staff and Public Toilets | *1, Meets TIL Requirements for RES-2 Vinyl Chip Broadcast Flooring |
| | RES3 | Resinous Flooring | Stonhard | Stonres RTZ | Santa Fe Texture #2 | | | Operating Rooms | *1, Meets TIL Requirements for RES-3 Epoxy Trowel Quartz Mortar |
| | TX1 | Flooring Transition | Johnsonite | | Sandalwood #45 | | | | carpet to vinyl tile |
| TX2 | Flooring Transition | Schluter | Schiene | Stainless Steel | | | | Terrazzo Tiles to vinyl tile | |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES | |
|---------------------|--------|-----------------------------|--------------|------------------------------------|---|--------------------|--|---|--|---|
| THIRD FLOOR | | | | | | | | | | |
| BASE | RB | Rubber Base | Johnsonite | Rubber Wall Base | Sandalwood #45 | 1/8"x6" | Use 120' Coils | all flooring locations U.N.O. | Cove with Toe, Interior and Exterior Corners | |
| | RES-B1 | Integral Cove Resinous Base | Stonhard | Stontec | Mojave Beige, 1/16" Flake | 6" Cove | Cap w/ Schluter Schiene Stainless Steel | All Locations w/ RES1 Flooring | | |
| | RES-B2 | Integral Cove Resinous Base | Stonhard | Stontec | Color to Match Johnsonite Rubber Wall Base Sandalwood #45 | 6" Cove | Cap w/ Schluter Schiene Stainless Steel | All Locations w/ RES2 Flooring | | |
| | TT-B | Terrazzo Tile Base | Nurazzo | | DC #802, C #510 Ivory, DC #598 | 3/16"x6" | Match Base Tile to Floor | All Locations w/ TT1, TT2, TT3 Flooring | 6" Base to Have Eased Top Edge | |
| | WSF-B | Welded Sheet Flooring Base | Johnsonite | IQ Granite | Pebblestone #463 | | Integral Cove 6" Base, Cap w/ Schluter Schiene Stainless Steel | All Locations w/ WSF Flooring | | |
| WALLS / TRIM | P1 | Paint | Dunn Edwards | | Tapering Light DE5497 | | Eggshell | Primary Field Color | *3 | |
| | P2 | Paint | Dunn Edwards | | Cochise DE761 | | Eggshell | All Door Frames, Metal Doors, Restrooms (walls & ceilings) and Secondary Accent Color | *3 | |
| | P3 | Paint | Dunn Edwards | | Baked Potato DEC717 | | Eggshell | Secondary Accent Color | *3 | |
| | P4 | Paint | Dunn Edwards | | Bison Beige DEC750 | | Eggshell | Secondary Accent Color | *3 | |
| | P5 | Paint | Dunn Edwards | | Lake Winnipeg DE5794 | | Eggshell | Secondary Accent Color | *3 | |
| | PT1 | Porcelain Tile | Crossville | Cross Colors Retro Active | Empress White | 12"x24" & 6"x24" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 | |
| | PT2 | Porcelain Tile | Crossville | Cross Colors Retro Active | Featherstone | 12"x24" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 | |
| | PT3 | Porcelain Tile | Crossville | Cross Colors Retro Active | Windsurf | 12"x12" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 | |
| | PT4 | Porcelain Tile | Trinity Tile | Thread | Cotton | 12"x24" | Matte, Rectified Edge Cap (base & top) w/ Schluter Schiene Stainless Steel | All Restroom Walls, Stacked Bond Pattern | *2, Grout: CBP Alabaster #333 | |
| | PT5 | Porcelain Tile | Trinity Tile | Thread | Flax | 6"x24" | Matte, Rectified Edge Cap (base & top) w/ Schluter Schiene Stainless Steel | All Restrooms - Accent Color Band Stacked Vertically | *2, Grout: CBP Alabaster #333 | |
| | SS-W | Acrylic Solid Surface-Wall | Avonite | Wet Wall Panel System | Bone F1-8010 | 1/4" Sheets x 96"H | | Suede Texture. Use coordinating cap, end, corner and trim pieces | Showers at all Locations; Patient and Staff Included | Recommend use of Avonite ADA Shower Base 33"x60" |
| | WP1 | Wall Protection | CS Acrovyn | Acrovyn 4000 | Teton White #517 | .060" | | Use coordinating cap, end, corner and trim pieces | All Major Corridors to 36" AFF. Gurney, Equipment and Crash Cart Alcoves, etc... | |
| | WP2 | Wall Protection | CS Acrovyn | Acrovyn by Design, Crosswind | Valley Mist | .040" | | Use coordinating cap, end, corner and trim pieces | Behind Drinking Fountains, Floor to Ceiling | |
| | HPR | High Performance Resin | 3Form | Varia Ecoresin, Artisan Collection | Mix Blue, Parallel | | | Sandstone | Wayfinding and Decorative | Designer May Use Any Material Found Within This Pattern |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|--------------------|------|-----------------------------------|---|--|---|-----------|--|--|---|
| THIRD FLOOR | | | | | | | | | |
| SURFACES | PL1 | High Pressure Plastic Laminate | Formica | | Amber Maple 7012 | | Matte #58 | Primary Vertical Casework & Desk Worksurfaces | Use Doelken Woodtape 3mm Amber Maple #4498 |
| | PL2 | High Pressure Plastic Laminate | Wilsonart | Wilsonart Contract Collection | Amber Cherry #7919K | | Fine Grain #78 AEON Scratch & Scuff Resistant | Secondary Accent Color for Vertical Casework | Use Doelken Woodtape 3mm Amber Cherry #5229 |
| | PL3 | High Pressure Plastic Laminate | Wilsonart | Wilsonart Home Collection | Deepstar Flint #1811K | | Mirage #35 AEON Scratch & Scuff Resistant | Secondary Accent Color for Vertical Casework | Fry Reglet Reveal or Schluter straight or radius - as Decorative Detail |
| | PL4 | High Pressure Plastic Laminate | Formica | Deco Metal | Brushed Aluminum M2022 | | Finish #99 | Secondary Accent Color for Vertical Casework | Fry Reglet Reveal or Schluter straight or radius - as Decorative Detail |
| | SS | Acrylic Solid Surface | Avonite | | Morning Tundra F1-7503 | | | Countertops and Transaction Tops | |
| CEILINGS | AT1 | Acoustical Ceiling Tiles | Armstrong | Ultima #1911 | White | 24" x 24" | 15/16" Beveled Tegular | Consult Rooms, Exam Rooms, Procedure Rooms, Inpatient Rooms, Employee Only (Back of House) | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| | AT2 | Acoustical Ceiling Tiles | Armstrong | Mesa Second Look #688 | White | 24" x 48" | Angled Tegular | Corridors, On-Call Rooms, Offices, Breakrooms, Nutrition Rooms, | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| | AT3 | Perforated Metal Ceiling Tiles | Armstrong | | Maple | 24"x24" | Square Lay-In | Public (Front of House) Corridors | |
| | AT4 | Perforated Metal Ceiling Tiles | Armstrong | | White | 24"x24" | Square Lay-In | Public (Front of House) Elevator Lobbies | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| NEOUS | CCT | Cubicle Curtain Track | Barrier Free Lifts | Curtain Track Rail Support System (CTRSS) Linear Track System, Door Surround | White | | 84" AFF | All Patient Care Areas needing Privacy Curtains | |
| | CC | Cubical Curtain | Arc Com | Tidal Stripe | Seafoam #6 | | Easy On - Easy Off Hookless Cubicle Curtain | All Patient Care Areas Needing Privacy Curtains | |
| | SCR | ShowerCurtain Rod | Barrier Free Lifts | Curtain Track Rail Support System (CTRSS) Shower Rod System | White | | 72" AFF | All Patient Care Areas needing Shower Curtains | |
| | SC | Shower Curtain | Hookless Shower Curtains for Healthcare | Hookless Flex-On Rings | Mystery Beige | | 100% Polyester | All Showers | |
| | TP | Toilet Partition & Urinal Screens | Wilsonart | Phenolic Black Core Compact HPL | Amber Cherry #7919 | | Matte #60 | All Restrooms with Multiple Fixtures | 3/4" Double Faced Board @ Stiles, Doors & Panels |
| | HR | Handrails | CS Acrovyn | HRB-20N, Acrovyn 4000 | Combination Classic Maple #372 @ Handrail & Teton White #517 @ Bumper Guard | | Suede Texture. @ 34" AFF w/ WP1 Behind @36" AFF. | All Major Corridors (Back of House and Front of House) & Inpatient Units | |
| | CG | Corner Guard | CS Acrovyn | SM-20N, Acrovyn 4000 | Teton White #517 | | 3", Suede Texture. Full Height | All Corners | SM-20MN for 135 Degree Corners |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|--------------------|------------|-------------------------|---|---|---|---|---|---|--|
| THIRD FLOOR | | | | | | | | | |
| MISCELLA | DR1 | Interior Doors | CS Acrovyn | Flush Door, Square Edge | Door Slab and Door Edge Classic Maple #372 Lite Kit - Standard Metal (NR 90min) Painted (DE761 Cochise or SIM.) | per Architectural Door Schedule | | Public (Front of House) Interior Doors | Continuous Aluminum Privacy Hinge Office doors do not have closers, unless required by fire code. |
| | DR2 | Interior Doors | Graham, Assa Abloy | Flush Door with Stainless Steel Door Kick | #100 Clear Wood Species and Cut TBD | per Architectural Door Schedule | | Employee (Back of House) Interior Doors | Formaldehyde-Free Adhesives Continuous Aluminum Privacy Hinge Office doors do not have closers, unless required by fire code. |
| | LK | Lockers | Ideal Products | Locker Series 2000 with Sloped Tops Model 'L' | Formica Amber Maple 7012 | | High Pressure Laminate, Poly Vinyl Edgeband | All Locations with Lockers | Surface Mounted Padlock Hasp, Aluminum Clothes Hook, Satin Chrome Number Disc |
| | | Modular Casework | Dwyer Products Co. (Goelst Medical Casework) | Medical Casework | Formica Amber Maple 7012 @ Doors & Drawer Fronts, Nickel @ Cabinet Boxes | Varies | Powder Coated Steel Cabinet Boxes & Thermofoil Door & Drawer Fronts | Replaces all Wall Mounted, Built-In Casework | |
| | | Headwall System | Hill-Rom | Elements Headwall System | Formica Amber Maple 7012, Art Glass Resin | Width Varies, Height: Floor to Ceiling | | All Inpatient Rooms, Emergency Room Bed Wall | |

***Notes:**

1. Moisture testing to be completed for flooring materials, installation adhesives per manufacturers' directions
2. Product Must be Sealed per Manufacturers Directions
3. Suprema Low VOC, Acrylic Latex. Eggshell @ Offices, Corridors, Exams, Inpatient Rooms. Semi Gloss @ Metal Doors & Frames, Wet Areas, Restrooms, Service Areas.



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|---------------------|------|-----------------------|-------------------------------|--|---------------------------------|------------------------|--|--|--|
| FOURTH FLOOR | | | | | | | | | |
| FLOORS | CPT1 | Carpet Tile | Interface Carpet | Architectural Plans Collection, To Scale #1465202500 | Details #7776 | 50cm x 50cm 20"x20" | Non Directional, Tac Tiles Installation, except for waiting rooms - glue down. | Waiting Rooms, Offices, Conference Rooms, Consult Rooms, Check In Desks, On-Call Rooms, Meditation & Consult Rooms | *1 Center the installation to maintain equal cut tiles at front and back, side to side |
| | SVT1 | Solid Vinyl Tile | Johnsonite | IQ Granite | Vintage #445 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT2 | Solid Vinyl Tile | Johnsonite | IQ Granite | Pebblestone #463 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors, Storage Rooms, Nourishment, Medication Rooms | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT3 | Solid Vinyl Tile | Johnsonite | IQ Granite | Mercury #449 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT4 | Solid Vinyl Tile | Johnsonite | IQ Granite | Camellia #409 | 1/16"x24"x24" | Quarter Turn | Employee (Back of House) Corridors | *1, Ribbon Pattern, Designer May use this as Sheet Vinyl in areas other than Back of House Corridors |
| | SVT5 | Solid Vinyl Tile | Venue Series Tandus Centiva | Venue Abstracts | Jute #5142 | .12"x6"x36" | Standard Surface, Square Edge. All end joints offset 18" (Running Bond) | Clinic Hallways & Exam Rooms | *1, Designer May 'Mix' SVT5 & SVT6 in Overall Pattern |
| | SVT6 | Solid Vinyl Tile | Contour Series Tandus Centiva | Fossil Stone | Fossil Stone Acorn #0834 | .12"x9"x36" | Standard Surface, Square Edge. All end joints offset 18" (Running Bond) | Clinic Hallways & Exam Rooms | *1, Designer May 'Mix' SVT5 & SVT6 in Overall Pattern |
| | WSF1 | Welded Sheet Flooring | Johnsonite | IQ Granite | Pebblestone #463 | | Integral Cove 6" Base | Clean Linen, Clean Utility, Soiled Utility | *1 |
| | WSF2 | Welded Sheet Flooring | Johnsonite | Accent Wood | French Oak Natural Brown #81002 | | Use w/ RB | Inpatient Wards and Inpatient Rooms | *1 |
| | WSF3 | Welded Sheet Flooring | Johnsonite | Accent Flourish - Prosper | Solstice #301 | | Use w/ RB | Inpatient Wards and Inpatient Rooms | *1 |
| | WSF4 | Welded Sheet Flooring | Johnsonite | Accent Wood | Allover Wood Brown #29012 | | Use w/ RB | Inpatient Wards and Inpatient Rooms | *1 |
| | WSF5 | Welded Sheet Flooring | Johnsonite | Accent Wood | French Oak Medium Grey #81001 | | Use w/ RB | Inpatient Wards and Inpatient Rooms | *1 |
| | TT1 | Terrazzo Tile | Nurazzo | Crystal Collection | C #510 Ivory | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors, Elevator Lobbies | *1, *2 |
| | TT2 | Terrazzo Tile | Nurazzo | N/A | DC #835 | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors, Elevator Lobbies | *1, *2 |
| | TT3 | Terrazzo Tile | Nurazzo | N/A | DC #183 | 3/16"x24"x24" | Square Edge, Min. 1/8" Grout Line | Public (Front of House) Corridors, Elevator Lobbies | *1, *2 |
| | RES2 | Resinous Flooring | Stonhard | Stontec | Mojave Beige, 1/16" Flake | | Cap w/ Schluter Schiene Stainless Steel | All Restrooms; including Inpatient Toilets, Locker Rooms, Staff and Public Toilets | Meets TIL Requirements for RES-2 Vinyl Chip Broadcast Flooring |
| | TX1 | Flooring Transition | Johnsonite | | Sandalwood #45 | | | | carpet to vinyl tile |
| | TX2 | Flooring Transition | Schluter | | Schiene | | | | Terrazzo Tiles to vinyl tile |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|---------------------|-------------------------------|------------------------------------|------------------------------------|------------------------------|--------------------------------|--------------------|--|--|--|
| FOURTH FLOOR | | | | | | | | | |
| BASE | RB | Rubber Base | Johnsonite | Rubber Wall Base | Sandalwood #45 | 1/8"x6" | Use 120' Coils | all flooring locations U.N.O. | Cove with Toe, Interior and Exterior Corners |
| | RES-B | Integral Cove Resinous Base | Stonhard | Stontec | Mojave Beige, 1/16" Flake | 6" Cove | Cap w/ Schluter Schiene Stainless Steel | All Locations w/ RES1 Flooring | |
| | TT-B | Terrazzo Tile Base | Nurazzo | | DC #802, C #510 Ivory, DC #598 | 3/16"x6" | Match Base to Floor | All Locations w/ TT1, TT2, TT3 Flooring | 6" Base to Have Eased Top Edge |
| | WSF-B | Welded Sheet Flooring Base | Johnsonite | IQ Granite | Pebblestone #463 | | Integral Cove 6" Base, Cap w/ Schluter Schiene Stainless Steel | All Locations w/ WSF Flooring | |
| WALLS / TRIM | P1 | Paint | Dunn Edwards | | Tapering Light DE5497 | | Eggshell | Primary Field Color | *3 |
| | P2 | Paint | Dunn Edwards | | Cochise DE761 | | Eggshell | All Door Frames, Metal Doors, Restrooms (walls & ceilings) and Secondary Accent Color | *3 |
| | P3 | Paint | Dunn Edwards | | Baked Potato DEC717 | | Eggshell | Secondary Accent Color | *3 |
| | P4 | Paint | Dunn Edwards | | Bison Beige DEC750 | | Eggshell | Secondary Accent Color | *3 |
| | P5 | Paint | Dunn Edwards | | Ivory Oats DE5358 | | Eggshell | Secondary Accent Color | *3 |
| | PT1 | Porcelain Tile | Crossville | Cross Colors Retro Active | Empress White | 12"x24" & 6"x24" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 |
| | PT2 | Porcelain Tile | Crossville | Cross Colors Retro Active | Featherstone | 12"x24" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 |
| | PT3 | Porcelain Tile | Crossville | Cross Colors Retro Active | Bamboo | 12"x12" | Polished, Rectified Edge, Cap w/ Schluter Schiene Stainless Steel | Elevator Lobbies & Accent Areas (per project) | *2, Grout: CBP Alabaster #333 |
| | PT4 | Porcelain Tile | Trinity Tile | Thread | Cotton | 12"x24" | Matte, Rectified Edge Cap (base & top) w/ Schluter Schiene Stainless Steel | All Restroom Walls, Stacked Bond Pattern, (Public Restrooms 5 Tiles High w/ 4" Cap at Top. Inpatient Rooms From Base to Ceiling) | *2, Grout: CBP Alabaster #333 |
| | PT5 | Porcelain Tile | Trinity Tile | Thread | Flax | 6"x24" | Matte, Rectified Edge Cap (base & top) w/ Schluter Schiene Stainless Steel | All Restrooms - Accent Color Band Stacked Vertically (Public Restrooms 10 Tiles High w/ 4" Cap at Top. Inpatient Rooms From Base to Ceiling) | *2, Grout: CBP Alabaster #333 |
| | SS-W | Acrylic Solid Surface-Wall | Avonite | Wet Wall Panel System | Bone F1-8010 | 1/4" Sheets x 96"H | | Showers at all Locations; Patient and Staff Included | Recommend use of Avonite ADA Shower Base 33"x60" |
| | WP1 | Wall Protection | CS Acrovyn | Acrovyn 4000 | Teton White #517 | .060" | Suede Texture. Use coordinating cap, end, corner and trim pieces | All Major Corridors to 36" AFF. Gurney, Equipment and Crash Cart Alcoves, etc... | |
| | WP2 | Wall Protection | CS Acrovyn | Acrovyn by Design, Crosswind | Barley | .040" | Use coordinating cap, end, corner and trim pieces | Behind Drinking Fountains, Floor to Ceiling | |
| HPR | High Performance Resin | 3Form | Varia Ecoresin, Artisan Collection | Mix Light Natural, Parallel | | Sandstone | Wayfinding and Decorative | Designer May Use Any Material Found Within This Pattern | |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|---------------------|------|-----------------------------------|---|--|---|-----------|---|--|---|
| FOURTH FLOOR | | | | | | | | | |
| SURFACES | PL1 | High Pressure Plastic Laminate | Formica | | Amber Maple 7012 | | Matte #58 | Primary Vertical Casework & Desk Worksurfaces | Use Doelken Woodtape 3mm Amber Maple #4498 |
| | PL2 | High Pressure Plastic Laminate | Wilsonart | Wilsonart Contract Collection | Amber Cherry #7919K | | Fine Grain #78 AEON Scratch & Scuff Resistant | Secondary Accent Color for Vertical Casework | Use Doelken Woodtape 3mm Amber Cherry #5229 |
| | PL3 | High Pressure Plastic Laminate | Wilsonart | Wilsonart Home Collection | Deepstar Bronze #1814k | | Mirage #35 AEON Scratch & Scuff Resistant | Secondary Accent Color for Vertical Casework | Fry Reglet Reveal or Schluter straight or radius - as Decorative Detail |
| | PL4 | High Pressure Plastic Laminate | Formica | Deco Metal | Brushed Aluminum M2022 | | Finish #99 | Secondary Accent Color for Vertical Casework | Fry Reglet Reveal or Schluter straight or radius - as Decorative Detail |
| | SS | Acrylic Solid Surface | Avonite | | Autumn Wheat K3-7725 | | | Countertops and Transaction Tops | |
| CEILING | AT1 | Acoustical Ceiling Tiles | Armstrong | Ultima #1911 | White | 24" x 24" | 15/16" Beveled Tegular | Consult Rooms, Exam Rooms, Procedure Rooms, Inpatient Rooms, Employee Only (back of house) | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| | AT2 | Acoustical Ceiling Tiles | Armstrong | Mesa Second Look #688 | White | 24" x 48" | Angled Tegular | Corridors, On-Call Rooms, Offices, Breakrooms, Nutrition Rooms, | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| | AT3 | Perforated Metal Ceiling Tiles | Armstrong | | Maple | 24"x24" | Square Lay-In | Public (Front of House) Corridors | |
| | AT4 | Perforated Metal Ceiling Tiles | Armstrong | | White | 24"x24" | Square Lay-In | Public (Front of House) Elevator Lobbies | Ceiling Grid: Prelude XL 15/16" Exposed Tee (White) |
| FLOORS | CCT | Cubicle Curtain Track | Barrier Free Lifts | Curtain Track Rail Support System (CTRSS) Linear Track System, Door Surround | White | | 84" AFF | All Patient Care Areas needing Privacy Curtains | |
| | CC | Cubical Curtain | Arc Com | Tidal Stripe | Seafoam #6 | | Easy On - Easy Off Hookless Cubicle Curtain | All Patient Care Areas Needing Privacy Curtains | |
| | SCR | ShowerCurtain Rod | Barrier Free Lifts | Curtain Track Rail Support System (CTRSS) Shower Rod System | White | | 72" AFF | All Patient Care Areas needing Shower Curtains | |
| | SC | Shower Curtain | Hookless Shower Curtains for Healthcare | Hookless Flex-On Rings | Mystery Beige | | 100% Polyester | All Showers | |
| | TP | Toilet Partition & Urinal Screens | Wilsonart | Phenolic Black Core Compact HPL | Amber Cherry 7919 | | Matte #60 | All Restrooms with Multiple Fixtures | 3/4" Double Faced Board @ Stiles, Doors & Panels. |
| | HR | Handrails | CS Acrovyn | HRB-20N, Acrovyn 4000 | Combination Classic Maple #372 @ Handrail & Teton White #517 @ Bumper Guard | | Suede Texture. @ 34" AFF w/ WP1 Behind @36" AFF. 3", Suede Texture. Full Height | All Major Corridors (Back of House and Front of House) & Inpatient Units | |
| | CG | Corner Guard | CS Acrovyn | SM-20N, Acrovyn 4000 | Teton White #517 | | | All Corners | SM-20MN for 135 Degree Corners |



The materials and finishes listed in this schedule are the standards for the Loma Linda VA. Any deviation from the standard materials and finishes must be preapproved by the Loma Linda VA Interior Designer.

| | CODE | MATERIAL | MANUFACTURER | COLLECTION/STYLE | COLOR | SIZE | INSTALLATION / FINISH | LOCATION OF USE | NOTES |
|---------------------|------|------------------|---|---|---|---|---|---|--|
| FOURTH FLOOR | | | | | | | | | |
| MISCELLAN | DR1 | Interior Doors | CS Acrovyn | Flush Door, Square Edge | Door Slab and Door Edge Classic Maple #372 Lite Kit - Standard Metal (NR 90min) Painted (DE761 Cochise or SIM.) | per Architectural Door Schedule | | Public (Front of House) Interior Doors | Continuous Aluminum Privacy Hinge Office doors do not have closers, unless required by fire code. |
| | DR2 | Interior Doors | Graham, Assa Abloy | Flush Door with Stainless Steel Door Kick | #100 Clear Wood Species and Cut TBD | per Architectural Door Schedule | | Employee (Back of House) Interior Doors | Formaldehyde-Free Adhesives Continuous Aluminum Privacy Hinge Office doors do not have closers, unless required by fire code. |
| | LK | Lockers | Ideal Products | Locker Series 2000 with Sloped Tops Model 'L' | Formica Amber Maple 7012 | | High Pressure Laminate, Poly Vinyl Edgeband | All Locations with Lockers | Surface Mounted Padlock Hasp, Aluminum Clothes Hook, Satin Chrome Number Disc |
| | | Modular Casework | Dwyer Products Co. (Goelst Medical Casework) | Medical Casework | Formica Amber Maple 7012 @ Doors & Drawer Fronts, Nickel @ Cabinet Boxes | Varies | Powder Coated Steel Cabinet Boxes & Thermofoil Door & Drawer Fronts | Replaces all Wall Mounted, Built-In Casework | |
| | | Headwall System | Hill-Rom | Elements Headwall System | Formica Amber Maple 7012, Art Glass Resin | Width Varies, Height: Floor to Ceiling | | All Inpatient Rooms, Emergency Room Bed Wall | |

***Notes:**

1. Moisture testing to be completed for flooring materials, installation adhesives per manufacturers' directions
2. Product Must be Sealed per Manufacturers Directions
3. Suprema Low VOC, Acrylic Latex. Eggshell @ Offices, Corridors, Exams, Inpatient Rooms. Semi Gloss @ Metal Doors & Frames, Wet Areas, Restrooms, Service Areas.