LEGEND

REFERENCE SYMBOLS

- NORTH ARROW — N — INDICATES DIRECTION TO NORTH
- ROOM — NAME 101 — NUMBER INDICATES ROOM
- DOOR — 100 A — DOOR NUMBER
- SECTION — DIRECTION OF SECTION / NUMBER OF SECTION / SHEET WHERE SECTION IS LOCATED
- DETAIL — NUMBER OF DETAIL / SHEET WHERE DETAIL IS LOCATED
- EQUIPMENT & ACCESSORY — LETTER REFERS TO ASSOCIATED NOTE ON EQUIPMENT OR ACCESSORY LEGEND
- INTERIOR ELEVATION — DIRECTION OF ELEVATION / NUMBER OF INT. ELEVATION / SHEET WHERE INT. ELEVATION IS LOCATED
- COLUMN LINE — A — COLUMN LINE
- WALL TYPE — 1 — NUMBER INDICATES WALL TYPE

MATERIAL DESIGNATIONS

FIRE-RATED CONCRETE BLOCK
CONCRETE BLOCK
BRICK (COMMON/ FACE)
FIRE BRICK
INSULATION (RIGID)
INSULATION (BATT)
CONCRETE
EARTH
GYPSUM WALL BOARD
WOOD (ROUGH)
WOOD (FINISHED)
PLYWOOD
STEEL/ OTHER METALS
ALUMINUM
GLASS
CERAMIC TILE
SAND/MORTAR/ PLASTER/CUT STONE
ACOUSTICAL TILE
PLASTIC

ABBREVIATIONS

ABB.	DESCRIPTION	ABB.	DESCRIPTION	ABB.	DESCRIPTION
A.C.T.	ACOUSTICAL CEILING TILE	F.E.C.	FIRE EXTINGUISHER CABINET	SHT	SHEET
ADJ.	ADJUSTABLE	GALV.	GALVANIZED	SIM.	SIMILAR
A.F.F.	ABOVE FINISHED FLOOR	GA.	GAUGE	S.O.	SLAB OPENING
ALT.	AIR HANDLING UNIT	GWB	GYPSUM BOARD	STL.	STEEL
A.H.U.	ALTERNATE	G.C.	GENERAL CONTRACTOR	T&G	TONGUE AND GROOVE
ALUM.	ALUMINUM	HGT	HEIGHT	TYP.	TYPICAL
CLG	CEILING	H.M.	HOLLOW METAL	U.N.O.	UNLESS NOTED OTHERWISE
C.J.	CONTROL JOINT	INSUL.	INSULATION	V.C.T.	VINYL COMPOSITION TILE
CONC.	CONCRETE	JAN.	JANITOR	VERT.	VERTICAL
CONT.	CONTINUOUS	JT.	JOINT	V.W.C.	VINYL WALL COVERING
C.T.	CARPET	LAM.	LAMINATE		
CPT	CERAMIC TILE	LAV.	LAVATORY		
C.M.U.	CONCRETE MASONRY UNIT	M.O.	MASONRY OPENING		
DED.	DEDICATED	MAX.	MAXIMUM		
DIA.	DIAMETER	MATL	MATERIAL		
DRS.	DOORS	MECH.	MECHANICAL		
DS.	DOWNSPOUT	MTL	METAL		
DWG	DRAWING	MIN.	MINIMUM		
EA.	EACH	N.I.C.	NOT IN CONTRACT		
E.W.C.	ELECTRIC WATER COOLER	N.T.S.	NOT TO SCALE		
EL.	ELEVATION	NO.	NUMBER		
EQ.	EQUAL	O.C.	ON CENTER		
EXP. JT.	EXPANSION JOINT	P.L.	PLASTIC LAMINATE		
EXT	EXTERIOR	P.T.	PRESSURE TREATED		
EXIST., EXG.	EXISTING	REQD.	REQUIRED		
FIN. CLG	FINISH CEILING	R.O.	ROUGH OPENING		
FIN. FLR	FINISH FLOOR				

GENERAL SCOPE OF WORK

The general scope of work includes the addition of a new 3–story infill adding approximately 18,000 additional square footage to the West side of Building #1 to include spaces for clinical/ administrative and allow for the expansion of the Interventional Radiology Department and the future addition of Hyperbaric Chamber Therapy.Clinic

Site work includes new handicap ramp and drainage. Work also includes demolition of existing structure and utilities.

GENERAL ASBESTOS NOTES

The area of construction has asbestos containing materials in some areas that will need to be spot abated as part of the GC's scope of work. Refer to drawings & specifications for specific requirements and asbestos related information.

Note that all personnel handling the work shall have Class III asbestos training as defined in the Occupational Safety and Health Administration (OSHA) Asbestos Standard (29 CFR 1926.1101) and shall comply with the requirements set forth in the on–site document entitled "James A. Haley Veterans' Hospital, Hospital Memorandum No. 138–14, Asbestos Operations and Maintenance Program" and dated July, 2007. Contact the on–site VA Project Manager Mr. Juan Guzman (972–2000 Ext 3680) should questions arise concerning these requirements.

DRAWING INDEX

GENERAL
GI000 COVER SHEET
GI001 LEGEND, ABBREVIATIONS, CODE SUMMARY, AND GENERAL NOTES
GI101 LIFE SAFETY PLANS

ABESTOS ABATEMENT
AA001 ASBESTOS ABATEMENT

CIVIL
CD101 DEMOLITION PLAN
CS101 SITE AND UTILITY PLAN
CG101 GRADING PLAN
CP101 DETAILS

ARCHITECTURAL
AD101 SITE DEMOLITION PLAN
AD102 GROUND FLOOR DEMOLITION PLAN
AD103 FIRST FLOOR DEMOLITION PLAN
AD104 SECOND FLOOR DEMOLITION PLAN
AS101 NEW GROUND FLOOR PLAN
AS102 NEW FIRST FLOOR PLAN
AS103 NEW SECOND FLOOR PLAN
AS104 NEW ROOF PLAN
AS105 GROUND FLOOR / REFLECTED CEILING PLAN / CEILING EQUIPMENT PLAN
AS106 FIRST FLOOR / REFLECTED CEILING PLAN + / CEILING EQUIPMENT PLAN
AS107 SECOND FLOOR REFLECTED CEILING PLAN
AS108 GROUND FLOOR EQUIPMENT PLAN
AS109 1ST FLOOR EQUIPMENT PLAN
AS110 2ND FLOOR EQUIPMENT PLAN
AS111 INTERIOR SECTIONS / EQUIPMENT ELEVATIONS
AS201 ELEVATIONS
AS301 BUILDING SECTIONS
AS401 STAIR PLANS AND DETAILS

ARCHITECTURAL - CONTINUED
AS402 NOT USED
AS403 ACCESSIBLE RAMP PLAN
AS404 ACCESSIBLE RAMP SECTIONS
AS501 WALL SECTIONS AND DETAILS
AS502 WALL SECTIONS AND DETAILS
AS503 NOT USED
AS504 WALL SECTIONS AND DETAILS
AS505 WALL SECTIONS AND DETAILS
AS506 WALL SECTIONS AND DETAILS
AS507 WALL SECTIONS AND DETAILS
AS508 INTERIOR ELEVATIONS
AS509 TYP. RESTROOM MILLWORKS
AS510 MISC. DETAILS
AS601 ROOF DETAILS
AS700 NOT USED
AS701 ALTERNATE ELEVATION AND ROOF DETAILS (DED. ALT. #4)
AF100 NOT USED
AF101 DOOR SCHEDULES
AF200 DETAILS
AF201 FINISH DETAILS
AF202 PERMANENT ROOM SIGNAGE
IN101 NEW INTERIOR GROUND FLOOR PLAN
IN102 NEW FIRST FLOOR PLAN
IN103 NEW SECOND FLOOR PLAN
IN500 INTERIOR ELEVATIONS
IN600 ROOM FINISH SCHEDULES

STRUCTURAL
SF001 GENERAL NOTES
SF002 GENERAL NOTES
SF101 FOUNDATION AND GROUND FLOOR PLAN
SF102 FIRST FLOOR PLAN
SF103 SECOND FLOOR PLAN
SF104 ROOF PLAN

STRUCTURAL - CONTINUED
SF201 SECTIONS
SF202 SECTIONS
SF203 SECTIONS
SF204 SECTIONS
SF301 BRACING ELEVATIONS AND DETAILS
SF501 TYPICAL DETAILS
SF502 TYPICAL DETAILS

MECHANICAL
MH101 MECHANICAL LEGEND, SCHEDULES, AND GROUND FLOOR PLAN DEMO
MH102 MECHANICAL SCHEDULES
MH103 HVAC DETAILS
MH104 HVAC DETAILS
MH200 (NOT USED)
MH201 HVAC GROUND FLOOR PLAN
MH202 HVAC FIRST FLOOR PLAN
MH203 HVAC SECOND FLOOR PLAN
MH204 HVAC ROOF PLAN
MH301 MECHANICAL CONTROLS
MH302 MECHANICAL CONTROLS
MH303 MECHANICAL CONTROLS
MH304 MECHANICAL CONTROLS
MH305 MECHANICAL CONTROLS
MG101 MEDICAL GAS BASEMENT FLOOR PLAN
MG201 MEDICAL GAS GROUND FLOOR PLAN
MG202 MEDICAL GAS FIRST FLOOR PLAN

ELECTRICAL
EI100 ELECTRICAL LEGEND, SCHEDULES, DETAILS AND DEMOLITION SITE PLAN
EL100 GROUND FLOOR ELECTRICAL PLAN– LIGHTING
EL101 FIRST FLOOR ELECTRICAL PLAN– LIGHTING
EL102 SECOND FLOOR ELECTRICAL PLAN– LIGHTING
EP100 GROUND FLOOR ELECTRICAL PLAN– POWER

ELECTRICAL - CONTINUED
EP101 FIRST FLOOR ELECTRICAL PLAN– POWER
EP102 SECOND FLOOR ELECTRICAL PLAN– POWER
EP103 LIGHTNING PROTECTION PLAN
EP104 ELECTRICAL DIAGRAMS AND NOTES
EP105 ELECTRICAL RISER DIAGRAMS
EP106 ELECTRICAL PANEL SCHEDULES
EP107 ELECTRICAL PANEL SCHEDULES
EP108 ELECTRICAL PANEL SCHEDULES
EP109 (NOT USED)
ES100 GROUND FLOOR ELECTRICAL PLAN –SYSTEMS
ES101 FIRST FLOOR ELECTRICAL PLAN –SYSTEMS
ES102 SECOND FLOOR ELECTRICAL PLAN –SYSTEMS
ES103 SYSTEM RISER DIAGRAMS AND NOTES
ES104 TELECOMMUNICATION RISER DIAGRAMS, DETAILS AND NOTES
ES105 SYSTEM RISER DIAGRAMS, DETAILS AND NOTES

PLUMBING
PL101 PLUMBING LEGEND, SCHEDULES, DETAILS, AND GROUND FLOOR PLAN DEMO
PL201 PLUMBING– GROUND FLOOR PLAN
PL202 PLUMBING– FIRST FLOOR PLAN
PL203 PLUMBING– SECOND FLOOR PLAN
PL204 HVAC ROF PLAN
PL205 WASTE RISER DIAGRAM

FIRE PROTECTION
FA101 FIRE PROTECTION NOTES, DETAILS, AND GROUND FLOOR PLAN DEMO
FA200 (NOT USED)
FA201 FIRE PROTECTION GROUND FLOOR PLAN
FA202 FIRE PROTECTION FIRST FLOOR PLAN
FA203 FIRE PROTECTION SECOND FLOOR PLAN

CODE CRITERIA

- VA DIRECTIVES, DESIGN MANUALS, MASTER SPECIFICATIONS, VA NATIONAL CAD STANDARD APPLICATION GUIDE, AND OTHER GUIDANCE ON THE TECHNICAL INFORMATION LIBRARY (TIL) (http:\\www.va.gov/facmgt/standard/).
- INTERNATIONAL BUILDING CODE (IBC) INCLUDING INTERNATIONAL MECHANICAL AND PLUMBING CODES
- NFPA 101 LIFE SAFETY CODE (SEE NOTES BELOW)
- NFPA NATIONAL FIRE CODES WITH THE EXCEPTION OF NFPA 5000 AND NFPA 900
- OCCUPATIONAL, SAFETY AND HEALTH ADMINISTRATION (OSHA) STANDARDS.
- VA SEISMIC DESIGN REQUIREMENTS, H–18–8
- NATIONAL ELECTRICAL CODE (NEC)
- NATIONAL STANDARD PLUMBING CODE (NSPC)
- SAFETY CODE FOR ELEVATORS AND ESCALATORS, AMERICAN SOCIETY OF MECHANICAL ENGINEERS (ASME) A 17.1.
- ASME BOILER AND PRESSURE VESSEL CODE
- ASME CODE FOR PRESSURE PIPING
- ARCHITECTURAL BARRIERS ACT ACCESSIBLITY GUIDELINES (ABAAG) INCLUDING VA SUPPLEMENT, BARRIER FREE DESIGN
- BUILDING CODE REQUIREMENTS FOR REINFORCED CONCRETE, AMERICAN CONCRETE INSTITUTE AND COMMENTARY (ACI 318)
- MANUAL OF STEEL CONSTRUCTION, LOAD AND RESISTANCE FACTOR DESIGN SPECIFICATIONS FOR STRUCTURAL STEEL BUILDINGS, AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC)
- ENERGY POLICY ACT OF 2005 (EPAct)
- DOE INTERIM FINAL RULE: ENERGY CONSERVATION STANDARDS FOR NEW FEDERAL, COMMERCIAL AND MULTI–FAMILY HIGH–RISE RESIDENTIAL BUILDINGS AND NEW LOW–RISE RESIDENTIAL BUILDINGS, 10 CFR PARTS 433, 434 AND 435.
- FEDERAL LEADERSHIP IN HIGH PERFORMANCE AND SUSTAINABLE BUILDINGS: MEMORANDUM OF UNDERSTANDING (MOU)
- EXECUTIVE ORDER 13423: STRENGTHENING FEDERAL ENVIRONMENTAL, ENERGY, AND TRANSPORTATION MANAGEMENT.
- THE PROVISIONS FOR CONSTRUCTION AND SAFETY SIGNS. STATED IN THE GENERAL REQUIREMENTS SECTION 01010 OF THE VA MASTER CONSTRUCTION SPECIFICATION.
- VENTILATION FOR ACCEPTABLE INDOOR AIR QUALITY – ASHRAE STANDARD 62.1– 2004.
- SAFETY STANDARD FOR REFRIGERATION SYSTEMS – ASHRAE STANDARD 15 – 2007.

LOCAL CODES: AS AN AGENCY OF THE FEDERAL GOVERNMENT, VA IS NOT SUBJECT TO LOCAL IMPOSITION OF CODE ENFORCEMENT PROCEDURES (DRAWING REVIEWS, BUILDING PERMITS, INSPECTIONS, FEES, ETC.). VA MUST FUNCTION AS THE AUTHORITY HAVING JURISDICTION (AHJ) AND THUS HAS THE RESPONSIBILITY TO GUARD PUBLIC HEALTH AND SAFETY THROUGH ENFORCING ITS ADOPTED CODES. HOWEVER, LOCAL AUTHORITIES SHOULD BE NOTIFIED ABOUT PLANNED PROJECTS AND GIVEN OPPORTUNITY TO REVIEW DRAWINGS PROVIDED THAT VA DOES NOT PAY FOR REVIEW OR INSPECTION FEES.

NOTES:

1. NFPA 101 PRIMARILY ADDRESSES LIFE SAFETY AND FIRE PROTECTION FEATURES WHILE THE IBC ADDRESSES A WIDE RANGE OF CONSIDERATIONS, INCLUDING, BUT NOT LIMITED TO, STRUCTURAL STRENGTH, STABILITY, SANITATION, ADEQUATE LIGHT AND VENTILATION, AND ENERGY CONSERVATION. VA BUILDINGS MUST MEET THE REQUIREMENTS OF NFPA 101 AND DOCUMENTS REFERENCED BY NFPA 101 IN ORDER TO COMPLY WITH THE ACCREDITATION REQUIREMENTS OF THE JOINT COMMISSION. THEREFORE, DESIGNS SHALL COMPLY WITH THE REQUIREMENTS OF THE LATEST EDITION OF NFPA 101 AND DOCUMENTS REFERENCED THEREIN. DESIGN FEATURES NOT ADDRESSED BY NFPA 101 OR DOCUMENTS REFERENCED THEREIN SHALL COMPLY WITH THE REQUIREMENTS OF THE LATEST EDITION OF THE IBC OR AS OTHERWISE ADDRESSED ABOVE IN THIS PROGRAM GUIDE. FOR DESIGN FEATURES THAT ARE ADDRESSED BY BOTH THE IBC AS WELL AS NFPA 101 OR A DOCUMENT REFERENCED BY NFPA 101, THE REQUIREMENTS OF NFPA 101 OR THE DOCUMENT REFERENCED BY NFPA 101 SHALL BE USED EXCLUSIVELY (THIS APPLIES EVEN IF THE IBC REQUIREMENTS ARE DIFFERENT).

CONFLICTS BETWEEN NATIONALLY RECOGNIZED CODES AND STANDARDS AND VA REQUIREMENTS – SHOULD A CONFLICT EXIST BETWEEN VA REQUIREMENTS AND VA ADOPTED NATIONALLY RECOGNIZED CODES AND STANDARDS, THE CONFLICT SHALL BE BROUGHT TO THE ATTENTION OF VA. THE RESOLUTION OF THE CONFLICT SHALL BE MADE BY THE AUTHORITY HAVING JURISDICTION FOR VA TO ENSURE A CONSISTENCY SYSTEM WIDE.

GENERAL CONSTRUCTION/ENVIRONMENTAL BARRIERS NOTE

1. GC TO PROVIDE TEMPORARY CONSTRUCTION/ENVIRONMENTAL BARRIERS AS REQUIRED BY VA TO FULLY ENCLOSE ALL AREAS OF CONSTRUCTION. REFER TO ASBESTOS DRAWINGS AND SPECIFICATIONS FOR ADDITIONAL INFORMATION.
2. WHERE TEMPORARY ENVIRONMENTAL BARRIERS ARE INSTALLED, GC TO ENSURE THAT A MINIMUM CLEAR DISTANCE OF 5'–0" IS PROVIDED ON THE WALKING CIRCULATION SIDE OF THE BARRIERS SO AS NOT TO IMPEDE THE FLOW OF WALKING TRAFFIC.

GENERAL MEDICAL EQUIPMEMENT NOTES

1. REFERENCE DRAWINGS

HYPERBARIC CHAMBER & INTERVENTIONAL RADIOLOGY SUITE EQUIPMENT

–REFER TO MANUFACTURER'S DRAWINGS & INFORMATION TO BE PROVIDED BY VA

–G.C. TO COORDINATE MANUFACTURER'S EQUIPMENT REQUIREMENTS & RECOMMENDATIONS W/ ALL DISCIPLINES.

–WHERE THERE IS A CONFLICT BETWEEN THE VA PROVIDED MANUFACTURER'S DOCUMENTS AND ANY OTHER DISCIPLINES– CONSULT ARCHITECT FOR DIRECTION.

–THE GC IS RESPONSIBLE FOR THE SCOPE OF THE WORK LISTED IN THE CONTRACT DOCUMENT AND IN REFERENCED MANUFACTURER'S DOCUMENTS (EVEN IF THEY ARE IN CONFLICT.)

GENERAL PROJECT PHASING & ACCESS NOTES

1. ALL FLOORS OF EXISTING BUILDING WILL BE FULLY OCCUPIED DURING CONSTRUCTION. CONSTRUCTION MUST BE PHASED AS TO NOT SHUT DOWN UTILITIES AND INFRASTRUCTURE (I.E. WATER, POWER, DATA, TELEPHONES, ETC.), AS REQUIRED TO MAINTAIN DAILY, UNINTERRUPTED OPERATIONS.
2. PHASE CONSTRUCTION SO THAT NEW CONSTRUCTION WON'T INTERFERE WITH EXISTING FUNCTIONS NEARBY. ONLY MAKE FINAL CONNECTIONS WITH EXISTING BUILDING AT THE LAST MINUTE.
3. NOTE THAT THERE IS VERY LIMITED PARKING AND MATERIAL STAGING AREAS ON THE CAMPUS. GC TO COORDINATE WITH VA PROJECT MANAGER FOR REQUIRED SPACE AVAILABILITY AND ACCESS.
4. GC TO COORDINATE SPECIFIC PHASING REQUIREMENTS WITH VA..

DEDUCTIVE ALTERNATES- GENERAL NOTES

1. A DEDUCTIVE ALTERNATE IS AN AMOUNT PROPOSED BY GC AND STATED ON THE BID FORM FOR CERTAIN WORK DEFINED IN THE BIDDING REQUIREMENTS THAT MAY BE DEDUCTED FROM THE BASE BID AMOUNT IF VA DECIDES TO ACCEPT A CORRESPONDING CHANGE EITHER IN THE AMOUNT OF CONSTRUCTION TO BE COMPLETED OR IN THE PRODUCTS, MATERIALS, EQUIPMENT, SYSTEMS, OR INSTALLATION METHODS DESCRIBED IN THE CONTRACT DOCUMENTS.
2. COORDINATION: MODIFY OR ADJUST AFFECTED ADJACENT WORK AS NECESSARY TO COMPLETELY INTEGRATE WORK OF THE BID OPTION INTO PROJECT. INCLUDE AS PART OF EACH DEDUCTIVE ALTERNATE MISCELLANEOUS DEVICES, ACCESSORY OBJECTS, AND SIMILAR ITEMS INCIDENTAL TO OR REQUIRED FOR A COMPLETE INSTALLATION WHETHER OR NOT INDICATED AS PART OF DEDUCTIVE ALTERNATE.
3. EXECUTE ACCEPTED DEDUCTIVE ALTERNATE UNDER THE SAME CONDITIONS AS OTHER WORK OF THE CONTRACT.

DEDUCTIVE ALTERNATES- SCHEDULE OF ALTERNATES

PROVIDE SEPARATE PRICING FOR THE FOLLOWING ITEMS:

DEDUCTIVE ALTERNATE #1– IN LIEU OF THE SPECIFIED BRICK VENEER OVER THE EXTERIOR OF THE BUILDING, PROVIDE DRAINABLE EXTERIOR INSULATION FINISH SYSTEM (EIFS) AS CAN BE FOUND IN THE SPECIFICATIONS. PROVIDE STANDARD REINFORCING MESH TYPICAL, EXCEPT USING HIGH IMPACT MESH FROM 10'AFF DOWN. COLOR TO BE SELECTED FROM MANUFACTURER'S STANDARD PALATTE.

DEDUCTIVE ALTERNATE #2– IN LIEU OF THE SPECIFIED VINYL PLANK FLOORING, PROVIDE VINYL COMPOSITION TILE (VCT) . VCT SHALL MEET THE FOLLOWING REQUIREMENTS:

A. ACCEPTABLE TILE MANUFACTURERS: PROVIDE VINYL COMPOSITION TILE MANUFACTURED BY ARMSTRONG, AZROCK, GAF, KENTILE, OR APPROVED EQUIVALENT.
B. COLORS AND PATTERNS: AS SHOWN ON DRAWINGS.
C. VINYL COMPOSITION TILE: ASTM F 1066–87 COMPOSITION 1, 12" X 12" X 1/8" THICK.
D. ADHESIVES: WATERPROOF, STABILIZED TYPE RECOMMENDED BY TILE MANUFACTURER FOR TYPE OF SERVICE INDICATED.
E. CONCRETE SLAB PRIMER: NON–STAINING TYPE RECOMMENDED BY TILE MANUFACTURER.
F. EDGING STRIPS: 1/8" THICK, VINYL TAPERED OR BULLNOSE EDGE, AS MANUFACTURED OR RECOMMENDED BY TILE MANUFACTURER. COLOR AS SHOWN OR SCHEDULED.

DEDUCTIVE ALTERNATE #3– N/A

DEDUCTIVE ALTERNATE #4– OMIT 2ND FLOOR IN ITS ENTIRETY. THIS ITEM CANNOT BE USED IN CONJUNCTION WITH DEDUCT ALTERNATE #3.

A. DELETE THE ENTIRE 2ND FLOOR, I.E. THE BUILDING WILL ONLY HAVE GROUND FLOOR AND 1ST FLOOR, THE 2ND FLOOR SLAB WILL BE BUILT AND WILL BECOME THE ROOF OF THE BUILDING. REFER TO SHEET AS701 FOR ALTERNATE DETAILS.
B. ROOFING: IN LIEU OF LIGHTWEIGHT INSULATING CONCRETE, PROVIDE RIGID INSULATION AND PROTECTION BOARD OVER CONC. SLAB. PROVIDE ROOFING AND FLASHING BETWEEN NEW AND THE EXISTING BUILDINGS FOR WATERTIGHT CONDITION. PROVIDE ROOF CURBS WITH 2" BELLOW EXPANSION JOINT SEPARATING THE EXISTING RTU CORRIDOR ROOF AND NEW ROOF. PATCH THE EXISTING RTU ROOF AS REQUIRED WITH COMPATIBLE FOAM ROOFING. REFER TO SHEET AS701 FOR ALTERNATE DETAILS.
C. STAIR: OMIT STAIRS BETWEEN 1ST AND 2ND FLOOR. MODIFY RAILING DESIGN AT 1ST FLOOR LANDING FOR NEW CONFIGURATION.
D. ROOF SCUTTLE/LADDER: PROVIDE LADDER ON 1ST FLOOR TO REACH NEW ROOF ELEVATION. COORDINATE LOCATION WITH SPECIFIED SCUTTLE.
E. STRUCTURE: IN LIEU OF 2ND FLOOR COLUMNS AND ROOF STRUCTURE, PROVIDE STEEL COLUMN STUB UPS AND SPLICE PLATES AS SHOWN IN ALTERNATE DETAILS ON SF502. PROVIDE NEW STEEL FRAME FOR WEST PARAPET AS SHOWN IN ALTERNATE DETAIL ON SF202
F. HVAC – PUMPS P–1 AND P–2 ARE TO BE LOCATED ON THE ROOF OF THE FIRST FLOOR IN APPROXIMATELY THE LOCATION THEY ARE TO BE LOCATED WHEN THE SECOND FLOOR IS ADDED. THESE PUMPS WILL REQUIRE TEFC MOTORS IN LIEU OF THE ODP MOTORS SPECIFIED. THE STARTERS WILL NEED TO BE NEMA 3R.

DEDUCTIVE ALTERNATE #5– OMIT ALL WORK ASSOCIATED WITH FIRE RATING THE PORTION OF THE GROUND FLOOR RTU CORRIDOR.
A. ALL WORK SHOWN ON DRAWING SHEETS AS700, EP109, MH200, AND FA200.

04-18-12 MEDICAL EQUIPMENT AND INTERIOR DESIGN REVISIONS

REVISION	DATE
65% SUBMITTAL	02/19/11
95% SUBMITTAL	03/29/11
100% SUBMITTAL	04/13/11
CONSTRUCTION SET	05/02/11
1 Clarifications to Bid Options- ADDENDUM #4	11/09/11
MEDICAL EQUIPMENT AND INTERIOR DESIGN REVISIONS	04/18/12

CONSULTANTS:

ARCHITECT/ENGINEERS:

ttv architects, inc.
115 EAST FORSYTH ST
JACKSONVILLE, FL 32202
T 904.798.8000
F 904.798.8335
www.ttvarch.com
FL Lic#AA0002609

Drawing Title	LEGEND, ABBREVIATIONS, CODE SUMMARY, AND GENERAL NOTES
Approved Project Director	
Project Title	SPECIALTY TREATMENT EXPANSION PROJECT- BUILDING #1
Location	JAMES A. HALEY VETERANS' HOSPITAL
Date	02/19/11
Checked	TTV
Drawn	TAG
Project Number	673-CSI-100
Building Number	1
Drawing Number	GI001
Dwg. 2 of 40	

Office of Construction and Facilities Management
Department of Veterans Affairs

VA FORM 08–6231