



NORTH
FIRST FLOOR
 (Not to Scale)

LEAD BASED PAINT MAY BE PRESENT WITHIN THIS FACILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING THE PRESENCE OF LEAD BASED PAINT AND EMPLOY APPROPRIATE CONTROL MEASURES IN THE HANDLING OF LEAD BASED PAINTS IN ACCORDANCE WITH VA FACILITY GUIDELINES AND APPLICABLE A STATE AND FEDERAL REGULATIONS. A WRITTEN CONTROL PLAN SHALL BE SUBMITTED TO THE FHCC IH DIVISION FOR REVIEW AND APPROVAL PRIOR TO COMMENCING WORK.

ACM LEGEND:

- ASBESTOS CONTAINING BROWN ADHESIVE ASSOCIATED WITH DUCT INSULATION PINS UNDER FIBREGLOSS, ASBESTOS CONTAINING DUCT SEAM SEALANT AND RESIDUAL ASBESTOS CONTAINING CEMENTITIOUS COMPOUND ON METAL OF AHU AND DUCTWORK
- ASBESTOS CONTAINING BLACK TAR SEALANT AT DUCT PENETRATION IN FLOOR OPENING
- ASBESTOS CONTAINING EXPOSED FLOOR TILE AND ASSOCIATED MASTIC
- ASBESTOS CONTAINING WINDOW GLAZING COMPOUND AND ASBESTOS CONTAINING WINDOW FRAME CAULK ON INTERIOR AND EXTERIOR
- ASBESTOS CONTAINING LAYERED PAPER PIPE LENGTH INSULATION AND ASSOCIATED WADDLED FITTINGS

NOT SHOW
 ASBESTOS CONTAINING WINDOW GLAZING COMPOUND IS PRESENT IN WINDOWS ASSOCIATED WITH INTERIOR DOORS THROUGHOUT. REFERENCE DEMO DRAWING FOR DETAILS ON SPECIFIC DOORS BEING REMOVED

ASBESTOS ABATEMENT NOTES:

- BOUNDARY OF WORK ARE WITH RESPECT TO ABATEMENT METHODS TO BE EMPLOYED (REFERENCE ARCHITECTURAL DRAWING FOR AREA BOUNDARIES OF PROJECT ALTERVATES)
- ASBESTOS CONTAINING MATERIALS WITHIN AREA TO BE ABATED WITHIN NEGATIVE PRESSURE ENCLOSURE
- ASBESTOS CONTAINING MATERIALS WITHIN AREA TO BE ABATED WITH NON-AGGRESSIVE METHODS AND NEGATIVE PRESSURE GLOVEBAQ METHODS
- ASBESTOS CONTAINING MATERIALS WITHIN AREA TO BE ABATED UTILIZING NEGATIVE PRESSURE GLOVEBAQ METHODS
- ASBESTOS CONTAINING MATERIALS WITHIN AREA TO BE ABATED UTILIZING NON-AGGRESSIVE METHODS
- REMOVE AND DISCARD DOORS TO BE DEMOED WITH ASBESTOS GLAZING COMPOUND ON WINDOWS (REFERENCE ARCHITECTURAL DEMO FOR ALL DOOR LOCATIONS TO BE REPLACED)
- ASBESTOS CONTAINING MATERIALS WITHIN AREA TO BE ABATED WITHIN NEGATIVE PRESSURE ENCLOSURE. GROSS REMOVAL TO INCLUDE DEMOLITION OF EQUIPMENT AS IDENTIFIED IN MECHANICAL DEMO SCOPE
- IN ADDITION TO IDENTIFIED AREAS, REFERENCE ARCHITECTURAL, PLUMBING AND MECHANICAL DRAWINGS TO IDENTIFY ENCLOSED PIPE CHASES TO BE DEMOED. PERFORM EXPLORATORY DEMOLITION TO IDENTIFY TYPE OF INSULATION ON ENCLOSED PIPES AND REMOVE ASBESTOS INSULATION BY GLOVEBAQ REMOVAL METHODS TO FACILITATE PROJECT WORK.
- DEMOLITION TO ACCESS PIPING IN WALL CHASES AND SUSPENDED CEILING AREAS SHALL BE PERFORMED BY ABATEMENT CONTRACTOR. PLASTER AND GYPSUM BOARD HARD CEILINGS SHALL BE DEMOED BY OTHERS PRIOR TO ABATEMENT TO FACILITATE ASBESTOS REMOVAL. ALL DEMOLITION DEBRIS GENERATED SHALL BE REMOVED FROM THE WORK AREA.

PRIOR TO COMMENCEMENT OF ABATEMENT ACTIVITIES, ASBESTOS ABATEMENT CONTRACTOR SHALL SUBMIT A DETAILED DETAILED PLAN TO THE JALFHCC IH DIVISION FOR REVIEW AND APPROVAL. DOCUMENTING ENGINEERING CONTROLS TO BE IMPLEMENTED DURING WORK ACTIVITY TO CONTROL THE MIGRATION OF DUST FIBRES AND VAPORS FROM WORK AREA IN ACCORDANCE WITH IAQ GUIDELINES ESTABLISHED BY VA FACILITY GUIDE SPECIFICATIONS

Prepared by:
 HYGIENEERING, INC.
 7575 PLAZA COURT
 WILL OMBROOK, IL 60527
 IDPH Licensed Project Designer:
 Margaret Guidarelli Lic.#100-01371

FINAL BID DOCUMENTS - NOT FOR CONSTRUCTION-

CONSULTANTS:		ARCHITECT/ENGINEERS:	
MEP FP Metc Design Associates 1707 Peninsula Road, 390 Biloxi, Miss 39212	Structural Engineering Larsen Engineering 4505 State St, Suite 200 Navyville, Miss 39293	Acoustical/AV Consultant Shen Mison and Wake 2 North Riverside Plaza, Ste. 1480 Chicago, Miss 39208	Construction Cost Estimating (CCS) 87 S. Myers Road, Ste. 201 Oak Grove, Tenn 37051
Current Revision	Current Revision	Drawing Title	Project Title
Revision	Revision	DATE	DATE
Date	Date	Approved: Project Director	Location
		FIRST FLOOR PLAN - ASBESTOS ABATEMENT	3011 North Green Bay Rd, North Chicago, IL 60064
			Checked: RZ
			Drawn: HWG
			Dwg. of 4-HA102
			Building Number: 4
			Project Number: FY2012 - BUILDING 4
			Project Title: 211097.00
			Drawing Number: 4

