NOTES:

General Notes:

1. REFER TO SHEET TC-001 FOR PROJECT TELECOMMUNICATIONS ABBREVIATIONS, GENERAL NOTES, LEGENDS AND SYMBOLS.
2. ALL POKE-THRU DEVICE CONDUIT SHALL BE ROUTED BELOW FLOOR AND RISE UP INTO MEDICAL LIBRARY CEILING SPACE FOR CABLE TERMINATION WITHIN IRM TELECOMM ROOM 1-F515.
3. FIRE PROOF ALL WALL AND FLOOR PENETRATIONS AS REQUIRED PER CODE.
4. EC TO COORDINATE TELECOMMUNICATIONS BACK BOX LOCATION WITH ADJACENT ELECTRICAL BOX AS REQUIRED.

Legend:

(1) → INDICATES KEY NOTE ON THIS DRAWING, SEE BELOW.

Key Notes:

1. POKE-THRU CONDUIT RISER LOCATION. CONDUIT SHALL RISE UP WITHIN FRAMED COLUMN SPACE AND STUB UP INTO MEDICAL LIBRARY CEILING SPACE.
2. COORDINATE CABLE TRAY AND (2) 4" CONDUIT WITH EXISTING DUCT WORK IN THIS AREA. (DUCT WORK SHOWN FOR REFERENCE ONLY.)
3. CONTRACTOR SHALL PROVIDE SUPPORTS AND SUPPORT ALL EXISTING LOW VOLTAGE CABLE IN THIS AREA IN ACCORDANCE WITH THE DIV. 27 REQUIREMENTS AND EIA/TIA STANDARDS.

KEY PLAN NTS NORTH



100% CD

FULLY SPRINKLERED

Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — BICSI — RAYMOND E. HEINTEL — REG. No. 121144 — EXPIRES 12-31-12 — RCDD

ARCHITECT/ENGINEERS:

Westlake Reed Leskosky

925 Euclid Avenue, Suite 1900, Cleveland, Ohio 44115

216.522.1350

Phoenix - Washington - Cleveland
WRL Commission #09017.00

Drawing Title: **TECHNOLOGY FLOOR PLAN**

Approved Project Director:

Project Title: Wade Park Renovate Medical Library - CARES

Location: Cleveland, Ohio

Date: April 25, 2012 | Checked | Drawn

Project Number: 541-12-103

Building Number: 1

Drawing Number: **TE-101**

Dwg. of

Office of Facilities Management

Department of Veterans Affairs

VA FORM 08-6231, OCT 1978