

1

Remove existing fire and exit fluorescent light fixture where necessary to accommodate new fire exit light fixture and fire, sound light, sound exit, in which indicated and to the building structure.

2

Remove existing fluorescent, incandescent, LED, and exit light fixture to new location and where necessary, remove and replace existing fluorescent and LED light fixture as part of this project. Use qualified personnel for relocation of these fixtures. 1 level, unless noted for other levels.

3

Coating work shall be conducted as an end to improve traffic in the corridor. All walls, doors, windows, and stairs must be kept to safety only one half of the corridor at a time. Any area producing vehicles must be conducted within an RV compartment and/or other personnel safety. All existing Corridor Fixtures will be removed.

4

Contractor to provide detailed detail diagrams and electrical requirements on Construction Documents for new lighting and emergency systems installation.

5

Contractor to conduct field survey to verify proper fit of light fixture to existing conditions prior to entering. Survey or existing work, VA has conducted a preliminary survey and it appears the fixture will fit around existing conditions, but this is to be confirmed.

Drawing Symbol Legend

●

Indicator for P.A. System to be relocated.

●

Smoke Detector to be relocated.

●

P.A. System to be relocated.

●

Security Camera to be relocated.

●

Exit Sign to be relocated.

●

Exit sign and P.A. light fixture to be relocated.

Lighting Schedule

PA

If fixture is removed, replace with incandescent bulb and electronic ballast, 150W/250W with 150W/250W or more. Lamp with 8 1/2" 150W/250W bulb. Do not use standard lamp.

Area 1- New Locations

Area 2- New Locations

Area 1- Demolition

Area 2- Demolition

Floor 1- West Front

Scale:

Area 3- New Locations

Area 4- New Locations


Area 3- Demolition

Area 4- Demolition

Floor 1- East Front

Scale:

Revisions: _____ Date: _____

Drawing Title RCP FIRST FLOOR Lighting and Ceiling Electrical	Project Title Corridor Renovations	Date 12-21-11 Project No. 519-12-210	 VAMC BIG SPRING	VA Department of Veterans Affairs		
Approved: _____	Building Number 01	Checked _____			Drawn _____	Drawing No. A4
Approved: _____	Location VAMC BIG SPRING					