

## 1 WASTE & VENT RISER DIAGRAM

## 2 WASTE & VENT RISER DIAGRAM

## GENERAL NOTES





1. EXISTING CONDITIONS ABOVE CEILINGS AND WITHIN VERTICAL CHASES ARE NOT FULLY KNOWN. FIELD VERIFY ACTUAL CONDITIONS AND ADJUST WORK AS REQUIRED. NOTIFY ENGINEER AND ARCHITECT IF EXISTING PIPING, DUCTWORK, OR EQUIPMENT TO REMAIN CONFLICTS WITH THE NEW DESIGN.
2. DURING CONSTRUCTION NO CEILING TILES IN PUBLIC AREAS CAN BE LEFT OPEN OVERNIGHT.
3. COORDINATE SCHEDULING OF ALL WORK REQUIRED OUTSIDE THE RENOVATION AREA INCLUDING FLOORS ABOVE AND BELOW THE RENOVATION AREA WITH COTR. SPACES ADJACENT TO THE RENOVATION WILL REMAIN OPERATIONAL DURING CONSTRUCTION.

## PLUMBING KEYNOTES

- (1) CONNECT NEW 3/4" COMPRESSED AIR TO EXISTING COMPRESSED AIR RISER. VERIFY EXACT LOCATION.
- (2) CONNECT NEW 3/4" COMPRESSED AIR TO OWNER FURNISHED CEILING MOUNTED RETRACTABLE HOSE REEL. COORDINATE INSTALLATION AND FINAL LOCATION OF HOSE REEL WITH COTR.
- (3) CONNECT NEW 2" SAN., 1 1/2" VENT, 3/4" HW, CW, AND HWC TO EXISTING RISERS.
- (4) ROUTE NEW 2" SAN., 1 1/2" VENT, 3/4" HW, CW, AND HWC DOWN IN NEW CHASE AND RE-CONECT BACK TO EXISTING IN FIRST FLOOR CEILING.
- (5) DISCONNECT, OFF-SET AND RECONNECT 4" STORM, 4" SAN., AND 2" VENT IN EXISTING CHASE AS NEEDED FOR CHASE MODIFICATION. CONNECT NEW 2" VENT TO EXIST. 2" VENT IN CHASE.
- (6) CONNECT NEW 2" VENT TO EXISTING 2" VENT.
- (7) CONNECT NEW 1/2" HW AND CW TO EXISTING 1 1/2" HW AND 2" CW.
- (8) CONNECT NEW 2" VENT TO EXISTING 2 1/2" VENT STACK.
- (9) CONNECT NEW 1 1/2" CW, 3/4" HW, 3/4" HWC TO EXISTING 1 1/2" CW, 1 1/4" HW, 3/4" HWC. CAP EXISTING SANITARY AT CHASE WALL.
- (10) CONNECT NEW 4" SANITARY TO EXISTING 4" SANITARY.
- (11) ROUTE 3/8" HW (WITH STOP VALVE) BELOW SINK TO DISHWASHER. ROUTE DISHWASHER DRAIN LINE TO SINK TAILPIPE. INSTALL PER CODE REQUIREMENTS. MAKE FINAL CONNECTIONS.
- (12) 4" SANITARY, 2" VENT, 1 1/2" CW, 1" HW, 3/4" HWC, AND 2" EXHAUST VENT DOWN. SEE SHEET P1.1.
- (13) SEE SANITARY & VENT RISER DIAGRAM #1 ON SHEET P1.2.
- (14) SEE SANITARY & VENT RISER DIAGRAM #2 ON SHEET P1.2.
- (15) CONNECT NEW 2" VENT TO EXISTING 2" AND 1 1/2" VENT.
- (16) CONNECT NEW 1 1/2" CW, 1" HW, 3/4" HWC TO EXISTING 1 1/2" CW, 1" HW, AND 3/4" HWC.
- (17) RE-ROUTE EXISTING PIPING IF IT IS LOCATED ABOVE A NEW ELECTRICAL PANEL. FIELD VENT EXACT LOCATION.
- (18) CONDENSATE DRAIN DOWN TO BRANCH WYE ABOVE P-TRAP IN CASEWORK BELOW SINK. SEE HVAC PIPING PLAN.
- (19) CONNECT NEW 2" EXHAUST VENT TO EXISTING 2" EXHAUST VENT.

1  
P1.2 2ND FLOOR PLUMBING PLAN  
SCALE: 1/4" = 1'-0"



		© 2000 Calvin L. Hinz Architects P.C. These plans are specifically designed for construction by Calvin L. Hinz Architects and are intended for other purposes. Permission for use of this document in part or whole without written consent of Calvin L. Hinz Architects is prohibited.		<b>IMPORTANT CONTRACTOR'S NOTE</b> 1. ALL CONTRACTORS ARE RESPONSIBLE FOR REVIEWING ENTIRE SET OF DOCUMENTS TO DETERMINE THEIR FULL SCOPE OF WORK. CONTRACTOR SHALL NOT BE ALLOWED EXTRA COSTS DUE TO FAILURE TO REVIEW ENTIRE SET OF DOCUMENTS. 2. ANY USE OF THESE ELECTRONIC DRAWINGS OR SCALING OF THE PRINTED DOCUMENTS ARE DONE SO AT THE CONTRACTORS RISK.				<b>ARCHITECT/ENGINEERS:</b>  Calvin L. HINZ Architects, P.C. 3705 North 200th Street Rikhorn, Nebraska 68022 Phone: 402.391.0941 Fax: 402.391.9193		 11620 ARBOR STREET SUITE 100 CHANDLER, NEBRASKA 68144 PHONE: 402.932.0100 FAX: 402.932.1000 www.krsengineering.com KRS ■ COPYRIGHT 2012 121014 This document and the information contained may not be reproduced without the express written permission of KRS Engineering, LLC. Unauthorized copying, disclosure or construction use are prohibited by the copyright law.		<b>Drawing Title</b> - 2ND FLOOR PLUMBING PLAN		<b>Project Title</b> RENOVATE BACKFILL DENTAL SPACE NWIHCS		<b>Project Number</b> 636-12-101		<b>Office of Construction and Facilities Management</b>  Department of Veterans Affairs	
<b>Revisions:</b>		<b>Date</b>										<b>Building Number</b> ONE		<b>Drawing Number</b> P1.2		<b>Dwg.</b> 12 of 26			
<b>Approved Project Director</b> KEVIN HUTSELL		<b>CONSTRUCTION DOCUMENT (CD-3) SUBMITTAL 100Z</b> APRIL 13, 2012										<b>Location</b> VAMC Grand Island, NE		<b>Date</b> APRIL 13, 2012		<b>Checked</b> MKL		<b>Drawn</b> CER	