


Detail 1: Site Plan of the Culpeper National Cemetery (historical side)




Detail 3: This picture shows a portion of the asphalt circle work with general work indications.




Detail 2: This picture shows much but not all of the existing concrete to be demolished and replaced with new. Remove and re-set in new concrete the steel gate latch loosely bubbled in blue. Note slope of this work. New work shall allow for gravity drainage onto existing asphalt at bottom of the hill.




Detail 4R (roadway)



Detail 5 ASPHALT CONCRETE PAVING REPAIR DETAIL SCALE: NTS



Detail 4S (sidewalk)



Detail 6: Mountable Curb Detail

						Drawing Title		Project Title		Project Number	
						Approved: Project Director		Location		Building Number	
						Date		Checked		Drawing Number	
								Drawn		839-NRM17-05-001	
											Office of Facilities Management Department of Veterans Affairs



Detail 1: Demolish existing floodlight fixture and replace with new LED fixture. Four (4) locations. Reuse existing foundation and steel base and cabling/conduit. Install new photocell to control all four (4) new LED fixtures such that they only illuminate during night.



Detail 2: Demolish existing floodlight fixture and replace with new LED fixture. Three (3) locations. Install new 2'x2'x6" thick concrete foundation for the new fixture. Foundation shall be 2" above finished grade. Install new photocell to control all three (3) new LED fixtures such that they only illuminate during night.



Detail 4: Demolish existing mortar at flagpole base and install new mortar. Slope new mortar away from flagpole towards mulch bed. Paint new mortar to match newly painted flagpole.



Detail 3: Carefully remove entire existing walled brick walkway and stairway and reinstall existing bricks with new type S mortar. Excavate and compact a new 6" subbase of aggregate under all brick rework. Remove existing mulch from, stone paver edging, and gravel. Note this area is a burial area and a headstone can be seen at the right lower portion of this picture. Protect burial markers in place during all work. The mulched area is also to be treated as a burial area. Prepare subgrade and install 4" of new topsoil and new sod in the formerly mulched and graveled area.



Detail 5: This picture shows the general condition of the existing flagpole and paint. Strip paint, prep surface, and install new paint per specifications.



Detail 6: Add concrete as shown in red in the attached picture above to extend concrete roadway such that two parking spaces are created. Parking spaces shall be 9'x18' of which, as shown above, one-third is new concrete extension and two-thirds is utilizing the existing concrete roadway. Stripe parking spaces.




**NATIONAL
CEMETERY
ADMINISTRATION**

Drawing Title	
Approved: Project Director	

Project Title		
Location		
Date	Checked	Drawn

Project Number
Building Number
Drawing Number
839-NRM17-05-002

**Office of
Facilities
Management**


 Department of
Veterans Affairs

