


- GENERAL NOTES**
- CONTRACTOR SHALL PERFORM ALL WORK IN STRICT ACCORDANCE WITH ALL APPLICABLE FEDERAL AND STATE RULES, REGULATIONS, ORDINANCES AND THE CONTRACT DOCUMENTS.
 - ALL MATERIAL MEASUREMENTS AND/OR QUANTITIES AND LOCATIONS ARE APPROXIMATE AND FOR GENERAL BIDDING. CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFICATION OF EXISTING CONDITIONS PRIOR TO BIDDING.
 - THE LOCATION OF ANY SITE STORAGE OF MATERIAL, EQUIPMENT AND WASTE TRAILER/DUMPSTER SHALL BE COORDINATED WITH AND APPROVED BY THE RESIDENT ENGINEER.
 - CONTRACTOR IS RESPONSIBLE FOR ALL TOOLS, EQUIPMENT AND SUPPLIES.
 - CONTRACTOR IS RESPONSIBLE FOR KEEPING THE WORK AREA IN A CLEAN AND SAFE CONDITION. CONTRACTOR SHALL ENSURE THAT UNCRATERED PERSONNEL OR UNAUTHORIZED VISITORS DO NOT ENTER ACTIVE WORK AREAS AT ANY TIME.
 - THE REMOVAL OF ANY ASBESTOS-CONTAINING MATERIAL SHALL BE PERFORMED BY A NY LICENSED ASBESTOS REMOVAL CONTRACTOR. CONTRACTOR SHALL PROVIDE A SECTION 202.211 FOR ADDITIONAL REQUIREMENTS FOR THE REMOVAL OF ASBESTOS-CONTAINING MATERIALS.
 - ALL ASBESTOS-CONTAINING MATERIALS SHALL BE REMOVED FROM THE BUILDING BY USING FULL FLAME RETARDANT PLASTIC SHEETING, DUCT TAPE AND/OR WOOD SHEATHING.
 - NEGATIVE PRESSURE SHALL BE MAINTAINED INSIDE THE INTERIOR WORK AREAS PRIOR TO THE DISTURBANCE OF ANY ASBESTOS-CONTAINING MATERIAL.
 - CONTRACTOR SHALL COORDINATE THE REMOVAL OF THE ASBESTOS WASTE MATERIALS FROM THE BUILDING. THE FACILITY ACTIVITIES CONTRACTOR WILL NEED TO COORDINATE WITH WAMC PERSONNEL.
 - ALL ASBESTOS-CONTAINING MATERIAL SHALL BE PROPERLY PACKAGED PRIOR TO BEING REMOVED FROM THE WORK AREA. GENERATOR LABELS SHALL BE APPLIED TO THE ASBESTOS WASTE BAGS. ALL ASBESTOS MATERIALS THAT ARE REMOVED FROM THE WORK AREA SHALL BE ACCOMPANIED BY A WASTE SHIPMENT RECORD. THE COMPLETED WASTE SHIPMENT RECORDS MUST BE PROVIDED WITHIN 30 DAYS OF THE WASTE LEAVING THE SITE.
 - CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS AND ANY AREAS WHERE CONTRACTORS PERSONNEL TRAVEL THROUGH THE BUILDING SHALL BE LEFT IN A CLEAN AND SAFE CONDITION.
 - SEWERS BRICK VENTS EXIST IN CRAWLSPACE WALLS AND MAY BE USED BY THE CONTRACTOR. IF USED, THE CONTRACTOR MAY CUT THROUGH THE FOUNDATION WALL AND EXCAVATE THE AREA OUTSIDE THE FOUNDATION TO ACHIEVE NECESSARY AIR FLOW. CONTRACTOR IS RESPONSIBLE FOR REPAIR AND RESTORATION OF FOUNDATION TO MATCH.

- ASBESTOS ABATEMENT NOTES**
- CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF THE ASBESTOS-CONTAINING PIPE INSULATION ASSOCIATED WITH THE SIX (6) INCH DIAMETER STEAM SUPPLY PIPING.
 - CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL ASBESTOS-CONTAINING PIPE INSULATION ASSOCIATED WITH THE MEDIUM PRESSURE STEAM SUPPLY PIPING LOCATED THROUGHOUT THE CRAWLSPACE.
 - CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL ASBESTOS-CONTAINING AUTO JOINT COMPOUND ON FIBERGLASS INSULATION AS ASBESTOS-CONTAINING.
 - CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ASBESTOS-CONTAINING PERFORMED BLOCK PIPE INSULATION ASSOCIATED WITH THE MEDIUM PRESSURE STEAM SUPPLY AND CONDENSATE RETURN RISERS.
 - DISPOSE OF ALL ASBESTOS-CONTAINING MATERIALS IN A MANNER THAT DOES NOT EXPOSE THE MATERIALS TO BE REMOVED. THE CONTRACTOR SHALL SEAL FLOOR RISER HOLES IN SLAB IN ACCORDANCE WITH PART 2.2.7 OF THE ASBESTOS ABATEMENT SPECIFICATION SECTION 02 82 11.
 - CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL VISIBLE AND SUSPECT ASBESTOS DEBRIS FROM THE CRAWLSPACE FLOOR. CONTRACTOR SHALL REMOVE AND DISPOSE OF A MINIMUM OF TWO (2) INCHES OF SOIL AND INDICATED ON THE DRAWING ARE THOSE THAT HAVE BEEN OBSERVED.
 - IDENTIFYING AND REMOVING ALL ACID DEBRIS IN THE CRAWLSPACE.
 - CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL FIBERGLASS INSULATION ON DOMESTIC WATER PIPING AND STEAM SUPPLY PIPING FOR ATTIC GLYCOL SYSTEM LOCATED IN THE CRAWLSPACE AS QUANTITIES.
 - CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL FIBERGLASS INSULATION ON DOMESTIC WATER PIPING AND STEAM SUPPLY PIPING FOR ATTIC GLYCOL SYSTEM LOCATED IN THE CRAWLSPACE AS QUANTITIES.

CONSULTANTS:



3610 LAWSON ROAD
JAMESTOWN, NEW YORK 14701
PHONE: (716) 484 - 1386
FAX: (716) 484 - 1519



ARCHITECT/ENGINEERS:



3610 LAWSON ROAD
JAMESTOWN, NEW YORK 14701
PHONE: (716) 484 - 1386
FAX: (716) 484 - 1519

Project Title
BUILDING 37
CRAWLSPACE
ASBESTOS ABATEMENT PLAN

Approved Project Director

Project Title
BUILDING 37
SERVICE PIPING REPLACEMENT

Location
CANANDAQUA WAMC

Date
08-12-2012

Checked
JG

Drawn
IK

Project Number
52485-12-501

Building Number
37

Drawing Number
ASB-1

Sheet
4 of 10

