


## DOOR SCHEDULE

DOOR NO.	DOOR SIZE	H/W SET	DOOR		FRAME		DETAILS-AS-601 (UNO)			PAINTING	REMARKS		
			TYPE	MATL	FIN.	TYPE	MATL	FIN.	HEAD			JAMB	THRESH
SECOND FLOOR													
A215	4'-0" X 7'-0"	12	A	GPW1	-	C	AL	AL	9		9	N/R	COORDINATE W/ 3-FORM PARTITION
A216	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A217	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A218	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A219	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	COORDINATE W/ 3-FORM PARTITION
A220	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A221	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A222	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A223	3'-0" X 7'-0"	02	A	WD	CL	A	HM	PT	4	5	7	20 MIN	COORDINATE W/ 3-FORM PARTITION
A224	3'-0" X 7'-0"	08	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A225	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A226	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A227	3'-0" X 7'-0"	07	A	WD	CL	A	HM	PT	4	5	7	20 MIN	COORDINATE W/ 3-FORM PARTITION
B216	4'-0" X 7'-0	12	D	GPW2	-	C	AL	AL	9		9	N/R	
B217	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B218	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B219	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	COORDINATE W/ 3-FORM PARTITION
B220	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B221	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B222	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B223	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	COORDINATE W/ 3-FORM PARTITION
B224	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B225	3'-0" X 7'-0"	03	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B226	3'-0" X 7'-0"	07	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B242	3'-0" X 7'-0"	05	A	WD	CL	A	HM	PT	4	5	7	20 MIN	COORDINATE W/ 3-FORM PARTITION
B243	3'-0" X 7'-0"	02	A	WD	CL	A	HM	PT	4	5	8	20 MIN	
B244	3'-0" X 7'-0"	04	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B245	3'-0" X 7'-0"	06	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B246	3'-0" X 7'-0"	04	A	WD	CL	B	AL	AL	2/AS-602	1/AS-602	2/AS-602		COORDINATE W/ STEEL-CASE PARTITION
B247A	3'-0" X 7'-0"	11	C	GL	-	B	AL	AL	2/AS-602	1/AS-602	2/AS-602		
B247B	3'-0" X 7'-0"	11	C	GL	-	B	AL	AL	2/AS-602	1/AS-602	2/AS-602		
B248	3'-0" X 7'-0"	04	-	WD	CL	B	AL	AL	2/AS-602	1/AS-602	2/AS-602		
B249	3'-0" X 7'-0"	04	A	WD	CL	B	AL	AL	2/AS-602	1/AS-602	2/AS-602		COORDINATE W/ STEEL-CASE PARTITION
B250	3'-0" X 7'-0"	04	A	WD	CL	B	AL	AL	2/AS-602	1/AS-602	2/AS-602		
B251	3'-0" X 7'-0"	05	A	WD	CL	A	HM	PT	4	5	6	20 MIN	
B253	3'-0" X 7'-0"	05	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
B253A	3'-0" X 7'-0"	01	A	WD	CL	A	HM	PT	4	5	7	20 MIN	COORDINATE W/ STEEL-CASE PARTITION
THIRD FLOOR													
A352	3'-0" X 7'-0"	02	A	WD	CL	A	HM	PT	4	5	7	45 MIN	COORDINATE W/ STEEL-CASE PARTITION
A353A	3'-0" X 7'-0"	07	A	WD	CL	A	HM	PT	4	5	7	20 MIN	
A353B	3'-0" X 7'-0"	07	B	WD	CL	A	HM	PT	4	5	7	20 MIN	
A353C	(2) 3'-0" X 7'-0"	09	B	WD	CL	A	HM	PT	4	5	7	20 MIN	
A354	(2) 3'-0" X 7'-0"	10	B	WD	CL	A	HM	PT	4	5	7	20 MIN	COORDINATE W/ STEEL-CASE PARTITION



## LEGEND:

N/R: NON-RATED  
WD: SOLID CORE WOOD W/ MAPLE VENEER  
HM: HOLLOW METAL  
CL: CLERESTORY ACRYLIC POLYURETHANE  
AL: ALUMINUM  
GPW1 SEE FINISH SCHEDULE SHEET AS702  
GPW1 SEE FINISH SCHEDULE SHEET AS702

## DOOR NOTES:

ALL NEW DOORS PROVIDING ACCESS INTO TOILET ROOMS SHALL BE UNDERCUT 1" ABOVE NEW MARBLE THRESHOLD.  
PROVIDE CEILING AND WALL ACCESS PANEL DOORS AS REQUIRED TO ACCESS MECHANICAL DUCTWORK AND PLUMBING CONTROLS.  
SEE MECHANICAL AND PLUMBING DRAWINGS.  
REFER TO SPECIFICATIONS FOR DOOR STC RATINGS.