

**JUSTIFICATION FOR SINGLE SOURCE AWARDS IAW [FAR 13.106-1](#)**  
(OVER MICRO-PURCHASE THRESHOLD(\$3.5K) BUT NOT EXCEEDING THE SAT (\$150K))

IAW [FAR13.104](#), COs must promote competition to the maximum extent practicable to obtain supplies and services from the source whose offer is the most advantageous to the Government, considering the administrative cost of the purchase. When competition is not practicable, IAW [FAR13.106-1\(b\)](#), COs solicit from a single source for purchases not exceeding the simplified acquisition threshold. COs may solicit from one source if the CO determines that the circumstances of the contract action deem only one source reasonably available (e.g., urgency, exclusive licensing agreements, brand-name or industrial mobilization). IAW [FAR13.106-3\(b\)\(3\)](#), COs are required to include additional statements ***explaining the absence of competition*** (see [13.106-1](#) for brand name purchases) if only one source is solicited and the acquisition does not exceed the simplified acquisition threshold (does not apply to an acquisition of utility services available from only one source) or supporting the award decision if other than price-related factors were considered in selecting the supplier. This template when completed can be used to document single source awards IAW [FAR13.106-3\(b\)\(3\)](#). Note: Statements such as "only known source" or "only source which can meet the required delivery date" are inadequate to support a sole source purchase.

**1. ACQUISITION PLAN ACTION ID:**  
2. VA245-17-AP-0441

**1A. PROJECT/TASK  
No.**  
**540-17-110S**

**1B. ESTIMATED AMOUNT:**  
\$94,185.09

**2. BRIEF DESCRIPTION OF SUPPLIES OR SERVICES REQUIRED AND THE INTENDED USE:**

This requirement is to repair multiple holes in the facility parking lot. Contractor will utilize milling equipment to prepare damaged asphalt surfaces, for replacement material.

**3. UNIQUE CHARACTERISTICS THAT LIMIT AVAILABILITY TO ONLY ONE SOURCE, WITH THE REASON NO OTHER SUPPLIES OR SERVICES CAN BE USED:**

An urgent and compelling need exists, and following the procedures would result in unacceptable delays. The services requested are to reduce the risk to patient, visitor, and staff safety. The facility main parking lot has experienced degradation from environmental conditions, resulting in an unsafe area for patients to travel. There have been at least two patients falls attributed to the degradation of the parking i.e. massively deep potholes.

**4. DESCRIPTION OF MARKET RESEARCH CONDUCTED AND RESULTS OR STATEMENT WHY IT WAS NOT CONDUCTED:**

Market research was not conducted due to the urgency and condition of the parking lot.

**5. Contracting Officer's Certification:** *Purchase is approved in accordance with FAR13.106-1(b). I certify that the foregoing justification is accurate and complete to the best of my knowledge and belief. Note: COs are required to make a determination of price reasonableness IAW FAR 13.106-3. See the [Commercial Supply and Service SOP](#) for Price Reasonableness templates.*

**Signature:** \_\_\_\_\_

**Date:** 4/20/2017

**Name:** Alison Klein

**Title:** Contracting Specialist

**NCO:** 5



