

three inches = one foot
 one and one half inches = one foot
 one inch = one foot
 three quarters inch = one foot
 one half inch = one foot
 three eighths inch = one foot
 one quarter inch = one foot
 one eighth inch = one foot



NOTES

- NOTE 1: CONTRACTOR WILL INSTALL NEW ACCESS CARD READERS, KEY LOCKBOXES, AND SAFES THAT WILL COMMUNICATE VIA THE EXISTING LENSEL NETWORK.
- NOTE 2: NOTE 4: CONTRACTOR WILL USE CAT6 NETWORK CABLE.
- NOTE 3: DO NOT USE THE STAIRWELL TO RUN VERTICAL CONDUIT FROM FLOOR TO FLOOR.
- NOTE 4: ALL WIRING INSIDE STAIRWELLS MUST BE INSTALLED IN CONDUIT.
- NOTE 5: ALL WALL PENETRATIONS THROUGH FIRE RATED BARRIERS WILL BE FIRE STOPPED.
- NOTE 6: VERTICAL CONDUIT RISER MUST BE RUN IN MECHANICAL ROOMS.
- NOTE 7: COORDINATE LOCATION OF ALL NEW DEVICES WITH COTR PRIOR TO INSTALLATION.
- NOTE 8: CONTRACTOR IS RESPONSIBLE FOR DEMO OF EXISTING EQUIPMENT AND ANY ASSOCIATED PATCHING, REPAIR, CEILING TILE REPLACEMENT AND ASSOCIATED ANCILLARY WORK.

SYMBOLS

- Access Card Reader W/Keypad
- Gun Safe
- Key Lockbox
- 1 HR FIRE RATED BARRIER
- 2 HR FIRE RATED BARRIER

CONSULTANTS: Indus Systems, Inc. 2302, Main Street, Concord, MA 01742 Tel: 978-461-0550 www.indus-systems.com		ARCHITECT/ENGINEERS:		NORTH: 		Drawing Title Architectural Plan Basement NTS		Project Title Install Keyboxes + Safes in Various Bldgs		Project Number 620A4-11-256		Office of Facilities Management Department of Veterans Affairs
Revisions:		Date:		Approved Director, VA/HVCS:		Location CASTLE POINT, NEW YORK		Building(s) Number 16		Drawing Number TY-05		
Approved Chief of Engineering		Date 03/15/2012		Checked		Drawn JP		SHEET 1 OF 8				
VA FORM 08-6231, OCT 1978		Date:		Approved Chief of Engineering		Date: 03/15/2012		Checked:		Drawn: JP		
Date:		Date:		Approved Chief of Engineering		Date: 03/15/2012		Checked:		Drawn: JP		