









NOTES

- NOTE 1: CONTRACTOR WILL USE PANASONIC NETWORK CAMERAS MODEL WV-NW 5025 WHEN REPLACING EXISTING CAMERAS AND INSTALLING NEW CAMERAS.
- NOTE 2: CONTRACTOR WILL USE PANASONIC NETWORK PTZ MODEL WV-NW964 WHEN INSTALLING OUTDOOR CAMERAS.
- NOTE 3: CONTRACTOR WILL USE PANASONIC NDR MODEL WJ-ND400K/8000T2 (8 TERABYTE NETWORK RECORDER).
- NOTE 4: CONTRACTOR WILL USE CAT6 NETWORK CABLE.
- NOTE 5: DO NOT USE THE STAIRWELL TO RUN VERTICAL CONDUIT FROM FLOOR TO FLOOR.
- NOTE 6: ALL WIRING INSIDE STAIRWELLS MUST BE INSTALLED IN CONDUIT.
- NOTE 7: ALL WALL PENETRATIONS THROUGH FIRE RATED BARRIERS WILL BE FIRE STOPPED.
- NOTE 8: VERTICAL CONDUIT RISER MUST BE RUN IN MECHANICAL ROOMS.
- NOTE 9: COORDINATE LOCATION OF ALL CAMERAS WITH COTR PRIOR TO INSTALLATION.
- NOTE 10: CONTRACTOR IS RESPONSIBLE FOR DEMO OF EXISTING CAMERAS AND ANY ASSOCIATED PATCHING, REPAIR, CEILING TILE REPLACEMENT AND ASSOCIATED ANCILLARY WORK.
- NOTE 11: CONTRACTOR WILL INSTALL NEW ACCESS CARD READERS, MOTION AND INTRUSION ALARM SYSTEM THAT WILL COMMUNICATE VIA THE EXISTING LEVEL NETWORK.
- NOTE 12: NEW LENSEL AND PANASONIC CONTROLLERS TO BE LOCATED IN ROOM 211
- NOTE 13: CONTRACTOR IS RESPONSIBLE FOR THE DEMO OF OLD CAMERA EQUIPMENT

SYMBOLS

- | | |
|---|--|
|  | PANASONIC NETWORK CAMERA (WV-NW 502S) |
|  | Access Card Reader W/Keypad |
|  | Motion Detector |
|  | Intrusion Alarm |
|
 | |
|  | 1 HR FIRE RATED BARRIER |
|
 | |
|  | 2 HR FIRE RATED BARRIER |

		CONSULTANTS:	ARCHITECT/ENGINEERS:	NORTH: 			Drawing Title Architectural Plan FIRST FLOOR SCALE NTS	Project Title Install Keyboxes + Safes in Various Blds	Project Number 620A4-11-256	Office of Facilities Management  Department of Veterans Affairs
									Building(s) Number 08	
							Approved Director , VAHHCS	Location CASTLE POINT, NEW YORK	Drawing Number	
							Approved Chief of Engineering	Date 03/15/2012	TY-01	
								Checked JP	SHEET 1 OF 7	
								Drawn		
Revisions:	Date:									