

**JUSTIFICATION FOR SINGLE SOURCE AWARDS IAW FAR 13.106-1
(OVER MICRO-PURCHASE THRESHOLD(\$3.5K) BUT NOT EXCEEDING THE SAT (\$150K))**

IAW FAR13.104, COs must promote competition to the maximum extent practicable to obtain supplies and services from the source whose offer is the most advantageous to the Government, considering the administrative cost of the purchase. When competition is not practicable, IAW FAR13.106-1(b), COs solicit from a single source for purchases not exceeding the simplified acquisition threshold. COs may solicit from one source if the CO determines that the circumstances of the contract action deem only one source reasonably available (e.g., urgency, exclusive licensing agreements, brand-name or industrial mobilization). IAW FAR13.106-3(b)(3), COs are required to include additional statements ***explaining the absence of competition*** (see 13.106-1 for brand name purchases) if only one source is solicited and the acquisition does not exceed the simplified acquisition threshold (does not apply to an acquisition of utility services available from only one source) or supporting the award decision if other than price-related factors were considered in selecting the supplier. This template when completed can be used to document single source awards IAW FAR13.106-3(b)(3). Note: Statements such as "only known source" or "only source which can meet the required delivery date" are inadequate to support a sole source purchase.

1. ACQUISITION PLAN ACTION ID:

VA250-17-AP-4081

**1A. PROJECT/TASK
No. 757-202**

1B. ESTIMATED AMOUNT:

2. BRIEF DESCRIPTION OF SUPPLIES OR SERVICES REQUIRED AND THE INTENDED USE:

SIMPLEX TRUE ALERT AV DEVICES – MODEL 4903
SIMPLEX PULL STATION – MODEL 2099
SIMPLEX EXPANSION PANEL – MINIPLEX TRANSPONDER
SIMPLEX REMOTE ANNUNCIATOR – MODEL 4603-9101
SIMPLEX SMOKE DETECTORS AND DUCT DETECTORS

3. UNIQUE CHARACTERISTICS THAT LIMIT AVAILABILITY TO ONLY ONE SOURCE, WITH THE REASON NO OTHER SUPPLIES OR SERVICES CAN BE USED:

THE EXPANSION FIRE ALARM SYSTEM MUST BE PROGRAMMED TO WORK WITH THE EXISTING SIMPLEX 4100U MULTIPLEXED PANEL – OTHER MANUFACTURERS ARE NOT COMPATIBLE.

4. DESCRIPTION OF MARKET RESEARCH CONDUCTED AND RESULTS OR STATEMENT WHY IT WAS NOT CONDUCTED:

THIS IS AN EXPANSION OF AN EXISTING SIMPLEX 4100U SYSTEM THAT WILL ONLY WORK WITH THE MANUFACTURERS EQUIPMENT

Chapter VI: Other Than Full and Open Competition (OFOC) SOP
Attachment 4: Single Source Justification for SAP under \$150K

5. Contracting Officer's Certification: *Purchase is approved in accordance with FAR13.106-1(b). I certify that the foregoing justification is accurate and complete to the best of my knowledge and belief. Note: COs are required to make a determination of price reasonableness IAW FAR 13.106-3. See the Commercial Supply and Service SOP for Price Reasonableness templates.*

Donald P.

Tam 522751

Digitally signed by Donald P. Tam
522751
DN: dc=gov, dc=va, o=internal,
ou=people,
0.9.2342.19200300.100.1.1=donald tam
@va.gov, cn=Donald P. Tam 522751
Date: 2017.01.30 15:59:34 -0500

Signature: _____

Name: Donald P. Tam

Title: Branch Chief

Date: 1-30-2017

NCO: 10