




ASPHALT MILLING/PAVING DETAIL





ADJUSTMENT OF MANHOLE TO GRADE



PAVEMENT REPAIR DETAILS




ADJUSTMENT OF VALVE BOX TO GRADE



KEY NOTES:
ALL EXISTING ASPHALT TO BE CUT WITH A SAW.
ALL CUTS SHALL BE STRAIGHT AND AS PER DETAILS OR RECOMMENDATION OF COR.
ANY ASPHALT CUT NOT USING A SAW SUCH AS THE USE OF HEAVY EQUIPMENT SHALL BE REJECTED AND ADDITIONAL CUT SHALL BE MADE TO ENSURE THAT A SOLID CONNECTION IS MADE BETWEEN NEW AND OLD ASPHALT AT NO COST TO THE GOVERNMENT.
ALL ELEVATIONS TO BE VERIFY BY LAND SURVEYOR SUCH AS M.H., VALVE COVERS, CROWN OF ROAD, AND STORM DRAINAGE TO ENSURE PAVING AS PER DETAILS.
CONTRACTOR TO PERFORM UTILITY DETECTION DUE TO THE POSSIBILITY THAT UTILITIES CROSS EXISTING ROAD (S) AT DEPTHS WHICH ASPHALT APPLICATION COULD DISRUPT THIS UTILITIES.
CONTRACTOR TO SUBMIT AN AS-MADE OF MILLED AREAS AND DESIGN PAVING OPERATION TO MATCH EXISTING CURVE FOR DRAINAGE TO EXISTING STORM DRAINAGE SYSTEM. SHOWING M.H., WATER VALVES, AND ANY PENETRATION IN RELATION TO FINAL COURSE RUN PRIOR TO PAVING.

STORM DRAINAGE ELEMENTS THAT DON'T MATCH TO EXISTING CURVE AND HAVE SUCK OR RISE IN ELEVATION ARE TO BE ALTER TO MATCH SURROUNDING CURB AND STORM DRAINAGE DESIGN.

CONTRACTOR TO SUBMIT A WORK PLAN SHOWING ORDER OF OPERATION FOR ENSURING WORK AS PER DETAILS AND COORDINATION WITH VAMC SALISBURY AS TO MIN. DISRUPTION OF HOSPITAL OPERATIONS.
A FINAL AS-BUILT OF ALL PAVED AREAS SHALL BE SUBMITTED TO GOVERNMENT.



Revision		Date		REQUESTER				RECOMMEND APPROVAL		Drawing Title		Project Title		Date				Department of Veterans Affairs					
				CHIEF OF SERVICE		Date		CHIEF OF STAFF		Date		ASPHALT PAVING & REPAIRS DETAILS		ASPHALT PAVING & REPAIR						01 MAR 2012			
				ASSOC. DIR. PATIENT CARE SVC.		Date		ASSOC. DIR. for OPERATIONS		Date		Approved: Safety Manager/M&O Supervisor		Building Number						Checked		Drawn	
												Approved:Chief of Facilities Management Svr.		CAMPUS						BLF		C-101	
				APPROVAL BY:				Date				Approved:Chief of Facilities Management Svr.		Location		W.G.(Bill) Hefner Medical Center		DRAWING NO.					
				MEDICAL CENTER DIRECTOR										1601 Brenner Ave		Salisbury NC 28144		DWG. 6 OF 8					