

**JUSTIFICATION FOR SINGLE SOURCE AWARDS IAW FAR 13.106-1**  
(OVER MICRO-PURCHASE THRESHOLD(\$3K) BUT NOT EXCEEDING THE SAT (\$150K))

IAW [FAR13.104](#), COs must promote competition to the maximum extent practicable to obtain supplies and services from the source whose offer is the most advantageous to the Government, considering the administrative cost of the purchase. When competition is not practicable, IAW [FAR13.106-1\(b\)](#), COs solicit from a single source for purchases not exceeding the simplified acquisition threshold. COs may solicit from one source if the CO determines that the circumstances of the contract action deem only one source reasonably available (e.g., urgency, exclusive licensing agreements, brand-name or industrial mobilization). IAW [FAR13.106-3\(b\)\(3\)](#), COs are required to include additional statements ***explaining the absence of competition*** (see [13.106-1](#) for brand name purchases) if only one source is solicited and the acquisition does not exceed the simplified acquisition threshold (does not apply to an acquisition of utility services available from only one source) or supporting the award decision if other than price-related factors were considered in selecting the supplier. This template when completed can be used to document single source awards IAW [FAR13.106-3\(b\)\(3\)](#). Note: Statements such as "only known source" or "only source which can meet the required delivery date" are inadequate to support a sole source purchase.

<b>1. PURCHASE REQUEST OR REQUISITION NUMBER:</b> 695-17-3-133-3100	<b>1A. PROJECT/TASK NUMBER</b> N/A	<b>1B. ESTIMATED AMOUNT:</b> \$35,526.47
--	------------------------------------	---

**2. BRIEF DESCRIPTION OF SUPPLIES OR SERVICES REQUIRED AND THE INTENDED USE:**  
On-Site emergency repair service request of GE Lightspeed VCT XT 64 Scanner. To be used for clinical detection and diagnosis imaging and decreasing patient radiation dosages. OEM Vendor has proprietary service passwords and keys required to perform repair system calibration and configuration.

**3. UNIQUE CHARACTERISTICS THAT LIMIT AVAILABILITY TO ONLY ONE SOURCE, WITH THE REASON NO OTHER SUPPLIES OR SERVICES CAN BE USED:** Per FAR 13.106-1(b) the Contracting Officer has determined that the urgent circumstances of this contract action warrant only soliciting from one source. Notice to proceed given by (CO) Scott Ivy on 05/10/2017.

**4. REASON THAT SUGGESTED SOURCE IS THE ONLY SOURCE, WHICH CAN PROVIDE THE SUPPLIES OR SERVICES:** No market research conducted. Emergency procurement under FAR 13.106-1 unusual and compelling urgency. Notice to proceed given by (CO) Scott Ivy on 05/10/2017.

**5. DESCRIPTION OF MARKET RESEARCH CONDUCTED AND RESULTS OR STATEMENT WHY IT WAS NOT CONDUCTED:** Due to the emergent nature of the procurement, market research was limited to one source. Emergency procurement under FAR 13.106-1 unusual and compelling urgency. Notice to proceed given by (CO) Scott Ivy on 05/10/2017.

**6. Contracting Officer's Certification:** *Purchase is approved in accordance with FAR13.106-1(b). I certify that the foregoing justification is accurate and complete to the best of my knowledge and belief.*

Ashley Johnson,  
Contracting Officer, VISN 12, Great Lakes Acquisition Center