

1/22/2015 2:21:13 PM
PLOTTED



F1 SECOND LEVEL FRAMING PLAN
1/8" = 1'-0"

- PLAN NOTES:**
- TOP OF SLAB AND REFERENCE EL. = 115'-0" UNLESS NOTED OTHERWISE BY (+) OR (-) FROM THIS ELEVATION.
 - INDICATES DIRECTION OF SPAN OF 2" - 20 GA. COMP. METAL DECK W/ 3" NORMAL WEIGHT CONCRETE FILL. TOTAL SLAB THICKNESS = 9". SEE 30-SF-102A FOR SLAB REINFORCEMENT.
 - INDICATES DIRECTION OF SPAN OF 1 1/2" - 18 GA GALVANIZED METAL ROOF DECK.
 - SEE DETAIL D638-S-502 FOR FUTURE COLUMN SPLICE. APPLIES TO COLUMNS CURRENTLY TERMINATING AT SECOND LEVEL.
 - SEE F1/38-S-501 FOR TYPICAL SINGLE PLATE SHEAR CONNECTION.
 - SEE F6/38-S-501 FOR TYPICAL DOUBLE ANGLE CONNECTION.



0 4'-0" 8'-0" 16'-0" Scale: 1/8" = 1'-0"

CONSULTANTS:

COOVER-CLARK 1936 MARKET STREET DENVER, CO 80202	HDR ARCHITECTURE, INC. 1670 BROADWAY, SUITE 3400 DENVER, CO 80202	BRIDGERS & PAXTON 3630 SINTON RD., SUITE 100 COLORADO SPRINGS, CO 80907
OLSSON ASSOCIATES 826 21 1/2 ROAD GRAND JUNCTION, CO 81505	FARNSWORTH 4755 FORGE RD., SUITE 150 GRAND JUNCTION, CO 81505	



ARCHITECTS/ENGINEERS:

TRIPLE C - THE A & E GROUP
410 GRAND AVE. SUITE 201C
LARAMIE, WYOMING 82070

2015.01.23
09:07:06-06'00"

Drawing Title
SECOND LEVEL FRAMING PLAN

Approved: Project Director
Approver

Project Title
**GRAND JUNCTION VAMC
PM & RS PROSTHETICS
CENTER**

Location
GRAND JUNCTION, COLORADO

Date
01.09.2015

Checked
JCS

Drawn
LG

Project Number
575-205

Building Number
38

Drawing Number
38-SF-102

Dwg. 20 of 159

Office of
Construction
and Facilities
Management