			EQUIPMENT GU	IDE LIST (E	Excludes Schedule B Items)				
Department / Functional Area	Room Code	Qty of Rooms	Function	Equipment Symbol or JSN Code	Item Name	Qty per Room	Acquisition/ Installation	Item Description	Total Qty
1 - OUTPATIENT CLINIC / 5 - BIOME	BMER1	1	BIOMEDICAL ENGINEERING REPAIR SHOP	A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.	
				F0230	Chair, Drafting, Rotary	3	С	Drafting chair approximately 47° high X 20° wide X 20° deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.	
				F2000	Basket, Wastepaper, Round, Metal	4	С	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
				F3200	Clock, Battery, 12" Diameter	1	С	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	3	С	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8	
				M2055	Shelving, Storage, Wire, CRS,	5	C	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelwing is provided in various sizes and configurations. Price provided is for a unit approximately 74*H x 1	
					w/Adjustable Shelves			Electrical safety analyzer. Characteristics/components include combining all lead connected ECS lead tests measuring individual lead leakage; AC/DC measurement; current consumption; automatic neutral-ground and power-ground	
				T0005	Electrical Safety Analyzer  Defibrillator Analyzer, Automatic,	1	С	resistance and volts. This un Defibrillator analyzer. Characteristics/components include automatic and portable with direct reading, accurately verifies the output characteristics of all defibrillators while simulating the resistance of the human body; output energy measured in	
				T0015	Portable  Stand, Test, Radiological Compliance	1	С	ioule Adjustable test stand which accepts a test pattern disk for determining radiological tube focal spots. The stand can also be used to determine half layer values and light-radiation field registrations.	
				T0030	Radiation-Light Field Analyzer	1	С	Light and radiation field analyzer for quality assurance testing of radiation therapy devices. Unit is self contained and checks the coincidence of light and radiation fields, symmetry of radiation field, faltenses of radiation field, and penumbra size of	
				T0801	Workbench, Electric, Pedestal Base	4	C	Electrical workbench approximately 34" H x 22" W x 36" D. Characteristics/components include butcher block maple top; with two drawer or door pedestals and an electronic riser wiring kit. This workbench is used in wood and metal workshops. Workbench	
				10001	WORDSHILL, LIEUTIL, Feuestal Dase	4		Audiometer calibrator system. Characteristics/components include dual-frequency, dual-amplitude capacity for calibrating precision Type 1 as well as general purpose Type 2 sound level meters; generates four selectable reference outputs at 250 and	
				T8015	Calibrator, Audiometer	1	С	1000 Hz  Pulse generator. Characteristics/components include four output modes; and complement dual outputs that greatly increase unit applicability in logic design areas, especially	
				T8020	Generator, Pulse	2	С	interfacing within a system or to peripherals. The unique output flexibility wi   Sound level meter. This is a 27-140 dB sound analyzing device. It is used to conduct precision measurement and analysis of sound levels in laboratory, industrial, community,	
				T8040	Meter, Sound Level	1	С	hospitals and audiology clinics. Unit is battery powered.  Oscilloscope. Characteristics/components include 100 MHz unit; digitizing scope with a fully-functional analog scope that can control data acquisition and a switch-selectable	
				T8045	Oscilloscope, With Accessories	1	С	Pre/Post/Mid-triggering with reference to a triggering event. This unit is used  Ultrasonic wattmeter. Characteristics/components include electronic and mechanical design to provide superior performance and greater durability, clear Plesiglas tubing on	
				T8055	Wattmeter, Ultrasonic	1	С	the front panel that allows the operator to immediately determine the liquid level	
1 - OUTPATIENT CLINIC / 2 - CANTE	BX001	1	VENDING, SNACK / COFFEE, AND SEATING	A6030	Machine, Vending	3	D	This JSN is to be used for determining and defining the requirement for vending machines. Item is normally leased or supplied by Army & Air Force Exchange Service, (AAFES).	
				F0225 F0795	Chair, Dining Room  Table, Dining	20 5	С	Dining room chair with glides. Chair has straight legs with cushloned cloth or vinyl seat.  Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.	
				F2026	Container, Recycling, Large	3	С	Recycling container shall be approximately 30-gallons in capacity. The container may include a lid and be Recycle Blue in color with the recycle symbol identified on the container.	
1 - OUTPATIENT CLINIC / CIRCULA 2 - PACT SPACE / CIRCULATION, PA	CIRC2		CIRCULATION, PATIENT CIRCULATION, PATIENT						
CIRCULATION / CIRCULATION, PAT	CIRC2	1	STAIRWELL		Sphumomore A			Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward	
				M4100	Sphygmomanometer, Aneroid, Wall Mounted	6	С	tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy imp Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head utrn-on/turn-oft, built-in speculum tray and 8	
2 - PACT SPACE / CIRCULATION, S			CORRIDOR	M4200	Otoscope/Ophthalmoscope, Wall Mounted	6	С	foot colled ords. Unit is designed for use in patient exam rooms.	
2 - PACT SPACE / CIRCULATION, S' 2 - PACT SPACE / CIRCULATION, S'	CIRC3	1	CIRCULATION, STAFF CORRIDOR						
2 - PACT SPACE / CIRCULATION, S	CIRC3		CIRCULATION, STAFF	Face-		_		Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a	
				F0205	Chair, Side With Arms Table, Occasional, Lamp	1	С	minimum of 17*. Available with or without sled base.  Occasional lamp table (end table) approximately 20* high X 27* wide X 27* deep with choice of finishes (wood, oak veneer, or high pressure laminate).	
	1	1	l		l	1		l	ш

Initials: \_\_\_\_ (Lessor) /\_\_\_\_ (Gov't) Page 1 of 25

2 - PACT SPACE / 1 - LOBBY / RECE			CHECK-IN KIOSK						
2 - PACT SPACE / 1 - LOBBY / REC	CLSC1	1	CHECK-IN KIOSK	M1801 U3001	Computer, Microprocessing, w/Flat Panel Monitor Check-in Kiosk, Wall Mount	4 8	С	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8	
				03001	Check-in Klosk, Wall Would	0			
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE			PATIENT COMUPUTER BOOTH-5 PATIENT COMUPUTER BOOTH-4						
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE			PATIENT COMUPUTER BOOTH-3 PATIENT COMUPUTER BOOTH-1						
2 - PACT SPACE / 1 - LOBBY / RECE	CLSC2	1	PATIENT COMUPUTER BOOTH-2						
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE	CLSC2	1	PATIENT COMUPUTER BOOTH-3 PATIENT COMUPUTER BOOTH-2						
2 - PACT SPACE / 1 - LOBBY / RECE	CLSC2	1	PATIENT COMUPUTER BOOTH-1					Low back contemporary swivel chair, 37" high X 25" wide X 31"	
				F0280	Chair, Swivel, Low Back	1	С	deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
				F2000	Basket, Wastepaper, Round, Metal	1	С	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
				U3000	MyHealthEVet Computer Kiosk	1			
3 - OFFICE OF INFORMATION AND 3 - OFFICE OF INFORMATION AND			SERVER / TELCO ROOM-1						
BUILDING MEP / BUILDING MEP	COMM1	1	DEMARC ROOM COMM CLOSET						
BUILDING MEP / BUILDING MEP BUILDING MEP / BUILDING MEP	COMM1		COMM CLOSET MECH						
BUILDING MEP / BUILDING MEP BUILDING MEP / BUILDING MEP	COMM1 COMM1		COMM CLOSET COMM CLOSET						
BUILDING MEP / BUILDING MEP	COMM1		COMM	Hoor:					
<u> </u>		L		U2251	Ped, Box Box File	1			L
1 - OUTPATIENT CLINIC / 15 - PRIMA 1 - OUTPATIENT CLINIC / 6 - CLINIC		1	STAFF / CONFERENCE CONFERENCE ROOM						
2 - PACT SPACE / 15 - PRIMARY CA	CRA01	1	STAFF/CONFERENCE						
2 - PACT SPACE / 3 - EDUCATION A	CRA01	1	CONFERENCE, MULTIPURPOSE / GROUP RO	OOM					
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  THIS TYPICAL INCLUDES:	
								Cart Body, Style-A Narrow, w/Raised Edge Top     Flip-Up Shelf     Sharps Container Holder     Wasebasket and Holder     Chart Holder     Chart Holder     Drawers, 3*H (76mm)	
				E0945	Cart, Computer, Mobile, 36"H x 32"W x 22"D	1	С	2 Drawers, 6*H (152mm) Drawer Organizer Bins	
				F0115	Bookcase, Open, 5 Shelf	1	С	Freestanding open shelf bookcase, approximately 82° high X 37° wide X 18° deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving. Conference chair designed to complement the executive	
				F0220	Chair, Conference	10	С	furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.	
				F0860	Table, Mobile	4	С	Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas.	
				F2000	Basket, Wastepaper, Round, Metal	1	С	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
				F3200	Clock, Battery, 12" Diameter	1	С	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	
				M0011 M0506	Television, Flat Screen	1	С	Flat screen television with approximately 20' diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.	
				M0507	Video Teleconferencing System	1	С	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.	
					rolosomoronomy dystem			Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard.	
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	С	a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8	
1 - OUTPATIENT CLINIC / 13 - ACQU	DOCK1		A&D: RECEIVING AND SHIPPING DOCK	A6126		1			
				M2105	Pallet Lift, Hydraulic, Manual, 48" Pallet	1	С	Hydraulic manual pallet equipped with floor lock and wheels for easy transport. Unit accommodates 48* pallets and is designed to handle all types of lifting tasks.	
				M2115	Truck, Hand, 2 Wheel	1	С	2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse.	
				M2120	Truck, Platform, 4 Wheel	1	С	A 4 wheel platform truck (push cart). Truck has heavy duty platform and is mounted on four 8" diameter casters. The load capacity is 2000-2500 pounds. It is designed for use in the receiving and other material handling areas.	
				M4025	Scale, Roll On, Freestanding, 2000 Pound Capacity	1	С	Freestanding roll on scale with a 2000 pound capacity. Unit consists of a heavy duty anodized aluminum platform with powered digital readout. For use in food service or the laundry.	
1 - OUTPATIENT CLINIC / 7 - IMAGIN 1 - OUTPATIENT CLINIC / 7 - IMAGIN			DRESSING ROOM DRESSING ROOM, US						
1 - OUTPATIENT CLINIC / 7 - IMAGIN	DR001	1	DRESSING ROOM						
1 - OUTPATIENT CLINIC / 7 - IMAGIN	DR001	1	DRESSING ROOM, US						
				A1030	Locker, 2 Person, Over/Under	1	С	Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available.	
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.	
•		•		. 10070	, onoon, oodp, Disposable			,	

Initials: \_\_\_\_ (Lessor) /\_\_\_\_ (Gov't) Page 2 of 25

					1			
								Round wastepaper basket, approximately 18" high X 16"
				F2000	Basket, Wastepaper, Round, Metal	1	C	diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
				F2000	Basket, Wastepaper, Round, Wetai		C	administrative areas and nursing stations.
2 - PACT SPACE / 27 - COMPENSAT 2 - PACT SPACE / 27 - COMPENSAT	EXB01	1	C&P EXAM C&P EXAM					
2 - PACT SPACE / 27 - COMPENSAT 2 - PACT SPACE / 27 - COMPENSAT			C&P EXAM C&P EXAM					
2 - PACT SPACE / 27 - COMPENSAT	EXB01	1	C&P EXAM C&P EXAM					
2 - PACT SPACE / 27 - COMPENSAT 2 - PACT SPACE / 27 - COMPENSAT	EXB01	1	C&P EXAM					
2 - PACT SPACE / 27 - COMPENSAT	EXB01	1	C&P EXAM					
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation.  Designed to accommodate disposable soap cartridge and valve.
								A touch free wall-mounted hand sanitizer dispenser. For use
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
								Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish,
				A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	С	plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
								A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon
				A5108	Waste Disposal Unit, Sharps	1	С	and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
								THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top
								1 Accessory Rail, Side 2 Drawers, 3" H (76mm)
				E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	С	4 Drawers, 6" H (152mm) Drawer Organizer Bins
								Upholstered side chair. 32" high X 21" wide X 23" deep with
				F0205	Chair, Side With Arms	1	С	arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
								Self adjusting stool. Consists of a foam padded upholstered
				F0340	Stool, Self Adjusting	1	С	seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
				F2010	Basket, Wastepaper, Step-On	1	С	"Step-on' wastepaper basket with inner liner and foot petal activated flip top.
				F2300	Rack, Magazine, Wall Mounted	1	С	Wall mounted magazine rack with nine (9) magazine holding compartments.
					,game.io, Fran mounted	<u> </u>	Ť	Clock 12" diameter. Round surface, easy to read numbers
								Clock, 12' diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery
				F3200	Clock, Battery, 12" Diameter	1	С	operated, (batteries not included).
								Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard,
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	С	mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512
				WITOUT	Work Station, Computer, Retractable,	<u> </u>		MB memory, 8 A wall mounted retractable work station. Work station is used
				M1802	Wall Mounted	1	С	as a computer station in treatment rooms, exam rooms and areas where physical space in limited.
					Container, Biohazard Waste, Step-on,			A biohazard waste container with a step-on lid. The container
				M3073	Fire Safe	1		will have a capacity of approximately 12 gallons and be made of a fire safe material.
								Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It
					Sphygmomanometer, Aneroid, Wall			has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading.
				M4100	Mounted	1	С	Sturdy imp
								Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals
				M4116	Monitor, Vital Signs	1	С	and clinics. Includes an optional mobile stand.  Wall mounted otoscope and ophthalmoscope. Includes 6 foot
								line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8
				M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	С	foot coiled cords. Unit is designed for use in patient exam rooms.
								The exam light shall be a mobile floor unit. The light will be a halogen bulb that can produce a continuous and
					Light, Exam, Mobile, Spotlight, Mobile			homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a
				M7401	Stand	1	<u> </u>	minimum of 750 foot
								Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair
				M9025	Table, Examination/Treatment, With Cabinet	1	С	position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for ge
2 - DACT SDACE / 20 - ODEOLAL TO	EVDA4		EXAM ROOM, MULT-SPECIALTY				Ĭ	y , and a special annual of the organical rol go
2 - PACT SPACE / 20 - SPECIALTY ( 2 - PACT SPACE / 20 - SPECIALTY (	EXPA1	1	EXAM ROOM, MULT-SPECIALTY					
2 - PACT SPACE / 20 - SPECIALTY ( 2 - PACT SPACE / 20 - SPECIALTY (	EXPA1	1	EXAM ROOM, MULT-SPECIALTY EXAM ROOM, MULT-SPECIALTY					
2 - PACT SPACE / 21 - SPECIALTY O	EXPA1		EXAM ROOM, DERMATOLOGY EXAM ROOM, DERMATOLOGY					
2 - PACT SPACE / 21 - SPECIALTY ( 2 - PACT SPACE / 24 - SPECIALTY (	EXPA1	1	PROCEDURE ROOM, DERMATOLOGY EXAM ROOM, PODIATRY					
Z TAGT GFAGE/24 - SPECIALITY	EALWI		EXAM ROOM, FODIATRI					Disposable seen disposase Ora handada
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
								A touch free wall-mounted hand sanitizer dispenser. For use
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1	<u> </u>	throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
					Dispansor Glove Sussia-1/F			Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish,
				A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	С	plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
				]				A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon
				A5108	Waste Disposal Unit, Sharps	1	С	and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
								THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top
								1 Accessory Rail, Side 2 Drawers, 3" H (76mm)
		L		E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	С	4 Drawers, 6" H (152mm) Drawer Organizer Bins
								Upholstered side chair, 32" high X 21" wide X 23" deep with
				F0205	Chair, Side With Arms	1	С	arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
								Self adjusting stool. Consists of a foam padded upholstered
				F0340	Stool, Self Adjusting	1	С	seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
				F2010	Basket, Wastepaper, Step-On	1	С	"Step-on" wastepaper basket with inner liner and foot petal activated flip top.
						• •		

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 3 of 25

				F3200	Clock, Battery, 12* Diameter	1	С	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	C	Desk top microprocessing computer. The unit shall consist of a central processing min tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8
				M1802	Work Station, Computer, Retractable, Wall Mounted	1	С	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space in limited.
					Container, Biohazard Waste, Step-on,			A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be
				M3073	Fire Safe	1		made of a fire safe material.  Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward
				M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	С	till to reduce glare. Unit accuracy is within 1% of reading. Sturdy imp  Electronic sphygmomanometer. LCD displays non-invasive
				M4116	Monitor, Vital Signs	1	С	blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.  Wall mounted otoscope and ophthalmoscope. Includes 6 foot
				M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	С	line cord and plug and accepts and includes two handles.  Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
					Light, Exam, Mobile, Spotlight, Mobile			The exam light shall be a mobile floor unit. The light will be a halogen bulb that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a
				M7401	Stand	1		minimum of 750 foot  Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair
				M9025	Table, Examination/Treatment, With Cabinet	1	С	position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for ge
2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA	EXR10 EXR10		CONSULTATION ROOM / EXAM ROOM CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA	EXR10	1	CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA	EXR10 EXR10							
2 - PACT SPACE / 17 - PRIMARY CA	EXR10	1	CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA		1	CONSULTATION ROOM / EXAM ROOM CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA		1	CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA			CONSULTATION ROOM / EXAM ROOM CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA	EXR10	1	CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA			CONSULTATION ROOM / EXAM ROOM CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA	EXR10	1	CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA	EXR10 EXR10		CONSULTATION ROOM / EXAM ROOM CONSULTATION ROOM / EXAM ROOM					
2 - PACT SPACE / 17 - PRIMARY CA		1	CONSULTATION ROOM / EXAM ROOM					
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
				A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	С	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
				A5108	Waste Disposal Unit, Sharps	1	С	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					Cart, General Storage, Mobile, 42"H x			THIS TYPICAL INCLUDES:  1 Carl Body, Style-A Narrow, wRaised Edge Top  1 Accessory Rail, Side  2 Drawers, 3' H (76mm)  4 Drawers, 6' H (152mm)
				E0948	32"W x 22"D	1	С	Drawer Organizer Bins  Upholstered side chair, 32* high X 21* wide X 23* deep with
				F0205	Chair, Side With Arms	1	С	arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.  Self adjusting stool. Consists of a foam padded upholstered
				F0340	Stool, Self Adjusting	1	С	seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.  "Step-on" wastepaper basket with inner liner and foot petal
				F2010	Basket, Wastepaper, Step-On	1	С	activated flip top.
				F2300	Rack, Magazine, Wall Mounted	1	С	Wall mounted magazine rack with nine (9) magazine holding compartments.
				E3300	Clock Rotton, 12* Diameter	4	С	Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
				F3200	Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat	-	U	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following
				M1801	Computer, Microprocessing, w/Flat Panel Monitor  Work Station, Computer, Retractable,	1	С	minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8 A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and
				M1802	Wall Mounted	1	С	areas where physical space in limited.  A biohazard waste container with a step-on lid. The container
				M3073	Container, Biohazard Waste, Step-on, Fire Safe	1		will have a capacity of approximately 12 gallons and be made of a fire safe material.  Electronic sphygmomanometer. LCD displays non-invasive
				M4116	Monitor, Vital Signs	1	С	blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.  The exam light shall be a mobile floor unit. The light will be a halogen but that can produce a continuous and
				M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	1		halogen bulb that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot
				M9025	Table, Examination/Treatment, With Cabinet	1	C	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for ge
				WOOLO			_	
2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM	WOOLO			Ü	

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 4 of 25

1.00   1.00			1							
1										
1.										
1	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
1										
1.										
1,000   1,00										
1.										
3. Sec. 1 (1) - 1 (1)										
1.										
3 - 3 - C. P. C. P										
3 - S. C. Brook 11 - Present College 3   1 - Seath Colors   1 - Seath										
3 - See 1 - Property Color										
3 - Sec. 1	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
3 - Seed Brown Company College 1 - Present Col			1	EXAM ROOM						
3 - See 2 - Se										
Section   Company   Comp										
2										
SAME   SAME   THE PRIMATY CAL   1000   1										
3 - SECTION 1 - FRANCE CO. 10										
Service   Service   Franch   Service   Servi	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
Secretary   Secr										
3 - MACE BEACK   17 - PRIMARY C   6   1500   1   1   1   1   1   1   1   1   1	2 - PACT SPACE / 17 - PRIMARY CA	EXRGO								
Service   Serv	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
3 - PACE   PACE   17 - PRIMARY C   1500   1   1   1   1   1   1   1   1   1										
3 - PACE   PACE   17 - PRIMARY C   1 - 100   1   1   1   1   1   1   1   1   1										
2 - ALT SPACE (17 - PRANT C) C DOOR   1   SAM ROOM   1   SAM ROOM	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
3 - ANT SPRAKE (17 - PRAME (17										
3 APACE PRANCE (C. D. STORAGE)  4 APACE PRANCE (C. D. STORAGE)  4 APACE PRANCE (C. D. STORAGE)  4 APACE PRANCE (C. D. STORAGE)  5 APACE PRANCE (C. D. STORAGE)										
2 - PACE SPACE (17 PRIMARY CLASSES) 2 - PACE SPACE (17	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
2 - PACE SPACE (17 - PRIMARY CAL PRIMARY CALCAPTER CALL PRIMARY CAL PRIMARY CALCAPTER CALCAPT CALC										
2 - PACE SPACE (17 - PRIBANY CA) (170)   1   1   1   1   1   1   1   1   1	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
2 - PACE   SPACE   17 - PRIMAY CAL (1766)   1   2   2   2   2   2   2   2   2   2	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
2 - PACE SPACE   17 - PRIMATY CALL PACE   1   2 AM ROOM			1	EXAM ROOM						
2 - PACE SPACE 17 - PRIMARY CALL EXCOL.  2 - PACE SPACE 17 - PRIMARY CALL EXCOL.  3 - PACE SPACE 17 - PRIMARY CALL EXCOL.  3 - PACE SPACE 17 - PRIMARY CALL EXCOL.  3 - PACE SPACE 17 - PRIMARY CALL EXCOL.  3 - PACE SPACE 17 - PRIMARY CALL EXCOL.  3 - PACE SPACE 17 - PRIMARY CALL EXCOL.  3 - PACE SPACE 17 - PRIMARY CALL EXCOL.  3 - PACE SPACE 17 - PRIMARY CALL EXCOL.  3 - PACE SPACE 17 - PRIMARY CALL EXCOL.  4 - PACE SPACE 17 - PRIMARY CALL EXCOL.  5 - PACE SPACE 17 - PRIMARY CALL EXCO										
2. PACT SPACE 17. PRIMARY CA EXCESS 1 SAM ROOM	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0								
2-PACT SPACE   17 - PRIMARY CAL EXTROS   1										
2-PACT SPACE IT PRIMARY CA EXRGO 1 EXAM ROOM 2 PACT SPACE IT PRIMARY CA EXRGO 2 PACT SPACE										
2 - PACE 1 PRIMARY CAL EXTROS	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
2 PACT 5PACE 17 PRIMARY CAL EXPOS 1 EXAM ROOM 2										
2 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 2 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 2 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 2 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 2 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 2 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 2 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 2 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 2 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 3 PACT SPACE IT PRIMARY CAL EXECT 1 CAME ROOM 4 PACT 1 CAME ROOM 5 PACT 1										
2 - PACT PACE / Y - PRIMARY CA   EXAM ROOM	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
2. PACT SPACE (17 - PRIMARY CA EXRGO 1 EXAM ROOM 2 EXAM ROOM 1 EXA			1 1	IEXAM ROOM						
2. PACT SPACE / 17 - PRIMARY CAL EXCRO 2. PACT SPACE / 17 - PRIMARY CAL EXCRO 3. EXAM ROOM 4. AS075  Department, Seap, Disposable 4. AS076  Department, Seap, Disposable 5. Department, Hands Smitter, Hands-Free 6. Department and state department under state department of the state turnery general state and state department of the state turnery general state and state department of the state turnery general state and state department of the state state of the state										
2 PACT SPACE F17 - PRIMARY CA EXRG 1 2 PACT SPAC	2 - PACT SPACE / 17 - PRIMARY CA	EXRG0	1	EXAM ROOM						
2-PACT SPACE 17 - PRIMARY CAL EXRGO 1   EXAM ROOM    A5075   Disperser, Scop, Disposable   1   C   Disposable step dispenser. One-handed dispensing quartition when the control of the con	2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA	EXRG0 EXRG0 EXRG0	1 1	EXAM ROOM EXAM ROOM EXAM ROOM						
2. PACT SPACE / 17 - PRIMARY CA EXRGO  A5075  Dispenser, Soap, Disposable  A5077  Dispenser, Hand Sanitzer, Hands-Free  A5077  Dispenser, Glove, Surgical/E-samination, Dispenser, Glove, Surgical/E-samination, Wall Medd  A5107  A5108  Waste Dispenser, Glove, Surgical/E-samination, A5109  A5108  Waste Dispenser, Glove, Surgical/E-samination, A5109  A5108  Waste Dispenser, Glove, Surgical/E-samination, A5108  A5108  Waste Dispenser, Glove, Surgical/E-samination, A5108  A5108  Waste Dispenser, Glove, Surgical/E-samination, A5108  A5	2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA	EXRG0 EXRG0 EXRG0	1 1 1	EXAM ROOM EXAM ROOM EXAM ROOM EXAM ROOM						
AS075 Depenser, Sosp, Disposable 1 C Disposable sog degenser. One-handed disposage genetion devices the control of the deposable rough of the commodated analysis of the commodated analysis of the commodated analysis of general of which the control of the deposable rough of the control of	2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1	EXAM ROOM EXAM ROOM EXAM ROOM EXAM ROOM EXAM ROOM						
A5077 Dispenser, Soap, Disposable 1 C Designed to accommodate deposable soat controlled and valve.  A5077 Dispenser, Hand Sanitizer, Hands-Free 1 Dispenser, Glove, Surgical Examination, A5107 Wall Mind Dispenser, Glove, Surgical Examination, A5107 Wall Mind Dispenser, Glove, Surgical Examination, Company of the seather depose of the value of country Fabricated of either cold critical quality with a beauty operated.  Examination glove dispenser but for value mountains, Fabricated of either cold critical quality with a beauty operated.  Examination glove dispenser but for value mountains, Fabricated of either cold critical quality with a beauty of the beauty of the control of either cold critical quality with a beauty of the beauty of the control of either cold critical quality with a beauty of the beauty of the control of either cold critical quality with a beauty of the beauty of the control of either cold critical quality with a beauty of the beauty of the decrementation and disposal. Available in 2 gallots of the control of the section of the section of the property of the control of the property of t	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM						
A SOTT Dispenser, Hand Sanitizer, Hands-Free 1  A by Dispenser, Clove, Surgical/Examination, Dispenser, Clove, Surgical/Examination, Wall Mind Comment of the sanitizer dispenser of color will make the land or sanitizer dispenser of the sanitizer glastic library operations of either cock rolls disease with a what based or examination of either cock rolls disease with a what based or examination of either cock rolls disease with a what based or examination of either cock rolls disease with a what based or examination of either cock rolls disease with a what based or examination of either cock rolls disease with a what based or examination of either cock rolls disease with a what based or examination of either cock rolls disease with a state based or examination of either through of exocurs manning and either cock rolls disease with a state based or examination of either through of exocurs manning and either cock rolls disease with a state based or gaster or extra disease. A state of either through of exocurs with a state of either disease with a state of either disease. Seat Regist is a minimum of 17. Available with or whould state fase that one of the property of the examination of the examin	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM						
A5077 Dispenser, Hands-Free Dispenser, Hands-Free Dispenser, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mind Dispenser, Glove, Surgical/Examination, University of the Computer of the Control of the	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5075	Disposer Sean Disposable	1		Disposable soap dispenser. One-handed dispensing operation.	
A5077 Disperser, Hand Sanitizer, Hands-Free 1 Dispenser, Clove, Surgical/Examination, Marketine before both will mounting, Fabricated of willing control the law with a white bedder same finath, and will will be a surprise of the control of the same will be a surprise of the same	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5075	Dispenser, Soap, Disposable	1	C	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.	
Dispenser, Glove, Surgical/Examination, of either cold rolled steel with a white bladed enamed frinds, belack or across. Procrided with will tracked for facilities desical control of the control of the collection of the collecti	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5075	Dispenser, Soap, Disposable	1	С	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use	
Disperser, Glove, Surgical/Examination, Wall Mind  A5107  Wall Mind  A5108  Waste Disposal Unit, Sharps  1 C. A container for collecting and transporting syringes and other strainers for collecting and transporting and strainers for collecting and transporting and strainers and collecting and transporting and strainers and collecting and strainers and collecti	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM				C	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include	
A5107 Wall Mind  A5108 Waste Disposal Unit, Sharps  1 Cart, General Storage, Mobile, 42"H x E0948 32"W x 22"D  Cart, General Storage, Mobile, 42"H x E0948 32"W x 22"D  Chair, Side With Arms  1 C  Storage of Chair, Side With Arms  Set all sustains good Controls of a foun padded uphotistered seawing attendance with a storage of control of the Side Side Side Side Side Side Side Sid	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM				C .	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glove dispenser box for wall mounting. Fabricated	
A5108 Waste Disposal Unit, Sharps  1 Cart, General Storage, Mobile, 42°H x E0948 32°W x 22°D  Cart, General Storage, Mobile, 42°H x E0948 32°W x 22°D  Chair, Side With Arms  1 Cart General Storage, Mobile, 42°H x E0948 32°W x 22°D  Chair, Side With Arms  1 C Cart General Storage, Mobile, 42°H x E0948 32°W x 22°D  Chair, Side With Arms  1 C Cart General Storage, Mobile, 42°H x E0948 32°W x 22°D  Chair, Side With Arms  1 C Cart General Storage, Mobile, 42°H x E0948 32°W x 22°D  Chair, Side With Arms  1 C Cart General Storage, Mobile, 42°H x E0948 32°W x 22°D  Chair, Side With Arms  1 C Cart General Storage, Mobile, 42°H x E0948 32°W x 22°D  Chair, Side With Arms  1 C Cart General Storage, Mobile, 42°H x E0948 32°W x 22°D  E0948 32°W x 22°D  Chair, Side With Arms  1 C Cart General Storage, Mobile, 42°H x E0948 32°W x 22°D  E0948 32°W x 22°W x 2	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination,	1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitize dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Esamination glow dispenser bor for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate	
A5108 Waste Disposal Unit, Sharips 1 c experience for harding spates f	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination,	1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Examination glove dispenser box for wall mounting. Fabricated of either cold rolled stell with a white basked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.	
This TYPICAL NCLLIDES 1 Cart., General Storage, Mobile, 42"H x 20"W x 22"D 1 Cart. General Storage, Mobile, 42"H x 32"W x 22"D 1 Cart. General Storage, Mobile, 42"H x 1 Carescoy, Rail, Sold 2 Drawers, 2"H (152mm) 4 Drawers, 2"H (152mm) 5 Drawers, 2"H (152mm) 6 Drawers, 2"H (152mm) 6 Drawers, 2"H (152mm) 7 Drawers, 2"H (152mm) 7 Drawers, 2"H (152mm) 7 Drawers, 2"H (152mm) 8 Drawers, 2"H (152mm) 9 Drawers, 2"H (	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination,	1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing figuid. Units are battery operated. Examination glove dispenser box for wall mounting. Fabricated of either cold rolled stelle with a withe baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon	
Cart, General Storage, Mobile, 42"H x  E0948  E	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitize dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Esamination glow dispenser bor for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA.	
Cart, General Storage, Mobile, 42"H x 20"W x 22"D  Chair, Side With Arms  1 C Drawer Organizar Binn  Drawer Drawer Binn  Drawer Binn  Drawer Dra	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Examination giove dispenser box for wall mounting. Fabricated of either cold rolled stell with a white based eniumel finish, plassic or acrylic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA	
Eg948 32"W x 22"D 1 C Prawer Organizar Bins  Uphoblestered side chair, 32" high X 21" wide X 23" deep with arms, and added backs. Seath height is a minimum of 17". Available with or without sied base.  F0340 Stool, Self Adjusting 1 C Self adjusting stool. Consists of a form padded upholstered seat with attached foor left or added confort. Mounted on sewire casters. Designed for deciders use during eseminations.  F2010 Basket, Wastepaper, Step-On 1 C Self-port wastepaper based with inner liner and foor pretail excited file floor.  F2300 Rack, Magazine, Wall Mounted 1 C Wanderder and with nine (i) magazine holding comparisonal control and upholstered with several processors and the several processors and the several processors and the several processors grain to the following minimum characteristics: a 2.6 GHz Pentium processor; 512 Millsouried Wall Mounted C Service Station, Computer, Retractable, Wall Mounted Service Station, Computer, Retractable, Wall Mounted Service Station, Computer, Retractable, Wall Mounted C Service Station, Computer, Nation, Computer, Retractable, Wall Mounted Service Station, Computer, Nation, Computer, Retractable, Wall Mounted C Service Station, Serv	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Ind does not include the sanitizing liquid. Units are battery operated, extended the sanitizing liquid. Units are battery operated of either cold rolled steel with a white baked enamel finish, plassic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handing sharps.  THIS TYPICAL INCLUDES:  1. cart Body, Syle-A Narrow, wRaised Edge Top	
F0205 Chair, Side With Arms 1 Chair, Side Set Adjusting stool. Consists of a fearn padded upholstered seat with attached foor rest for added comfort. Mounted on seat with attached foor rest for added comfort. Mounted on seat with attached foor rest for added comfort. Mounted on seat with attached foor rest for added comfort. Mounted on seat with attached foor rest for added comfort. Mounted on seat with attached foor rest for added upholstered seat with attached foor rest for added comfort. Mounted on seat with attached foor rest for added upholstered seat with attached foot rest for added comfort. Mounted unit committee on the seat of the seat with attached foot rest for added comfort. Mounted with for each programment.  Clock, 12' dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when mounted with seat of a central processing computer. The unit shall consist of a central processing ormputer. The unit shall consist of a central processing minit tower, tital panel monitor, explored, mounted unit seat of a central processing ormputer. The unit shall consist of a central processing minit tower, tital panel monitor, explored, mounted unit seat of a central processing minit tower, tital panel monitor, explored, mounted unit seat of a central processing ormputer. The unit shall consist of a central processing minit tower, tital panel monitor, explored to a central processing minit tower, tital panel monitor, explored to a central processing ormputer. The unit	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps	1	C	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enumel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handing sharps.  THIS TYPICAL INCLUDES:  1. Cart Body, Syle-A Narrow, w/Raised Edge Top  1. Accessory Rail, Side  2. Drawers, 3*1 (T6mm)	
F0205 Chair, Side With Arms 1 C minimum of 17°, Available with or without sled base.  F0340 Stool, Self Adjusting 1 C minimum of 17°, Available with or beight is a minimum of 17°, Available with or without sled base.  F0340 Stool, Self Adjusting 1 C swivel casters. Designed for doctor, Mounted on swivel casters to added comfort. Mounted on swivel casters to beginged for doctor, use during examinations.  F2010 Basket, Wastepaper, Step-On 1 C school and the state of the	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077 A5107 A5108	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42*H x	1	C	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitize dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Esamination glow de dispenser bor for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 6 gallon with locking rotor. Complies with OSHA regulations for handling sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Style-A Narrow, wRaised Edge Top 1 Accessory Rall, Side 2 Drawers, 3" H (76mm) 1 Drawers, 6" H (152mm)	
F0205 Chair, Side With Arms  1 C minimum of 17", Available with or without sled base.  Self adjusting 1 Consists of a foam padded upholestered seat with attached foor rest for added confort. Notworted on seat with attached foor rest for added confort. Notworted on seat with attached foor rest for added confort. Notworted on seat with attached foor rest for added confort. Notworted on seat with attached foor rest for added confort. Notworted on seat with state of contor's use during examinations.  F2010 Basket, Wastepaper, Step-On 1 C activated flip top.  Wall mounted magazine rack with nine (9) magazine holding compartments.  Clock, 12" dameter. Rout surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (Letteries not included).  Dask top microprocessing computer. The unit shall consist of a central processing minimum, flat paniel monitor, Resphared, mouse and speakers. The system shall have the following minimum characteristics: a 25 GHz Pentium processor; 512 Mills memory; 8  Work Station, Computer, Retractable, Wall Mounted  Container, Biohazard Waste, Step-on, Fire Safe  Work Station, Computer, Retractable, Wall Mounted on the safe and marked in integer of physical space in limited.  A biohazard waste container with a sep-on id. The container will have a capacity of approximately 12 galions and be made of a fire safe material.  A hard mounted and shall a large space for a safe waster in limited.  A hard mounted retractable work station. Work station is used as a computer station in treatment rooms, seam rooms and areas where physical space in limited.  A biohazard waste container with a step-on id. The container will have a capacity of approximately 12 galions and be made of a fire safe material.  A pencil sphygnomanomenter. Unit is wall mounted and has large graphs call a disply or oper seading from all angles. It has a 90 degree (angle) swwl and 10 degree (angle) forward at to reduce give. Unit accur	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077 A5107 A5108	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42*H x	1	C	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing fluid, Units are battery operated.  Examination glowe dispenser box for wall mounting. Fabricated of either cold rolled stelle with a withe baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handing sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Style A Narrow, wRaised Edge Top 1 Accessory Rall, Side 2 Drawers, 3" H (76mm) 4 Drawers, 6" H (15zmm) Drawer Organizer Bins	
F0340   Stool, Self Adjusting   1   C   swite casters. Designed for dorcurs use during examinations.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077 A5107 A5108	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42*H x	1	C	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white basked enamel finish, plassic or aeryls. Provided with wall backet to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallor and 8 gallon with looking rotor. Complies with OSHA requisitions for handing sharps.  THIS TYPICAL INCLUDES:  1. Cart Body, Syle-A Narrow, w/Raised Edge Top  1. Accessory Rail, Side  2. Drawers, 3" if (76mm)  1. Drawers, 6" H (152mm)  Drawer Crigarizer Bins  Upholstered side chair, 32" high X 21" wide X 23" deep with	
F0340   Stool, Self Adjusting   1   C   swite casters. Designed for dorcurs use during examinations.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5107 A5108 E0948	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42°H x 32°W x 22°D	1	C	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glow de dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 5 gallon with locking rotor. Complies with OSHA regulations for handling sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Style-A Narrow, wRaised Edge Top  1 Accessory Rall, Side  2 Drawers, 3" H (78mm)  Drawers (4" (152mm)  Drawers, 2" high X 21" wide X 23" deep with arms, padded estats and padded backs. Seat height is a	
F2010 Basket, Wastepaper, Step-On 1 C achieved file top.  F2300 Rack, Magazine, Wall Mounted 1 C C achieved file top.  F2300 Clock, Battery, 12° Diameter 1 C C operated, better for the following impractical to install a fully synchronized dock system. Battery with sweep second hand. Wall mounted unif for use when impractical to install a fully synchronized dock system. Battery computer, Microprocessing, WiFlat Panel Monitor 1 C C multiple for the following minimum characteristics 2.8 GHz Perhamp processor; 512 MB memory, 8 A wall mounted treatable work station. Work station is used as a computer station in treatment rooms, exam rooms and spreads as a computer station in treatment rooms, exam rooms and service of the file of the	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5107 A5108 E0948	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42°H x 32°W x 22°D	1	C	Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing fauld. Units are battery operated.  Examination glove dispenser box for wall mounting. Fabricated of either cold colds stell with a white basked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handing sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Style-A Narrow, w/Raised Edge Top  1 Accessory Rail, Side  2 Drawers, 3' H (70mm)  1 Drawers, 6' H (15zmm)  Drawers of H (15zmm)  Drawers of H (15zmm)  Drawers of H (15zmm)  Drawers of H (15zmm)  Drawers designed seats and padded backs. Seat height is a minimum of 17°. Available with or without sled base.	
F2010 Basket, Wastepaper, Step-On 1 C C activated flip top. F2300 Rack, Magazine, Wall Mounted 1 C C Community of the waster of	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	C	Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitize dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Esamination glow dispenser bor for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syrings and other sharps for decontamination and disposal. Available in 2 gallon and 6 gallon with locking rotor. Complies with OSHA regulations for handling sharps. THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, wRaised Edge Top 1 Accessory Rall, side 2 Drawers, 3" H (76mm) L Trawers, 6" H (152mm) Drawer Organizer Bins Uphotstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.  Self adjusting stool. Consists of a foam padded uphotstered save with state-hot over to read with state-hot over the content of the content o	
F2300 Rack, Magazine, Wall Mounted 1 C compatrents.  Clock, 12' diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).  Computer, Microprocessing, w/Flat Panel Monitor  Work Station, Computer, Retractable, Wall Mounted Wall Mounted Total and waste, Step-on, Fire Safe  Sphygmomanometer, Aneroid, Wall Sphygmomanometer. Aneroid, Wall Sphygmomanometer. Aneroid, Wall Sphygmomanometer. In as a 90 degree (angle) swivel and 10 degree (angle) forward it to reduce glare. Unit wis of reading. In as a 90 degree (angle) swivel and 10 degree (angle). In as a 90 degree (angle) swivel and 10 degree (angle) forward it to reduce glare. Unit wis of reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	C	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Esamination gold edispenser but for wall mounting. Fabricated of either octif rolled seel with a white baked enamel finish, plastic or anylic. Provided with wall backet to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallor and 8 gallon with locking rotor. Complies with OSHA requisitions for handing sharps.  THIS TYPICAL INCLUDES:  1. Cart Body, Style-A Narrow, w/Raised Edge Top  1. Accessory Rail, Side  2. Drawers, 3" H (152mm)  Drawer Organizer Bins  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17", valiable with no without sled base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added conflort. Mounted on service cases with attached foot rest for added conflort. Mounted on swivel casters. Designed for doctor's use during examinations.	
F3200 Clock, Battery, 12* Diameter  Clock, Battery, 12* Diameter  Computer, Microprocessing, W/Flat M1801 Panel Monitor  Work Station, Computer, Retractable, Wall Mounted  Wall Mounted  Container, Biohazard Waste, Step-on, Fire Safe  Sphygmomanometer, Aneroid, Wall  Sphygmomanometer, Aneroid, Wall  Sphygmomanometer, Aneroid, Wall  Clock, 12' diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unterfor under the view when impracticate instead to included).  Desk top microprocessing computer, The unit shall consist of a central processing computer, the power included).  Desk top microprocessing computer, The unit shall consist of a central processing shall have the following minimum characteristics: a 2.8 Git/2 Perhitum processor, 512  Wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and servers where physical space in limited.  A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe matteria.  A part of sphygmomanometer. Unit is wall mounted and has farge graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward sit to reduce glare. Unit rive of reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting	1	. c c c c	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Esamination good edispenser box for wall mounting. Fabricated of either odd rolled sieel with a white baked enamel finish, plastic or arcylic. Provided with wall backet to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handing sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Style-A Narrow, w/Raised Edge Top  1 Accessory Rail, Side  2 Drawers, 3" H (152mm)  Drawer Organizer Bins  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17", Available with or without sled base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's used chirg examinations. "Step-on' wastepaper basket with inner liner and foot petal activated file por activated file pro-	
F3200 Clock, Battery, 12" Diameter 1 C c operated, (tasteries not included).  Computer, Microprocessing, w/Flat  M1801 Panel Monitor 1  Work Station, Computer, Retractable, Wall Mounted 1  Container, Biohazard Waste, Step-on, Fire Safe 1  Sphygmomanometer, Aneroid, Wall  Sphygmomanometer, Aneroid, Wall  With sweep second hand. Wall mounted unit for use when impracticate incide clock system. Battery operated, (tasteries not included).  Deak top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard mouse and speakers. The system shall have the following minism motharacteristics 2.8 Celt-Perhitum processor, 512 NB memory, 8  Wall Mounted 1  Container, Biohazard Waste, Step-on, Fire Safe 1  Sphygmomanometer, Aneroid, Wall 5  Sphygmomanometer, Aneroid, Wall 5  With sweep second hand. Wall mounted unterlude to che system in limited.  A wall microprocessing computer, The unit shall consist of a central processor, 512 NB memory, 8  A wall mounted unterlactable work station. Work station is used as a computer station in treatment rooms, exam rooms and serves when physical space in limited.  A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe metaric or easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward sit to reduce glare. Unit room all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward sit to reduce glare. Unit room all angles. It	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2010	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On	1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Examination glow dispenser bor for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, wRaised Edge Top 1 Accessory Rall, Side 2 Drawers, 3" H (78mm) Drawer Organizer Bins Uphotstered side chair, 32" high X 21" wide X 23" deep with amms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. Self adjusting stool. Consists of a foam padded uphotstered seat with attached foot rest for added conflort. Mounted on swivel casters. Designed for doctor's use during examinations.	
F3200 Clock, Battery, 12" Diameter 1 Coperation to install a fully synchronized clock system. Battery operations of the coperation of the	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2010	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On	1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glove dispenser box for wall mounting. Fabricated of either cold rolled stell with a white backed enumel finish, plassic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handing sharps.  THIS TYPICAL INCLUDES:  1. Cart Body, Syle-A Narrow, wRaised Edge Top  1. Accessory Rail. Side  2. Drawers, 3"1 (Tömm)  Drawer Organizer Bins  Uphoststered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without side base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on wwied casters. Designed for doctor's use during examinations.	
Computer, Microprocessing, w/Flat  M1801  Panel Monitor  Work Station, Computer, Retractable, M1802  Wall Mounted  Container, Biohazard Waste, Step-on, M3073  Fire Safe  Desk top microprocessing computer. The unit shall consist of a certar processing mini tower, file panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512  MB memory, 8  A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and careas where physical space in limited.  Container, Biohazard Waste, Step-on, M3073  Fire Safe  1  Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward aft to reduce glare. Unit have or example.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2010	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On	1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanilizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitzing liquid. Units are battery operated.  Esamination gloed edispenser box for wall mounting, Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arryits. Provided with wall bracket to facilitate mounting and demounting.  A container for coflecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallor and 6 gallor with boding rout. Complies with OSHA orgulations for handing sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Syle-A Narrow, wRaised Edge Top  1 Accessory Rail, Side  2 Drawers, 3'H (152mm)  1 Drawers, 6'H (152mm)  Lyholstered side chair, 32' high X 21' wide X 23' deep with arms, padded seats and padded backs. Seat height is a minimum of 17'. Available with no without set base.  Self adjusting stool. Consists of a feam padded upholstered seat with attached foot rest for added conflort. Mounted on swide casters. Designed for decive use during examinations.  Selp-on' wastepaper basket with inner liner and foot petal activated file pto.  Wall mounted magazine rack with nine (9) magazine holding compartments.	
Computer, Microprocessing, w/Flat  M1801  Panel Monitor  Work Station, Computer, Retractable, M1802  Wall Mounted  Container, Biohazard Waste, Step-on, Fire Safe  M3073  Fire Safe  Avail mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space in limited.  A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe material.  Sphygmomanometer, Aneroid, Wall  Sphygmomanometer, Aneroid, Wall	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2300	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted	1 1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Esamination gloud. Units are battery operated. Esamination gloud. Esamination good eligenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plassic or arryfic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syrings and other sharps for decontamination and disposal. Available in 2 gallor and 5 gallon with locking rotor. Complies with OSHA regulations for handing sharps. THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow. wRaised Edge Top 1 Accessory Rall, Side 2 Drawers, 3" H (152mm) 1 Acressory Rall, Form) 4 Drawers, 6" H (152mm) 1 Drawer Organizer Bins Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without side base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on warvied casters. Na Sengined for declore used curing warminations.  Silep-on' wastepaper basket with inner liner and foot petal activated file pto. Wall mounted magazine rack with nine (1) magazine holding compartments.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractized to instruct and to the service and controlled one when impractized to instruct and the provided of controlled one were with sweep second hand. Wall mounted unit for use when impractized to instruct and the provided of controlled one were made and the provided colors, settle. Battery	
Computer, Microprocessing, WFlat Panel Monitor Panel Monitor Of MB memory, 8 A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and Container, Biohazard Waste, Step-on, Fire Safe  Container, Biohazard Waste, Step-on, Fire Safe  Sphygmomanometer, Aneroid, Wall  Sphygmomanometer, Aneroid, Wall  minimum characteristics: a 2.8 GHz Pentium processor, 512  M wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and a valid mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and a valid mounted retractable work station. Work station is used as a computer station with safe open days a valid waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe material.  Anoroid sphygmomanometer. Unit is wall mounted and has large graphic dail display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward stit to reduce glare. Unit has of easy causers in the first of reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2300	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted	1 1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not incide the sanitizing liquid. Units are battery operated.  Examination glowe dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enumel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handing sharps.  THIS TYPICAL INCLUDES:  1. Cart Body, Syle-A Narrow, w/Raised Edge Top  1. Accessory Rail, Side  2. Drawers, 3" H (152mm)  Drawer Organizer Bins  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.  Self adjusting stool. Consists of a form padded upholstered seat with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases with attached foot rest for added comfort. Mounted on service cases and padded bases.	
M1801 Panel Monitor 1 C MB memory, 8 Work Station, Computer, Retractable, Wall Mounted Wall Mounted  Container, Bichazard Waste, Step-on, Fire Safe  M3073 Fire Safe Sphygmomanometer, Aneroid, Wall Sphygmomanometer, Aneroid, Wall Sphygmomanometer, Aneroid, Wall  M1801 C MB memory, 8 A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space in limited.  A biohazard waste container with a step-on id. The container will have a capacity of approximately 12 gallons and be made of a fire safe metarial.  Anoroid sphygmomanometer. Unit is wall mounted and has a grue graphic dial display of reasy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tit to reduce glare. Unit has of eacting-graphic and septiment for the original produce glare. Unit has of eacting-graphic and septiment for set and the container with a step-on id. The container with a step-on id. The container will have a capacity of a fire safe metarial.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2300	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted	1 1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitize dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Esamination glow dispenser bor for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 6 gallon with locking rotor. Complies with OSHA regulations for handling sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Style-A Narrow, wRaised Edge Top 1 Accessory Rall, Side  2 Drawers, 3" H (75mm)  Drawer Organizer Bins  Uphotstered side chair, 32" high X 21" wide X 23" deep with amms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.  Self adjusting stool. Consists of a foam padded uphotstered seat with attached foot rest for added conflort. Mounted on swived casters. Designed for ductor's use during examinations. Self-and self-and sold complex for the confidence of the	
Work Station, Computer, Retractable, Wall Mounted  Container, Biohazard Waste, Step-on, M3073 Fire Safe  Sphygmomanometer, Aneroid, Wall  Sphygmomanometer, Aneroid, Wall  Sphygmomanometer, Aneroid, Wall  as a computer station in treatment rooms, exam rooms and a care computer station in treatment rooms, exam rooms and a care computer station in treatment rooms, exam rooms and a care computer station in treatment rooms, exam rooms and a care computer with a step-on id. The container will have a capacity of approximately 12 gallons and be made of a fire safe material.  Anoroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward titl to reduce glare. Unit Ny of reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2010  F2300	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter  Computer, Microprocessing, wFlat	1 1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanilizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitzing liquid. Units are battery operated.  Esaminating logicid. Provided with authet baked enamel finish, plastic or arcylic. Provided with a white baked enamel finish, plastic or arcylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringss and other sharps for decontamination and disposal. Available in 2 gallon and 5 gallon with boding rotor. Complies with OSHA.  Propulations for handing sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Syle-A Narrow. wRaised Edge Top  1 Accessory Rail, Side  2 Drawers, 3*1 (Törmin)  4 Drawers, 6*1 H (152min)  Drinwer Organizer Bins  Upholstered side chair, 32* high X 21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without side base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on walved casters. Designed for doctor's use during examinations.  Selp-on* wastepaper basket with inner liner and foot petal activated file pto.  Wall mounted magazine rack with nine (9) magazine holding compartments.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized dock system. Battery operated, (batteries not included).	
M1802 Wall Mounted 1 C areas where physical space in limited.  Container, Biohazard Waste, Step-on, M3073 Fire Safe 1  Anoroid sphygmomanometer. Unit wall mounted and has large graphic ald slepts of reasy reading for reasy reading for read and fast large graphic ald slepts, of reasy reading for read and has large graphic dail slepts, or ready for easy reading for read and fast large graphic dail slepts, or ready reading for ready reading for the safe of degree (angle) swivel and 10 degree (angle) forward titt or educe glare. Unit was creating in the calcuracy is within this of reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2010  F2300	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter  Computer, Microprocessing, wFlat	1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitize dispenser. For use throughout a healthcare facility. Indid see not include the sanitizing liquid. Units are battery operated. Esamination gloed edispenser box for wall mounting, Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arryich. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 6 gallon with locking rotor. Complies with OSHA regulations for handling sharps.  THIS TYPICAL INCLUDES:  1 Cart Book, Style-A Narrow, wRaised Edge Top  1 Accessory Rail, Side  2 Drawers, 3r H (152mm)  Drawer Organizer Bins  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with no without set base.  Self adjusting stool. Consists of a form padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.  Step-on' wastepaper basket with inner liner and foot petal activated fits por. Besigned for doctor's use during examinations.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized dock system. Battery operated, (batteries not included).  Desk top microprocessing omini tower, file spanel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 Mill memory.	
Container, Biohazard Waste, Step-on,  M3073 Fire Safe  1 Aneroid sphygmonanometer. Unit is wall mounted and has large graphic dial deplay for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward titl to reduce glare. Unit Age caucuracy is within 1/4 of reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2300  F3200  M1801	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Work Station, Computer, Retractable,	1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanilizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitzing liquid. Units are battery operated.  Estaminating logicid. Provided with authite baked enamel finish, plastic or arcylic. Provided with authite baked enamel finish, plastic or arcylic. Provided with authite backed enamel finish, plastic or arcylic. Provided with authite backed enamel finish, plastic or arcylic. Provided with authite logicid. Available in 2 gallor displays and other sharps for decominishing one. Compilies with OSHA regulations for handling sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Syle-A Narrow, wRaised Edge Top  1 Accessory Rail, Side  2 Drawers, 3" HT (76mm)  4 Drawers, 6" HT (76mm)  4 Drawers, 6" HT (76mm)  2 Drawers Cyalmate Bins  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without side base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.  Silep-on' wastepaper basket with inner liner and foot petal activated flip toy.  Wall mounted magazine rack with nine (8) magazine holding compartments.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).  Desk top microprocessing mini tower, fila panel monitor, keyboard, mounted metacatable work station in work station is used as computer station in treatment rooms, e	
Container, Biohazard Waste, Step-on,  M3073 Fire Safe  1 Aneroid sphygmonanometer. Unit is wall mounted and has large graphic dial deplay for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward titl to reduce glare. Unit Age caucuracy is within 1/4 of reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2300  F3200  M1801	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Work Station, Computer, Retractable,	1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanilizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitzing liquid. Units are battery operated.  Estaminating logicid. Provided with authite baked enamel finish, plastic or arcylic. Provided with authite baked enamel finish, plastic or arcylic. Provided with authite backed enamel finish, plastic or arcylic. Provided with authite backed enamel finish, plastic or arcylic. Provided with authite logicid. Available in 2 gallor displays and other sharps for decominishing one. Compilies with OSHA regulations for handling sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Syle-A Narrow, wRaised Edge Top  1 Accessory Rail, Side  2 Drawers, 3'H (152mm)  1 Acressory Rail, Side  2 Drawers, 2'H (152mm)  1 Drawer Organizer Bins  Upholstered side chair, 32' high X 21' wide X 23' deep with arms, padded seats and padded backs. Seat height is a minimum of 17'. Available with or without side base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.  Silep-on' wastepaper basket with inner liner and foot petal activated flip toy.  Wall mounted magazine rack with nine (9) magazine holding compartments.  Clock, 12' diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).  Desk top microprocessing mini tower, flat panel monitor, keyboard, mounted metacatable work station in work, station is used as computer station in treatment noms, earn	
Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward titt to reduce glare. Unit accuracy is within 15% of reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2300  F3200  M1801	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Work Station, Computer, Retractable, Wall Mounted	1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitize dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Esamination glow dispenser bor for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 6 gallon with locking rotor. Complies with OSHA regulations for handling sharps. THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, wRaised Edge Top 1 Accessory Rall, Side 2 Drawers, 3" H (76mm) Drawer Organizer Bins Uphotstered side chair, 32" high X 21" wide X 23" deep with amms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. Self adjusting stool. Consists of a foam padded uphotstered seat with attached foot rest for added conflort. Mounted on swived casters. Designed for ductor's use during examinations. Self adjusting stool. Expensive of the ductor's use during examinations with seven second hand. Wall mounted on swived casters. Designed for ductor or lord unique compartments.  Clock, 12" diameter. Round surface, easy to read numbers where we have presented in the surface and speakers. The system shall have the following compartments.  Clock, 12" diameter. Round surface, easy to read numbers in pattern of the proper paskers with attaches not included. A biohazard waste container with a step-on lid. The container	
large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward titt to reduce glare. Unit accuracy is within 1/6 or reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2300  F3200  M1801  M1802	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Work Station, Computer, Retractable, Wall Mounted  Container, Biohazard Waste, Step-on,	1 1 1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanilizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitzing liquid. Units are battery operated.  Estaminating logicid. Provided with authorized to facilitate mounting and demounting.  A container for collecting and transporting syrings and other sharps for deconstanting and disposal. Available in 2 gallor with a gallor with locking rotor. Complies with OSHA regulations for handling sharps.  THIS TYPICAL INCLUDES:  1 Cart Body, Syle-A Narrow, wRaised Edge Top  1 Accessory Rail, Side  2 Drawers, 23 Hr (Tomm)  4 Drawers, 6" H (152mm)  Drholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without side base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during estimalisations.  Silep-on' wastepaper basket with inner liner and foot petal activated flip top.  Wall mounted magazine rack with nine (8) magazine holding compartments.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).  Desk top microprocessing mini tower, fila panel monitor, keyboard, mounted metacheristics: a 2.8 GHz Pentium processor; 512 MB memory, 8  A wall mounted retractable work station. Work station is used as computer station in treatment of monitor, and preserve operated. The monitor of the pagazine	
Sphygmomanometer, Aneroid, Wall tilt to reduce glare. Unit accuracy is within 1% of reading.	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2300  F3200  M1801  M1802	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Work Station, Computer, Retractable, Wall Mounted  Container, Biohazard Waste, Step-on,	1 1 1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitize dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Examination glood edispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or anytic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syrings and other sharps for decontamination and disposal. Available in 2 gallon and 5 gallon with locking rotor. Complies with OSHA regulations for handling sharps.  1 Cart Body, Sylve-N Narrow. WRaised Edge Top 1 Accessory Rail, Side 2 Drawers, 3°H (16/2mm) 1 Accessory Rail, Side 2 Drawers, 3°H, Nallable with Valve Market Sylve Sylve-Narrow and Sylve-Na	
M4100 Mounted 1 C Sturby imp	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2300  F3200  M1801  M1802	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Work Station, Computer, Retractable, Wall Mounted  Container, Biohazard Waste, Step-on,	1 1 1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Esamination glow dispenser bor for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 6 gallon with locking rotor. Complies with OSHA regulations for handling sharps. THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, wRaised Edge Top 1 Accessory Rall, Side 2 Drawers, 3" H (76mm) 1 Accessory Rall, Side 2 Drawers, 3" H (175mm) Drawer Organizer Bins Uphotstered side chair, 32" high X 21" wide X 23" deep with amms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. Self adjusting stool. Consists of a foam padded uphotstered seat with attached foot rest for added conflort. Mounted on swived casters. Designed for ductor's use during examinations. Self adjusting stool. Expensive of the ductor's use during examinations. Self-adjusting stool. Consists of a foam padded uphotstered seat with attached foot rest for added conflort. Mounted on swived casters. Designed for ductor's use during examinations with seven second hand. Wall mounted unit for use when impracticat to install a fully synchronized clock system. Battery operated, (batteries on included). Dask top microprocessing computer. The unit shall consist of a central processor. 512 MB memory. 8 A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where playsical space in limited. A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be maded of a fire safe material. Anexold sphygmomanometer. Unit is wall mounted	
	2 - PACT SPACE /17 - PRIMARY CA 2 - PACT SPACE /17 - PRIMARY CA	EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0 EXRG0	1 1 1 1 1 1	EXAM ROOM	A5077  A5107  A5108  E0948  F0205  F0340  F2010  F2300  M1801  M1802  M3073	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Waste Disposal Unit, Sharps  Cart, General Storage, Mobile, 42"H x 32"W x 22"D  Chair, Side With Arms  Stool, Self Adjusting Basket, Wastepaper, Step-On Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Work Station, Computer, Retractable, Wall Mounted  Container, Biohazard Waste, Step-on, Fire Safe	1 1 1 1 1 1 1 1 1		Designed to accommodate disposable soap cartridge and valve. A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Esamination glow dispenser bor for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arrylic. Provided with wall bracket to facilitate mounting and demounting. A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 6 gallon with locking rotor. Complies with OSHA regulations for handling sharps. THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, wRaised Edge Top 1 Accessory Rall, Side 2 Drawers, 3" H (78mm) Drawer Organizer Bins Uphotstered side chair, 32" high X 21" wide X 23" deep with amount of the control of the co	

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 5 of 25

				M4116	Monitor, Vital Signs	1	С	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.	
					Otoscope/Ophthalmoscope, Wall			Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles.  Contains head turn-on/turn-off, built-in speculum tray and 8	
				M4200	Mounted Wall	1	С	foot coiled cords. Unit is designed for use in patient exam rooms.  The exam light shall be a mobile floor unit. The light will be a	
				M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	1		halogen bulb that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot	
								Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair	
				M9025	Table, Examination/Treatment, With Cabinet	1	С	position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for ge	
1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE TELEMED						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE TELEMED EXAM / OFFICE TELEMED						
1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE TELEMED						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE TELEMED  EXAM / OFFICE TELEMED						
1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA		1	EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE TELEMED EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA		1	EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA		1							
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA		1							
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3	1	EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA	EXRG3		EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 18 - BEHA 1 - OUTPATIENT CLINIC / 18 - BEHA			EXAM / OFFICE EXAM / OFFICE						
1 - OUTPATIENT CLINIC / 26 - PHYS	EXRG3	1	PT/OT TREATMENT ALCOVE, BARRIATRIC PT/OT TREATMENT ALCOVE						
1 - OUTPATIENT CLINIC / 26 - PHYS 1 - OUTPATIENT CLINIC / 26 - PHYS									
	EXKGS		PT/OT TREATMENT ALCOVE						
1	EXKGS							A touch free wall-mounted head socialisms	
	EXKGS			A5077	Dispenser, Hand Sanitizer, Hands-Free	1		A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are better operated.	
	EXRGS			A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  This section will provide a whole work station typical to quickly	
	EXRGS			A5077		1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with	
	EXRG3			A5077	Dispenser, Hand Sanitizer, Hands-Free Workstation, L-Shaped w/Peninsula, Free Std, 78x72	1	C	throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will	
	EXRGS			E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Upholstered side chair approximately 32" high X 19" wide X 23"	
	EXRGS				Workstation, L-Shaped w/Peninsula,		C	throughout a healthcare facility. Unit does not include the sanitizing fluxful. Units are battery operated.  This section will provide a whole work station typical to quickly joan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE	
	EARGS			E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	1		throughout a healthcare facility. Unit does not include the sanitizing fluxid. Units are battery operated.  This section will provide a whole work station typical to quickly land work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Uphodstered side chair approximately 32* high X 19* wide X 23* deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swived thair, 41* high X 23* wide X 23*	
	EARGS			E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms	1	С	throughout a healthcare facility. Unit does not include the sanitizing fluxid. Units are battery operated.  This section will provide a whole work station typical to quickly light work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Uphodstered side chair approximately 32° high X 19° wide X 23° deep with floor gildes. Seat is non-tilling and without arms.  Highback contemporary swived chair, 41° high X 23′ wide X 23° deep with flor (ic) caster swivel base and arms. Chair may be used at desks or in conference norms. Back and seat are foam	
	EARGS			E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  This section will provide a whole work station hypical to quictly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with ventical hanging sirips instead of panels. THIS TYPICAL INCLUDE  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with five (6) caster swivel base and arms. Chair may be	
	EARGS			E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms	1	С	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  This section will provide a whole work station typical to quictly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flor (6) caster swive base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholsteded with either woven testial father or vinyt.  Half height two (2) or three (3) drawer lateral filing cabinet, 28°	
	EARGS			E0078 F0210 F0275	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms Chair, Swivel, High Back	1 2	С	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  This section will provide a whole work station typical to quictly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with flev (5) caster swivel base and arms. Chair may be used at deeks or in conference rooms. Back and seat are foam padded and upholstered with either woven testile father or vinyt.  Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptate to	
	EARGS			E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms	1	С	throughout a healthcare facility. Unit does not include the sanitizing fluciful. Units are battery operated.  This section will provide a whole work station typical to quickly law novin areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Uphotstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms. Helphback contemporary swived chair, 41° high X 23′ wide X 23° deep with floor glides. Seat is non-tilling and without arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and uphotstered with either woven teterillie fabric or viryl. Half height two (2) or three (3) drawer lateral filing cabinet, 28° high X 23′ wide X 18° deep with Floor Schrigh (3) or the conference rooms. Back and seat are foam padded and uphotstered with either woven teterillie fabric or viryl. Half height two (2) or three (3) drawer lateral filing cabinet, 28° high X 23′ wide X 18° deep with reseased handles, locking high X 23′ wide X 18° deep with reseased handles, locking high X 23′ wide X 18° deep with reseased handles, locking high X 23′ wide X 2	
	EARGS			E0078 F0210 F0275	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms Chair, Swivel, High Back	1 2	С	throughout a healthcare facility. Unit does not include the sanitizing fluciful. Units are battery operated.  This section will provide a whole work station typical to quickly line work area in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE.  Uphostered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swived chair, 41° high X 23′ wide X 23° deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swived chair, 41° high X 23′ wide X 23° deep with floor in conference rooms. Back and sear are foam padded and upholstered with either woven teallie fabric or virul.  Half height two (2) or three (3) drawer lateral filing cabinet, 28° high X 42° wide X 18° deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.	
	EARGS			E0078  F0210  F0275  F0420	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms Chair, Swivel, High Back Cabinet, Filing, Lateral, Half Height	1 2	C C	throughout a healthcare facility. Unit does not include the sanitizing fluciful. Units are battery operated.  This section will provide a whole work station typical to quickly This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Uphotstered side chair approximately 32° high X 19° wide X 23° deep with floor gildes. Seat is non-tilling and without arms. Highback contemporary swived chair, 41° high X 23° wide X 23° deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and uphotstered with either woven teateral filing cabinet, 28° high X 42° wide X 18° deep with reseased handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.  Round wastepaper basket, approximately 18° high X 16° dameter. This metal unit is used to collect and temporarily store small quantities of paper relucine in patient rooms,	
	EARGS			E0078  F0210  F0275  F0420  F2000	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms Chair, Swivel, High Back Cabinet, Filing, Lateral, Half Height Basket, Wastepaper, Round, Metal	1 1 1	C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  This section will provide a whole work station hypical to quictly plan work areas in clinical or administrative spaces. There will be a price decrease if hypical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Uphotstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-villing and without arms. Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with floor glides. Seat is non-villing and without arms. Jedep with floor glides. Seat is non-villing and without arms used to be a sea of the seat	
	EARGS			E0078  F0210  F0275  F0420	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms Chair, Swivel, High Back Cabinet, Filing, Lateral, Half Height	1 2	C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  This section will provide a whole work station hypical to quictly plan work areas in clinical or administrative spaces. There will be a price decrease if hypical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Uphotstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilling and without arms. Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with floor glides. Seat is non-tilling and without arms. Jedge with floor glides. Seat is non-tilling and without arms used to be a sea of the seat	
	EARGS			E0078  F0210  F0275  F0420  F2000	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms Chair, Swivel, High Back Cabinet, Filing, Lateral, Half Height Basket, Wastepaper, Round, Metal	1 1 1	C C	throughout a healthcare facility. Unit does not include the sanitizing fluciful. Units are battery operated.  This section will provide a whole work station typical to quickly the sanitizing fluciful to a control to the sanitizing fluciful to the sanitizing fluciful to a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE.  Uphostered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seal are foam padded and upholstered with either woven tealler falling cabinet, 28° high X 42° wide X 18° deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal ize materials.  Round wastepaper basket, approximately 18° high X 16° dameter. This metal unit is used to collect and temporarily store small quantities of paper relucis in patient rooms, administrative areas and nursing stations.  Well mounted magazine rack with nine (9) magazine holding compartments.	
	EARGS			E0078  F0210  F0275  F0420  F2000	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Chair, Side, Without Arms Chair, Swivel, High Back Cabinet, Filing, Lateral, Half Height Basket, Wastepaper, Round, Metal	1 1 1	C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  This section will provide a whole work station hybrical to quictly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seal is non-tilling and arms. Chair may be used at deeks or in conference rooms. Back and seat are foam padded and upholstered with either woven testile factor or vinyt.  Half height two (2) or three (3) drawer lateral filing cabinet, 28° high X 42° wide X 18° deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.  Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporally store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Wall mounted magazine rack with nine (9) magazine holding compartments.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	
	EARGS			F0210  F0275  F0420  F2000  F2300	Workstation, L-Shaped w/Peninsula, Free Std, 78x72  Chair, Side, Without Arms  Chair, Swivel, High Back  Cabinet, Filing, Lateral, Half Height  Basket, Wastepaper, Round, Metal  Rack, Magazine, Wall Mounted	1 1 1	C C C	throughout a healthcare facility. Unit does not include the sanitizing fluciful. Units are battery operated.  This section will provide a whole work station typical to quickly the sanitizing fluciful that are better than the provide and t	
	EARGS			F0275 F0420 F2000 F2300 F3200	Workstation, L-Shaped w/Peninsula, Free Std, 78x72  Chair, Side, Without Arms  Chair, Swivel, High Back  Cabinet, Filing, Lateral, Half Height  Basket, Wastepaper, Round, Metal  Rack, Magazine, Wall Mounted  Clock, Battery, 12* Diameter  Computer, Microprocessing, w/Flat	1 1 1 1 1 1	C C C C	throughout a healthcare facility. Unit does not include the sanitizing fluciful. Units are battery operated.  This section will provide a whole work station typical to quickly the sanitizing fluciful that are better than the provide and t	
	EARGS			F0210  F0275  F0420  F2000  F2300	Workstation, L-Shaped w/Peninsula, Free Std, 78x72  Chair, Side, Without Arms  Chair, Swivel, High Back  Cabinet, Filing, Lateral, Half Height  Basket, Wastepaper, Round, Metal Rack, Magazine, Wall Mounted  Clock, Battery, 12" Diameter	1 1 1	C C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  This section will provide a whole work station hypical to quickly the sanitizing fluid. Units are battery operated.  This section will provide a whole work station hypical to quickly be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Uphotstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with floor glides and arms. Chair may be used at deaks or in conteneor crooms. Book and seat are foam padded and uphotistered with either wore tratell facilities or vinyl.  Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer latel holders. Drawers are adaptable to either later or legal size materials.  Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms. administrative areas and nursing stations.  Wall mounted magazine rack with nine (9) magazine holding compartments.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized docks system. Batery operated, (batteries not included).	
	EARGS			F0275 F0420 F2000 F2300 F3200	Workstation, L-Shaped w/Peninsula, Free Std, 78x72  Chair, Side, Without Arms  Chair, Swivel, High Back  Cabinet, Filing, Lateral, Half Height  Basket, Wastepaper, Round, Metal  Rack, Magazine, Wall Mounted  Clock, Battery, 12* Diameter  Computer, Microprocessing, w/Flat	1 1 1 1 1 1	C C C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  This section will provide a whole work station hypical to quickly the sanitizing fluid. Units are battery operated.  This section will provide a whole work station hypical to quickly have one of the provide and the provide and the provide and the provide and the provided hypical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE  Uphotstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swived chair, 41" high X 23" wide X 23" deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swived chair, 41" high X 23" wide X 23" deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swived chair, 41" high X 23" wide X 23" deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swived chair, 41" high X 23" wide X 23" deep with floor glides and arms. Chair may be used at deaks or in content one consensual arms. Chair may be used at deaks or in content one consensual arms. Chair may be used at deaks or in content one consensual arms. Chair may be used at deaks or in content one consensual arms. Chair may be used at floor padded and uphotisted with either work entered the content of the content of the deaks or in content one content on the content of the content of the content of the content of the content one content on the content of the content	
	EARGS			F0275 F0420 F2000 F2300 F3200	Workstation, L-Shaped w/Peninsula, Free Std, 78x72  Chair, Side, Without Arms  Chair, Swivel, High Back  Cabinet, Filing, Lateral, Half Height  Basket, Wastepaper, Round, Metal  Rack, Magazine, Wall Mounted  Clock, Battery, 12* Diameter  Computer, Microprocessing, w/Flat	1 1 1 1 1 1	C C C C	throughout a healthcare facility. Unit does not include the sanitizing fluciful. Units are battery operated.  This section will provide a whole work station typical to quickly the sanitizing fluciful work and the sanitizing fluciful work station typical to quickly and work area in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDE.  Uphostered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seal is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and sear are foam padded and upholstered with either woven teallier falfing cabinet, 28° high X 42° wide X 18° deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.  Round wastepaper basket, approximately 18° high X 16° dameter. This metal unit is used to collect and temporarily store small quantities of paper relucis in patient rooms, administrative areas and nursing stations.  Round wastepaper basket, approximately 18° high X 16° dameter. This metal unit is used to collect and temporarily store small quantities of paper relucis in patient rooms, administrative areas and nursing stations.  Clock, 12° dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted must all counts when impractical to install a fully synchronized dock system. Battery operated, (batteries on included).  Desk top microprocessing computer. The unit shall consider an operated, (batteries on included).  Desk top microprocessing computer. The unit shall consider an operated, (batteries on included).	

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 6 of 25

Company				<del>,</del>						
100   100					U1801	Computer with Flat Dual Panel Monitor	1			
100   100	2 - PACT SPACE / 17 - PRIMARY CA	EYRG4	1	NURSE TRIAGE						
100   100	2 - PACT SPACE / 17 - PRIMARY CA	EXRG4	1	TELEMEDICINE						
2007   100										
PACE   PRINCE   1	2 - PACT SPACE / 17 - PRIMARY CA	EXRG4	1	NURSE TRIAGE						
PACE   PACE   17 - PRINCE   1										
April	2 - PACT SPACE / 17 - PRIMARY CA	EXRG4	1	TELERETINAL						
ASSISTATION   1										
ASSISTATION   1									Disposable soan dispenser. One-handed dispensing operation.	
					A5075	Dispenser, Soap, Disposable	1	С		
Sologo Company Marian February Head Services										
### White Disposed Unit Shorps willows   \$6506   \$6506   \$7507   \$75000   \$75000   \$75000   \$75000   \$75000   \$75000   \$75000					A5077	Dispenser, Hand Sanitizer, Hands-Free	1			
### White Disposed Unit Shorps willows   \$6506   \$6506   \$7507   \$75000   \$75000   \$75000   \$75000   \$75000   \$75000   \$75000									The unit is designed for the disposal of sharps and complies	
ASSISTANCE   1						Waste Disposal Unit Shams w/Glove			with OSHA guidelines for the handling of sharps. It shall house	
Conf. Clark Conf					A5106		1	С	It shall have a glove dispenser attached. The unit shall be secu	
Continued Notices   Notice										
Fig.   Control Filt District									1 Accessory Rail, Side	
FOOD Store, Seef Adjusting 1 Control of these present common of the control of th					E0040	Cart, General Storage, Mobile, 42"H x			4 Drawers, 6" H (152mm)	
FISADO Sobre, Central Anticionario Contractiva Contrac					E0948	32 W X 22 D	1	C	Drawer Organizer Bins	
Packet Westpergeer, Roard, Media 1 Packet Westperge										
F2010 States, Wastergaper, Bours (Meal)  F2010 States, Wastergaper, Bours (Mea		1			F0340	Stool, Self Adjusting	11	С	swivel casters. Designed for doctor's use during examinations.	-
Sound Wistenceper Control Metal 1 Control Meta										
P2000   Sealed, Wastercourse (Park Monta)   1									store small quantities of paper refuse in patient rooms,	
Paper		}					11		administrative areas and nursing stations.	-
A STATE OF THE PARTY CALL STAT		<b> </b>	-		F2010	Basket, Wastepaper, Step-On	1	С	activated flip top.	
MODITION CONTRIBUTION FOR CONTRIBUTION F									a central processing mini tower, flat panel monitor, keyboard,	
Work Daviers, Compriser, Referenciable, 1 C Audit Involved installation and used. When studies in war over gloses grower common war over gloses grower common war over gloses grower common and the studies of the commo									minimum characteristics: a 2.8 GHz Pentium processor; 512	
West Statistics Completed in Section to Basement comes, cannot and an extraction to Basement comes, cannot and an extraction to Basement comes, cannot and an extraction to Basement comes, cannot come and comes			-		M1801		11	С	MB memory; 8	<del>                                     </del>
M30773   Corrainer, Biohazard Waste, Step-on, 1   An inclinate value of positive production of the company of patients exists the material of the state and					M1902		4	C	as a computer station in treatment rooms, exam rooms and	
MODITAL Confidence (Confidence of Washington Confidence of Washington C					W110U2	waii wounted				
PRESIDENT OF THE PRESENCE OF T									will have a capacity of approximately 12 gallons and be	
M4100 Morted  M4116 Morted. Visal Signs  M4201 Morted. Visal Signs  1 C C Morted and experimentations. LOS display non-involved by the control of the contro					M3073	Fire Safe	1		made of a fire safe material.	
M4100 Seption and the state of									large graphic dial display for easy reading from all angles. It	
M4116 Monto, Vald Signs  Coscope Pothshimoscope, Wall Mounted  Coscope Pothshimoscope, Wall Associate Associate Internation Pothshimoscope, Wall Associate Internation					14460		١		tilt to reduce glare. Unit accuracy is within 1% of reading.	
Monter, Vatal Signs  Monter, Vatal Signs  Monter, Vatal Signs  Monter of Mon		1	_		M4100	Mounted	1	С	Sturdy imp	1
MAT16 Montacy, Vatal Signs  MAT16 Montacy, Vatal Signs  MAT16 Montacy, Vatal Signs  MAT17 Montacy, Vatal Signs  MAT18 Montacy									Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Head in hospitale	
M4200 Mounted  M4200 Mounted  M4200 Mounted  M4200 Mounted  M4201 Stand, Mobile, Spotlight, Mobile  M4201 Stand, Mayo  M4202 Stand, Mayo  M4202 Stand, Mayo  M4202 Stand, Mayo  M4203 Stand, Mayo  M4203 Stand, Mayo  M4203 Stand, Mayo  M4204 Stand, Mayo  M4204 Stand, Mayo  M4205 Stand, Mayo  M4205 Stand, Mayo  M4205 Stand, Mayo  M4206 Stand,		ļ			M4116	Monitor, Vital Signs	1	С	and clinics. Includes an optional mobile stand.	ļ
M6200 Mouraled    Moural   Control									line cord and plug and accepts and includes two handles.	
MACCOO Mounted 1 C C rooms.  MY401  Light, Exam, Mobile, Spotlight, Mobile Southington, and the an active floor set. The light will be a homogeneous part sight dispatible from 50 to Protein a formation of the protein of the state of the st										
Light, Exam, Mobile, Spotlight, Mobile  M7401  Sland  M8810  Sland, Mayo  1 C Silver of Spir Age James from 5 or Spir Age		}	_		M4200	Mounted	1	С	rooms.	1
### APACE SPACE 17 - PRIMARY CA EXRGS 1 OBGYN EXAM ROOM - PACT SPACE 17 - PRIMARY CA									halogen bulb that can produce a continuous and	
M8810 Sand, Mayo 1 C Adjusted entirument table. Table a corrotion resistant staines stated contraction and in sounded in the case with the bild rails. In the telescope captiff adjusts from all rails as a state of the caption of the									diameter from a set distance. The light intensity shall be a	
M8810 Stand, Mayo 1 C C Stand		1	_		M7401	Stand	1			1
M8810 Stand, Mayo  Table, Examination/Treatment, With Cabinet  Tab									stainless steel construction and is mounted on two casters with	
Table, Examination/Treatment, With Cabinet  Table, Examination/Treatment, With Cabinet  1					M0010	Stand Mayo	4	_	to 60 inches with automatic locking device, and removable	
Table, Examination/Treatment, With 1 C. Schirce the state with three section uphotenered to a splatable to is full charge papers with replaced uniform to protect control and splatable to its full charge papers with splatable and splatable to its full charge papers with splatable and splatable to its full charge papers with splatable and splatable to its full charge papers with splatable papers with splatable and splatable to its full charge papers with splatable and splatable to its full charge papers with splatable and splatable to its full charge papers with splatable and splatable to its full charge papers with splatable to its full charge p					IVIOUTU	Statiu, ividyu	1	Ü		
Table, Examination Treatment, With   1										
- PACT SPACE /17 - PRIMARY CA EXRGB 1 OBIGYN EXAM ROOM					M9025	Table, Examination/Treatment, With Cabinet	1	С		
- PACT SPACE / 17 - PRIMARY CA EXRGS 1 DB/GYN EXAM ROOM								Ŭ	g	
- PACT SPACE /17 - PRIMARY CAL EXRGS 1 DBICYN EXAM ROOM   - PACT SPACE /17 - PRIMARY CAL EXRGS 1 DBICYN EXAM ROOM   - PACT SPACE /17 - PRIMARY CAL EXRGS 1 DBICYN EXAM ROOM   - PACT SPACE /17 - PRIMARY CAL EXRGS 1 DBICYN EXAM ROOM   - PACT SPACE /17 - PRIMARY CAL EXRGS 1 DBICYN EXAM ROOM   - PACT SPACE /17 - PRIMARY CAL EXRGS 1 DBICYN EXAM ROOM   - A5075 Dispenser, Soap, Disposable 1 C Disposable scope dispenser. One-handed dispensing operation. Designed to accommodate disposable scope certridge and view.   - A5077 Dispenser, Hand Sanitizer, Hands-Free 1 the sentance of the sentance o			1							
PACT SPACE / 17 - PRIMARY CA EXRG8 1 0 B/GYN EXAM ROOM  A5075 Dispenser, Soap, Disposable 1 C Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap carriedge and valve.  A5077 Dispenser, Hand Sanitizer, Hands-Free 1 Dispenser, Glove, Surgical/Examination, Wall Mind 1 C Dispenser, Glove, Surgical/Examination, Wall Mind 2 Dispenser, Glove, Wall Mind 2 Dispenser, Mind Surgical Mind 2 Dispenser, Glove, Wall Mind 2 Dispenser, Mind Surgical Mind 2 Dispenser, Glove, Wall M	2 - PACT SPACE / 17 - PRIMARY CA	EXRG8	1	OB/GYN EXAM ROOM						
A5075 Dispenser, Soap, Disposable  A5077 Dispenser, Soap, Disposable  A5077 Dispenser, Hand Sanitizer, Hands-Free  Dispenser, Glove, Surgical/Examination, Wall Mind  A5107 Dispenser, Glove, Surgical/Examination, Wall Mind  A5108 Waste Disposal Unit, Sharps  A5108 Waste Disposal Unit, Sharps  THES TYPICLI INCLUDES. Cart, General Storage, Mobile, 42"H x  E0948 32"W x 22"D  Cart, General Storage, Mobile, 42"H x  E0948 Stool, Self Adjusting  C Drawer, 5"H (152mm)  Dispenser, Step-On  Stool, Self Adjusting  C C Supplementation on without able base.  Self adjusting stool. Consists of a Goren padded pholistered and with miner line and only postary to melling and with miner line and populated base. Seat helpit is a minimum of the product power or melling and m	2 - PACT SPACE / 17 - PRIMARY CA	EXRG8	1	OB/GYN EXAM ROOM						
A5075 Dispenser, Soap, Disposable 1 C Designed to accommodate disposable soap cartridge and valve.  A bouch free wall-mounted hand sanitizer disposable on the chude the sanitizer of promote facility. Unit does not include the sanitizer of promote point of the sanitizer of sanitizer of promote point of the sanitizer of promote point of the sanitizer of the sanitizer of promote point of promote point of the sanitizer of the sanitizer of promote point of promote point of the sanitizer of the sanitizer of the promote point of the sanitizer of the s										
A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the senting liquid this are bettery operated.  Dispenser, Glove, Surgical/Examination, Wall Mintd  Dispenser, Glove, Surgical/Examination, Wall Mintd  1 C C C C C C C C C C C C C C C C C C					A F C 7 5	Dianamas Par- Di	١.	_	Disposable soap dispenser. One-handed dispensing operation.	
A5077 Dispenser, Hand Sanitizer, Hands-Free  1 throughout a healthcare facility. Unit does not include the sanitizing liquid. Unsar are battery operated the sanitizing liquid. Unsar are battery operated of either cold rolled steel with wall bracket to facilitate or lower cold roll distated with wall bracket to facilitate mounting and demounting.  A5108 Waste Disposal Unit, Sharps  1 Cart, General Storage, Mobile, 42"H x  E0948 32"W x 22"D  Cart, General Storage, Mobile, 42"H x  E0948 Stool, Self Adjusting  1 Chair, Side With Arms  1 Cock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when improacted to install a fully system. Dated by setting the second contraction and control surface, easy to read numbers with sweep second hand. Wall mounted unit for use when improacted to install a fully system 2 setting to set the sentitive of the sentitive place for the sentitive place for the sentitive place for the senting liquid. Unser so business place for senting liquid. Unser senting liquid. Unsert senting liquid. Unser senting liquid. Unser senting liquid. Unser senting liquid. Incurred the senting liquid. In control under senting liquid. In control under senting li		<del>                                     </del>	<u> </u>		A5075	Dispenser, Soap, Disposable	1	C		<b>-</b>
Dispenser, Hand Sanitizer, Hands-Free  1										
Dispenser, Glove, Surgical/Examination, Wall Mntd  Dispenser, Glove, Surgical/Examination, Carlos defended with wall bracket to facilitate mounting and demounting.  Accordance of collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with booking rotor. Complies with OSHA regulations for handling sharps.  THIS TYPICAL INCLUDES: 1 Carl Body, Styles A Narrow, wiRaised Edge Top 1 Accessory Rail, Side 2 Drawers, 3" H (Formn) 4 Drawers, 5" H (Formn) 5 Dispenser, Styles of the Carlos of the of the Carlo		1	-		A5077	Dispenser, Hand Sanitizer, Hands-Free	1		the sanitizing liquid. Units are battery operated.	<u> </u>
A5107 Wall Mntd 1 C mounting and demounting.  A5108 Waste Disposal Unit, Sharps 1 C docordaming and transporting syringes and other abrays for decordaming and transporting syringes and other abrays for decordaming and adeposal. Available in 2 gallon and 8 gallon with obtaing rote. Compiles with OSHA and 8 gallon with obtaing rote. Compiles with OSHA pagilations for handling sharps.  THIS TYPICAL INCLUDES: 1 Cart, General Storage, Mobile, 42"H x ED948 32"W x 22"D 1 Coresson Rail, Side 2 Drawers, 3"H (Fizmin) 4 Drawers, 6"H (ISZmin) 5 Chair, Side With Arms 1 C minimum of 1". Available with or without seld base.  F0205 Chair, Side With Arms 1 C minimum of 1". Available with or without seld base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached rot rest for added comfort. Mounted on 5 seat with attached rot rest for added comfort. Mounted on 5 seat with attached for toxic storage during examinations.  F2010 Basket, Wastepaper, Step-On 1 C clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in stallar lately swynchronized dock system. Battery						Disponent Glave Surgice-I/F			of either cold rolled steel with a white baked enamel finish,	
A5108 Waste Disposal Unit, Sharps  1 Cequiations for handling sharps.  1 Cequiations for handling sharps.  1 Cequiations for handling sharps.  1 THIS TYPICAL INCLUDES: 1 Card, General Storage, Mobile, 42"H x E0948 32"W x 22"D 1 Cart, General Storage, Mobile, 42"H x E0948 32"W x 22"D 1 Cart, General Storage, Mobile, 42"H x E0948 32"W x 22"D 1 Cart, General Storage, Mobile, 42"H x E0948 32"W x 22"D 1 Cart, General Storage, Mobile, 42"H x E0948 32"W x 22"D 1 Cart, General Storage, Mobile, 42"H x E0948 32"W x 22"D 1 Cart, General Storage, Mobile, 42"H x E0948 32"W x 22"D 1 Cart, General Storage, Mobile, 42"H x E0948 32"W x 22"D 1 Cart, Side With Arms 2 Cart, Side With Arms 3 Cart, Side With Arms 4 Cart, Side With Arms 4 Cart, Side With Arms 5 Cart, Side With Arms 5 Cart, Side With Arms 5 Cart, Side With Arms 6 Cart, Side With Arms 7 Cart, Side With Arms 8 Cart, Side With Arms 8 Cart, Side With Arms 8 Cart, Side With Arms 9 Cart, Side With Arms 9 Cart, Side With Arms 9 Cart, Side With Cart, Side With Cart, Side With Arms 9 Cart, Side With Arms 9 Cart, Side With Cart, Side With Cart, Side With Arms 9 Cart, Side With Arms 9 Cart, Side With Cart, Side With Cart, Side With Arms 9 Cart, Side With Arms 9 Cart, Side With Arms 9 Cart, Side With Cart, Side With Cart, Side With Cart, Side With Arms 9 Cart, Side With		<u>L</u>	L		A5107		1	С		
A5108 Waste Disposal Unit, Sharps  1 Cregulations for handling sharps.  1 THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, wiRaised Edge Top 1 Accessory Rail, Side 2 Drawers, 3* H (Film) 4 Drawers, 6* H (152mm) 5 Drawer Organizer Bins  1 C Drawer Organizer Bins  1 C Drawer Organizer Bins  1 C Side With Arms  1 C Self Adjusting 5 Self adjusting stool. Consists of a foam padded upholstered seat with attached for test for added comfort. Mounted on swith attached for test for added comfort. Mounted on Self Self adjusting stool. Consists of a foam padded upholstered seat with attached for test for added comfort. Mounted on Self Self Adjusting Stool. Self Adjusting Stool. Consists of a foam padded upholstered seat with attached for test for added comfort. Mounted on Self Self Adjusting Stool. Consists of a foam padded upholstered seat with attached for the stor added comfort. Mounted on Self Self Adjusting Stool. Consists of a foam padded upholstered seat with attached for the stor added comfort. Mounted on Self Adjusting Stool. Self Adjusting Stool. Consists of a foam padded upholstered seat with attached for other size darked self provided seat with attached for other size darked seaters. Designed for other's use during examinations.  F2010 Basket, Wastepaper, Step-On 1 C calculated filip top.  Clock, 12" dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in install at ligh symborized dock system. Batery	<u> </u>								A container for collecting and transporting syringes and other	
THIS TYPICAL INCLUDES: 1 Card Body, StyleA Narrow, Whalsed Edge Top 1 Accessory Rall, Side 2 Drawers, 3* H (Film) 4 Drawers, 3* H (Film) 5 Drawer Organizer Bins 1 C Drawer Organizer Bins 1 Uphotstered side chair, 32* high X 21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without sled base.  Self adjusting stool. Consists of a foam padded uphotstered seat with attached foor test for added comfort. Mounted on swith attached foor test for added comfort. Mounted on Self-Body Basket, Wastepaper, Step-On 1 C activated filip top.  Clock, 12* dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in install at ligh symborized clock system. Batery					Δ5100	Wasta Disposal Unit Shama	4	_	and 8 gallon with locking rotor. Complies with OSHA	
Cart, General Storage, Mobile, 42"H x  E0948  Drawer, 6"H (F52mm)  Drawer Organizer Bins  Uphotstered side chair, 22"high X 21" wide X 23" deep with arms, padded seats and padded beds. Seat height is a minum of 17". Available with or without elde base.  Self adjusting stool. Consists of a foam padded uphotstered seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached fing top.  E2010  Basket, Wastepaper, Step-On  Clock, 12" dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in isstall at lay synchronized dock system. Battery		l			A3100	vvasie Disposal Utili, Stidfps			THIS TYPICAL INCLUDES:	
Cart, General Storage, Mobile, 42"H x E0948  2"W x 22"D  1 C  C Drawer, 5" H (76mm) Drawer Organizer Bins  Uphotstered side chair, 32" high x 21" wide X 23" deep with arms, padded seast and padded backs. Seat height is a minimum of 17". Available with or without sled base.  Self adjusting stool. Consists of a foam padded uphotstered seat with attached foor rest for added comfort. Mounted on Seat with attached foor test for added comfort. Wounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached foor test for added comfort. Mounted on Seat with attached flot top:  E2010 Basket, Wastepaper, Step-On  1 C Sept-on' wastepaper basket with inner liner and foot petal active flot of the seat with attached flot top.  Clock, 12" dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in stallar lately synchronized dock system. Battery									1 Cart Body, Style-A Narrow, w/Raised Edge Top	
E0948 32"W x 22"D 1 C Drawer Organizer Bins  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minum of 17". Available with or without seld base.  F0205 Chair, Side With Arms 1 C minum of 17". Available with or without seld base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached roor rest for added comfort. Mounted on seat with attached roor rest for added comfort. Mounted on Seat with attached roor rest for added comfort. Mounted on Seat with attached for doctor's use during examinations.  F2010 Basket, Wastepaper, Step-On 1 C cached fills top.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in isstall at ligh synchronized dock system. Battery						Cart, General Storage, Mobile. 42"H x			2 Drawers, 3" H (76mm)	
F0205 Chair, Side With Arms 1 C minimum of 17". Available with or without seld base.  Self adjusting stool. Consists of a foam padded backs. Seat height is a minimum of 17". Available with or without seld base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foor test for added comfort. Mounted on seat with attached for cotor's use during examinations.  F2010 Basket, Wastepaper, Step-On 1 C activated flip top.  Clock, 12" dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in istall at ligh symbronized dock system. Batery		ļ			E0948		1	С		<u> </u>
F0205 Chair, Side With Arms 1 C minimum of 17". Available with or without seld base.  Self adjusting stool. Consists of a foam padded backs. Seat height is a minimum of 17". Available with or without seld base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foor test for added comfort. Mounted on seat with attached for cotor's use during examinations.  F2010 Basket, Wastepaper, Step-On 1 C activated flip top.  Clock, 12" dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in istall at ligh symbronized dock system. Batery										
F0340 Stool, Self Adjusting 1 C swith attached foot rest for added comfort. Mounted on seat with attached foot rest for added comfort. Mounted on Stool, Self Adjusting 1 C swith attached foot rest for added comfort. Mounted on Stool Self Adjusting 2 C swith attached for doctor's use during examinations.  F2010 Basket, Wastepaper, Step-On 1 C activated filip top.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in install at light synchronized dock system. Batery					F0205	Chair, Side With Arms	1	С	arms, padded seats and padded backs. Seat height is a	
F0340 Stool, Self Adjusting 1 C swive caters. Designed for doctor's use during examinations.  F2010 Basket, Wastepaper, Step-On 1 C activated flip top.  Clock, 12" dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in install a fully synchronized down. Battery										
F2010 Basket, Wastepaper, Step-On 1 C activated flip top.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate in install a fully synchronized duri					F00.40	CATTLE CONTRACTOR	١.	_	seat with attached foot rest for added comfort. Mounted on	
F2010 Basket, Wastepaper, Step-On 1 C activated flip top.  Clock, 12" dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when limpracticate to install a fully synchronized durity shernor Battery		1	_						"Step-on" wastepaper basket with inner liner and foot petal	1
with sweep second hand. Wall mounted unit for use when impractical to install a full yes worknowing of Battery		1			F2010	Basket, Wastepaper, Step-On	1	С		-
impractical to install a fully synchronized clock system. Battery										
F3200 Clock, Battery, 12* Diameter 1 C operated, (batteries not included).	l					0			impractical to install a fully synchronized clock system. Battery	
		1	<u> </u>	I .	F3200	Clock, Battery, 12" Diameter	1	С	operated, (batteries not included).	1

Initials: \_\_\_\_\_ (Lessor) / \_\_\_\_\_ (Gov't) Page 7 of 25

				M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	С	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8
				M1802	Work Station, Computer, Retractable, Wall Mounted	1	С	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space in limited.
				M3073	Container, Biohazard Waste, Step-on, Fire Safe	1		A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe material.
					Sphygmomanometer, Aneroid, Wall			Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading.
				M4100	Mounted	1	С	Sturdy imp  Electronic sphygmomanometer. LCD displays non-invasive
				M4116	Monitor, Vital Signs	1	С	blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.  Wall mounted otoscope and ophthalmoscope. Includes 6 foot
				M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	С	line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
				M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	1		The exam light shall be a mobile floor unit. The light will be a halogen butb that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot
								Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable
				M8810	Stand, Mayo	1	С	13"x19"  Table, examination/treatment with cabinet. Cabinet type exam
				M9025	Table, Examination/Treatment, With Cabinet	1	С	table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for ge
1 - OUTPATIENT CLINIC / 2 - CANTE	EYFD1	1	OPTICAL SHOP					
				F0280	Chair, Swivel, Low Back	1	С	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
				F0305	Chair, Waiting Room, Single	2	С	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
				F3070	Case, Display	5	С	Display case. Equipped with glass doors, adjustable glass shelves, security locks and choice of either fabric or mirror backing.
1 - OUTPATIENT CLINIC / 22 - SPEC		1	EYE LANE					
1 - OUTPATIENT CLINIC / 22 - SPEC 1 - OUTPATIENT CLINIC / 22 - SPEC			EYE LANE EYE PRETEST					
1 - OUTPATIENT CLINIC / 22 - SPEC			EYE LANE					
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  THIS TYPICAL INCLUDES:
					Cart, Computer, Mobile, 36"H x 32"W x			1 Cart Body, Style-A Narrow, wRaised Edge Top 1 Filp-Up Shell 1 Sharps Container Holder 1 Sharps Container Holder 1 Chart Holder 2 Drawers, 3*H (76mm) 2 Drawers, 3*H (75mm)
				E0945	22"D	1	С	Drawer Organizer Bins  Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on
				F0340	Stool, Self Adjusting	1	С	swivel casters. Designed for doctor's use during examinations.  Clock, 12" diameter. Round surface, easy to read numbers
				F3200	Clock, Battery, 12" Diameter	1	С	with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	С	Desk top microprocessing computer. The unit shall consist of a central processing minit tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8
					Table, Instrument, Ophthalmic,			Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp,
				M5025	Adjustable	1	С	ophthalmometer, perimeter and screening instruments.  Sit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept
				M5530	Lamp, Slit, w/Applanation Tonometer	1	С	an appla  Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical
				M5535	Ophthalmoscope, Binocular, Indirect	1	С	lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to exam  Keratometer/ophthalmometer. Unit features a focusing
				M5545	Ophthalmometer/Keratometer	1	С	system, engraved focusing scale, positive fixation for rapid measurements, center and peripheral corneal measurements scale with a range from 300 to 60D. Unit is used for measuring corneal astigmatism
				M5562	Tester, Visual Acuity, Video/Microprocessor Based	1	С	Visual acuity tester using video (television monitor) and microprocessors technology. This equipment replaces the projector chart and projector in an eye examination lane. Wall bracing is required for mounting the unit directly to the wall without support.
				M5600	Unit, Exam, Eye, w/Motor Chair, Phoropter	1	С	Eye exam phoropter unit with motor operated chair. Unit consists of an adjustable chair, and phonopter unit for eye examination, mounted on a stand. Stand includes an additive tray with kerationeler arm and tray and a integral instrument tray. Unit is
				M5705	Gauge, Distance, Pupillary	11	С	Pupillary distance gauge. Unit is electronic and features comeal reflection, LCD display, 0.5mm measurement increments, and measure fixation PD distance to 30 cm from infinity. Unit runs on battery power and is designed to measure the distance between
	EYPR1	1	PROCEDURE ROOM, EYE					
1 - OUTPATIENT CLINIC / 22 - SPEC	-1 - 1 1 TV I							
1 - OUTPATIENT CLINIC / 22 - SPEC				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT CLINIC / 22 - SPEC				A5075	Dispenser, Soap, Disposable  Waste Disposal Unit, Sharps w/Glove	1	С	

2 - PACT SPACE / 17 - PRIMARY C/		HOUSEKEEPING AIDS CLOSET	M1801 M4915	Computer, Microprocessing, w/Flat Panel Monitor  Chair, Exam/Treatment, ENT, w/Adjustable Light	1	С	minimum characteristics: a 2.8 GHz Pentium processor, 512 MB emory; 8 BB memory; 8 BB ream/reatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light
			M1801	Panel Monitor  Chair, Exam/Treatment, ENT,	1	С	minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8  ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an
			M1801		1	С	minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8
			l	la		l	mouse and speakers. The system shall have the following
	<u> </u>		M0020	Hearing Aid Analyzer	1	С	hea  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard,
							Hearing aid analyzer. It includes a complete acoustic test system, comprised of a control unit, color monitor, and hearing aid test box. For use in automatically testing, calculating and printing all electrical and acoustical performance data of any
			F3200	Clock, Battery, 12" Diameter	1	С	Clock, 12 diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
			F2000	Basket, Wastepaper, Round, Metal	1	С	store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12' diameter. Round surface, easy to read numbers
							Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
			F0340	Stool, Self Adjusting	1	С	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
			F0280	Chair, Swivel, Low Back	1	С	beep will a live (a) caster swiver base, arins and toam pauced seat and back upholstered with either woven textile fabric or vinyl.
			F0210	Chair, Side, Without Arms	1	С	Opnostered side chair approximately 3.2 high X 19 wide X 23 deep with floor glides. Seat is non-tilting and without arms.  Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded
			E1500	Rail, MOD, W/MNTD, HX144XD	1	F	Wall mounted rail used for hanging (mounting) lockers, shelves drawers on a wall.  Upholstered side chair approximately 32" high X 19" wide X 23"
			E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	2	С	1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3*H (76mm) 3 Drawers, 5*H (152mm) 2 Drawers, 9*H (122mm) 1 Tray/Shell Diobder Drawer Organizer Bins Consider the need for an E0921 to transport the locke
			E0123	Workstation, Straight, Free Standing, 72" W	1	С	vertical hanging strips instead of panels. THIS TYPICAL INCLUDES  THIS TYPICAL INCLUDES:  1 Wall Mounted Rail
			A5106	Waste Disposal Unit, Sharps w/Glove Dispenser  Workstation, Straight, Free Standing, 72°	1	С	a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secu This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with
			A5077	Dispenser, Hand Sanitizer, Hands-Free	1		The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house
			A5075	Dispenser, Soap, Disposable	1	С	Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include
1 - OUTPATIENT CLINIC / 23 - SPEC	HAPK1	TELEBEALIB	A5075	Diagonary Cost Birther			Disposable soap dispenser. One-handed dispensing operation.
1 - OUTPATIENT CLINIC / 23 - SPEC		HEARING AID FITTING ROOM TELEHEALTH					
			M5600	Unit, Exam, Eye, w/Motor Chair, Phoropter	1	С	consists of an adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is
			M5530	Lamp, Slit, w/Applanation Tonometer	1	С	manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an appla Eye exam phoropter unit with motor operated chair. Unit
			M5025	Adjustable	1	С	ophthalmometer, perimeter and screening instruments.  Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and
				Table, Instrument, Ophthalmic,			Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp,
			M3175	Electrosurgical Unit, Dual Output	1	С	Dual output electrosurgical unit. Solid state power source with foot switch jacks, monopolar and bipolar outputs, and four independent modes of operation. Used in the operating room or surgicenter as an alternative to the scalpel for cutting tissue.
			M3072	Frame, Infectious Waste Bag w/Lid	1	С	tubular stamless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on hall bearing casters and includes permanently mounted hinged lid. Provides means
			F3200	Clock, Battery, 12" Diameter	1	С	impractical to install a fully synchronized clock system. Battery operated, (batteries not included). Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform.
			F2000	Basket, Wastepaper, Round, Metal	1	С	administrative areas and nursing stations.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when
				,			Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
			F0340	Stool, Self Adjusting	1	С	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
			F0205	Chair, Side With Arms	1	С	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
			E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	С	1 Cart Body, Style-A Narrow, wrkaised Edge 1 pp 1 Accessory Rail, Side 2 Drawers, 6" H (76mm) 4 Drawers, 6" H (152mm) Drawer Organizer Bins
			E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	1	С	Consider the need for an E0921 to transport the locker from place to place.  THIS TYPICAL INCLUDES:  1 Cart Body, Style-A Narrow, w/Raised Edge Top
							1 Supply Locker 1 Drawer, 9'H (229mm) 4 Tray/Shelves Drawer Organizers
							THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Supply Locker

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 9 of 25

2 - PACT SPACE / 4 - ENVIRONMEN	JANC1	1	HOUSEKEEPING AIDS CLOSET					
2 - PACT SPACE / 4 - ENVIRONMEN 2 - PACT SPACE / 4 - ENVIRONMEN	JANC1	1	HOUSEKEEPING AIDS CLOSET HOUSEKEEPING AIDS CLOSET					
2 - PACT SPACE / 4 - ENVIRONMEN		1	HOUSEKEEPING AIDS CLOSET					
				F0500	Cart, Janitor's	1	С	Janitors cart, 38" high X 66" wide X 20" deep with 25 gallon heavy duty collection bag. Accommodations for locking vault and janitorial support items (broom, dust pan, chemicals, mop and mop bucket; not included).
						·		Wet/dry vacuum cleaner with HEPA filtration. Unit consists of a minimum 10 gallion capacity corrosion resistant waste tank, two stage vacuum motor and dual filtering system mounted on casters. Vacuum is designed for use in patient care areas and
				M2600	Vacuum, Wet/Dry, HEPA Filtration  Scrubber, Floor, Automatic,	1	С	operatin Automatic rechargeable floor scrubber. Unit has a heavy gauge rust resistant metal frame, rust resistant or rust proof solution/recovery tanks, a heavy duty plastic or metal cover and 200 RPM offset brushes for close-to-wall cleaning. The
O DACT CRACE (4 LORDY / DECK	1.004		LACTATION DATIFIES	M2650	Rechargeable	1	С	brush drive m
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 4 - ENVIRONMEN	LAC01		LACTATION, PATIENT LACTATION, STAFF					
								Disposable soap dispenser. One-handed dispensing operation.
				A5075	Dispenser, Soap, Disposable	1		Designed to accommodate disposable soap cartridge and valve.  A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA
				A5108	Waste Disposal Unit, Sharps	1	С	regulations for handling sharps.  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a
				F0205	Chair, Side With Arms	1	С	minimum of 17". Available with or without sled base.  Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or
				F0740	Table, Occasional, Lamp	1	С	high pressure laminate).
				F2000	Basket, Wastepaper, Round, Metal	1	С	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
				F3200	Clock, Battery, 12" Diameter	1	С	Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT CLINIC / 10 - PATH	1.0004		LAB: PROCESSING					
1 - OUTPATIENT CLINIC / 10 - PATH	LBSS1		LAB: PRUCESSING	A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
				A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	c	The samitizing includ. Office are bettery operation.  Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
				F0280	Chair, Swivel, Low Back	2	С	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or whol
				1 0200	Gran, Gritor, Low Back	2	U	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
				F2000	Basket, Wastepaper, Round, Metal	1	С	administrative areas and nursing stations.  Small table centrifuge. Characteristics/components include a speed range up to 3200 RPM, steel guard bowl, electric motor, speed controlled by a dial rheostat, a six place trunnion head to
				L1350	Centrifuge, Table, Small, 3200 RPM, 6 Place	2	С	accommodate 15 ml tubes contained in metal shields with rubber cu  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard,
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	2	С	mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8  Label printer for use in pharmacy applications. The printer
				M1830	Printer, Label, Pharmacy	1	С	shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
				R7250	Refrigerator/Freezer, 20 Cubic Feet	1	С	Refrigerator/freezer unit. This type unit includes a food saver system that helps keep food fresher. It also includes roll out wheels and is equipped for an optional automatic icemaker. This unit is of commercial or residential design and use.
1 - OUTPATIENT CLINIC / 10 - PATH	LBVP1	1	LAB: BLOOD SPECIMEN COLLECTION ROO	M				
1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH	LBVP1	1	LAB: BLOOD SPECIMEN COLLECTION ROO LAB: BLOOD SPECIMEN COLLECTION ROO	M				
1 - OUTPATIENT CLINIC / 10 - PATH	LBVP1	1	LAB: BLOOD SPECIMEN COLLECTION ROO	M				
1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH	LBVP1	1	LAB: BLOOD SPECIMEN COLLECTION ROO LAB: BLOOD SPECIMEN COLLECTION ROO					
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation.  Designed to accommodate disposable soap cartridge and valve.
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
				AE406	Waste Disposal Unit, Sharps w/Glove		С	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall.
				A5106	Dispenser	1		It shall have a glove dispenser attached. The unit shall be secu  Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
				F2000	Basket, Wastepaper, Round, Metal	1	С	administrative areas and nursing stations.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when
				F3200	Clock, Battery, 12" Diameter	1	С	impractical to install a fully synchronized clock system. Battery operated, (batteries not included).  Laboratory blood drawing chair with storage. Chair has built-in
				M1410	Chair, Laboratory, Blood Drawing, w/Storage	1	С	storage cabinet(s) and locking arm assembly that may be positioned on either side of the fiberglass chair.
2 - PACT SPACE / 16 - PRIMARY CA 2 - PACT SPACE / 16 - PRIMARY CA	LCCL1		CLEAN LINEN CLEAN LINEN					
								A touch free wall-mounted hand sanitizer dispenser. For use
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 10 of 25

Septiment   Company   Co										
CONTINUED CARRY					M2070	Shelving, Storage, 77hx36wx18d	4	С	Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also	
1. OUTCASE A CAMPAC (AME)  1. OUTCASE AND COME (										
AND										
1000   1000	17-SGIPATIENT GENUC/ 42-ENVINC	LKOUT		ECONER ROOM, STATT	A1040		8	С	by side compartments for hanging clothes and over/under compartments for hats, etc. Used for personal belongings storage.	
ASSET   Security   ASSET   Security   Asset					A5025	Bench, Locker Room, Portable	1	С	Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum Units are mounted on strong pedestals.	
Column					A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.	
A0000   A00000   A00000   A00000   A00000   A00000   A00000   A00000   A0000					F2000	Basket, Wastepaper, Round, Metal	1	С	diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,	
ALCOVERING   1   ALCO	2 - PACT SPACE / 4 - ENVIRONMEN	LR002	1	LOCKER ROOM, STAFF						
ASSOCIATION PROMETED IN ACCOUNT NO. DEPOSIT NO. DEPOSI					A1040		23	С	by side compartments for hanging clothes and over/under compartments for hats, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick.	
2. PACE 996CE 14. PRINAVE CA RECORD 1. A COVER MED  Martin District Fig. 9960AV CA RECORD 1. A COVER M	2 - PACT SPACE / 16 - PRIMARY CA	MEDP1	1	ALCOVE. MED	A5025	Bench, Locker Room, Portable	1	С	sealer or anodized aluminum Units are mounted on strong	
Desiration System, Medication, Automatic  T. DUITPATIENT CLINIC 133 - ACQU. MIRGS:  1. AAD. STORAGE, MEDICAL, AND GENERAL  NODIS  Sondry, Storage, Palet  Desiration, Committee of medical control of modes well-and control of mo	2 - PACT SPACE / 16 - PRIMARY CA	MEDP1	1	ALCOVE, MED						
Destination System, Microardon,   Secretary Council For System,   Secretary Council	2 - PACT SPACE / 16 - PRIMARY CA	MEDP1	1	ALCOVE, MED						
NOOSE SPENING Storage. Palet    NOOSE   Spening Storage. Palet   NOOSE   Spening Storage. Palet   NOOSE   Spening Storage. Palet   NOOSE   Spening Storage. Palet   NOOSE   Spening Storage. Palet   NOOSE   Spening Storage. Week close   2   0   0   0   0   0   0   0   0   0					M3150		1	С	dispensing, inventory and security. Size and cost will vary	
ACTORS SOMEWAY, Storage, Palest    Major Committed and state and place being growing in statement and place being growing in statement and place being growing in statement and place being growing in the statement and place being growing and growing in the statement and place being growing and growing in the statement and place being growing and growing and growing in the statement and place being growing and growin	1 - OUTPATIENT CLINIC / 13 - ACQU	MMGS1	1	A&D: STORAGE, MEDICAL AND GENERAL						
MODIO   Shahara, Storage, Warehouse   7					M2085	Shelving, Storage, Pallet	6	С	duty construction and has channel type bracing in between columns, heavy duty foot plate with 3-point security. The size will be determined by weight load. It is designed for easy forklift	
M2130 Truck, Hydraulo Lift, Electric  M2130 Truck, Hydraulo Lift, Electric  M2130 Truck, Hydraulo Lift, Electric  M2130 RCC  MMRPH  M2130 Truck, Hydraulo Lift, Electric  M2131 AGO, RCCEVING AND ISSUE AREA  M2132 Shelving, Storage, Wise, CRS, while distance in the company of t					M2090	Shelving, Storage, Warehouse	2	С		
ASOTO  Dependent, Sold, Despote and Committed					M2130	Truck, Hydraulic Lift, Electric	1	С	and 12 V battery. For use within enclosed warehouse spaces.  Adjustable 25" (approx) long forks. Complete with 10 amp charger. Counterweight must be used to help prevent tipping.	
ASOTO  Dependent, Sold, Despote and Committed	1 - OUTPATIENT CLINIC / 13 - ACOU	MMRP1	1	CIRC						
Shehing, Storage, Wire, CRS, windquatable Shedwes  MD095 Shehing, Storage, Pales  2										
MODRE Shelving, Storage, Pallet 2  2 - PACT SPACE /24 - SPECIAL TY C NYPR1 1  POCIATRY - PROCEDURE ROOM  Rail, Accessory Mounting, Langth As Regulard 1  A1132 Regulard 1  A5106 Dispenser, Sosp, Disposable 1  Dispenser, Sosp, Disposable 1  A5077 Dispenser, Sosp, Disposable 1  Dispenser, Glove, Surgicult-Examination 1  A5107 About the sew discontine bad sealine dispenser, For use through an about twist.  A5107 About the sew discontine bad sealine dispenser, For use through a sew disks.  A5107 Dispenser, Glove, Surgicult-Examination 1  A5108 Waste Disposal Urel, Sharps 1  Locker, Supply, Medication, Wall Mild, 2014 Sharps 1  Locker, Supply, Medication, Wall Mild, 2014 Sharps 2014 Sharps 2014 Sharps 1  Locker, Supply, Medication, Wall Mild, 2014 Sharps 1  E0948 297W x 2070 Dispenser, Storage, Mobile, 42"H x 2014 Sharps 2014 Sh					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	3	С	shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74*H x 1	
Rail, Accessory Mounting, Length As Rail, Accessory Mounting, Length As Rail, Accessory Mounting, Length As Rapated  A1000  A5076  Disperser, Soap, Disposable  1  C  Disperser, Soap, Disposable  1  C  Disperser, Fland Sanitizer, Hands-Free  1  Disperser, Glöve, Surgical/Examination, Wall Mind  A5107  Disperser, Glöve, Surgical/Examination, Wall Mind  A5108  Waste Disposal Unit, Sharps  1  Cart, General Storage, Mobile, 42*H x  SZYW x ZYD  Chair, Side With Arms  1  Cart, General Storage, Mobile, 42*H x  SZW x ZYD  Sood, Self Adjusting  1  Cart, General Storage, Mobile, 42*H x  SZW x ZYD  Baket, Wastepaper, Round, Metal  1  Covered assessment of paper ratios in politics of paper ratios in politics of pager and in mind to rest for all concepting a mind many factor of the pater and the mind and the pater and the					M2085	Shelving, Storage, Pallet	2	С	duty construction and has channel type bracing in between columns, heavy duty foot plate with 3-point security. The size will be determined by weight load. It is designed for easy	
Rail, Accessory Mounting, Length As A1322 Required 1 C model of supporting up to 75 pounds and, but supporting important and mounting of supporting important and mounting of supporting important and mounting supporting important and mounting supporting important and mounting supporting important and mounting supporting important and important supporting important supporting important and important	2 - PACT SPACE / 24 - SPECIALTY C	NYPR1	1	PODIATRY - PROCEDURE ROOM						
A5075 Dispenser, Soap, Disposable 1 Cosigned to accommodate disposate soap carridge and valve.  A5077 Dispenser, Hand Sanitizer, Hands-Free 1 Dispenser, Glove, Surgical-Examination, Wall Mind Dispenser, Glove, Surgical-Examination, Wall Mind A5107 Waste Disposal Unit, Sharps 1 Consistent of entire color discussion and transport of cell based craimed finish, place or anytic. Provided with wall bracks to facilitate entoring, and transporting syringes and other entoring and transporting syringes and other entoring and transporting syringes and other entoring and demonstring.  A5108 Waste Disposal Unit, Sharps 1 Consistent for the color of a global demonstring.  A5108 Waste Disposal Unit, Sharps 1 Consistent for the following of a global demonstring.  A5108 Waste Disposal Unit, Sharps 1 Consistent for the following and transporting syringes and other entoring and transporting syringes and other and a long and transporting syringes						Rail, Accessory Mounting, Length As Required	1	С	capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools. The rail must be capable of supporting	
A5077 Dispenser, Hands Sanitizer, Hands-Free 1					A5075	Dispenser, Soap, Disposable	1	С	Designed to accommodate disposable soap cartridge and valve.	
Disperser, Glove, Surgical/Examination, Wall Mind  Disperser, Glove, Surgical/Examination, Wall Mind  A5108 Waste Disposal Unit, Sharps  1 Cansiner for Collecting and demounting, Compile with Collecting and demounting and demounting and demounting and demounting and demounting.  A5108 Waste Disposal Unit, Sharps  1 Cansiner for Collecting and transporting syringies and other sharps for decontamination and disposal. Availables in 2 gallon and 5 gallon with Coding tract. Compiles with CRIA.  THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locker Supply, Medication, Wall Mid, 2 Drawers, SH (152mm) 3 Drawers, SH (152mm) 3 Drawers, SH (152mm) 5 Drawers, SH (152mm) 1 Consider the medic for the control of the co					A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. Examination glove dispenser box for wall mounting. Fabricated	
A5108 Waste Disposal Unit, Sharps  1 C equilations for handing sharps.  THIS TYPICAL INCLUDES: 1 Valid Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Locker Framer wi.coked Lid, 6"H (152mm) 5 Drawers, 3H (76mm) 3 Drawers, 6"H (152mm) 1 Tray/Shelves Divider 2 Tray/Shelves Divider 1 C Consider the most offer 2 Tray/Shelves Divider 2 Tray/Shelves Divider 3 Drawers, 3H (152mm) 5 Drawers, 3H (152mm) 6 Drawers (154 Fightm) 1 Tray/Shelves Divider 2 Tray/Shelves Divider 2 Tray/Shelves Divider 2 Tray/Shelves Divider 2 Tray/Shelves Divider 3 Drawers, 3H (162mm) 4 Drawers, 3"H (76mm) 4 Drawers, 3"H (76mm) 5 Drawers, 3"H (76mm) 6 Drawers, 3"H (76mm) 7 Drawers, 3"H (76mm) 8 Drawers, 3"H (76mm) 9 Drawers, 3"H (76mm) 1 Drawers, 3"H (76mm) 2 Drawers, 3"H (76mm) 2 Drawers, 3"H (76mm) 3 Drawers, 3"H (76mm) 4 Drawers, 3"H (76mm) 5 Drawers, 3"H (76mm) 6 Drawers, 3"H (76mm) 7 Drawers, 3"H (76mm) 8 Drawers, 3"H (76mm) 9 Dr					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1		plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  A container for collecting and transporting syringes and other	
1 Wall Mounted Rail   1 Locked Storage Container   2 Tray/Shelves   1 Locker Drawer Wulcked Lid, 6°H (152mm)   5 Drawers, 6°H (152mm)   3 Drawers, 6°H (152mm)   2 Tray/Shelves Divider Drawer Organizer Bins   2 Drawers, 0°H (152mm)   2 Drawers, 0°H (175mm)   2 Drawer Organizer Bins   2 Drawer					A5108	Waste Disposal Unit, Sharps	1	С	and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.  THIS TYPICAL INCLUDES:	
E0915 23"W x 20"D 1 C Consider the need for  ### THIS TYPICAL INCLUDES: 1 Cart Body, Style A Narrow, w/Raised Edge Top 1 Accessory Rail, Side 2 Drawers, 3" H ("Form) 4 Drawers, 3" H ("Form) 5 Drawers, 3" H ("Form) 6 Drawers, 3" H ("Form) 7 Drawers, 3" H ("Form) 8 Drawers, 3" H ("Form) 9 Drawers, 5" H ("Form) 9 Drawer						Locker, Supply, Medication. Wall Mtd.			1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Locker Drawer w/Locked Lid, 6"H (152mm) 5 Drawers, 3"H (76mm) 3 Drawers, 6"H (152mm) 2 Tray/Shelves Divider	
Cart, General Storage, Mobile, 42"H x E0948  2"W x 22"D  1 C  Uphotstered side chair, 32" high x 21" wide x 23" deep with arms, padded seases and padded backs. Seat height is a minimum of 17". Available with or without side base.  F0205  Chair, Side With Arms  1 C  minimum of 17". Available with or without side base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foor tres for added comfort. Mounted on seat with attached foor tres for added comfort. Mounted on committee on the seat with attached foor tres for added comfort. Mounted on Seat with attached foor tres for added comfort. Mounted on Seat with attached foor tres for added comfort. Mounted on Seat with attached foor tres for added comfort. Mounted on Seat with attached foor tres for added comfort. Mounted committee on Seat with attached foor tres for added comfort. Mounted committee on Seat with attached foor tres for added comfort. Mounted committee on Seat with attached foor tres for added comfort. Mounted committee on Seat with attached foor tres for added comfort. Mounted committee on Seat with attached foor tres for added comfort. Mounted committee on Seat with attached foor tres for added comfort. Mounted committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for added committee on Seat with attached foor tres for					E0915		1	С	Consider the need for THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top	
F2005 Chair, Side With Arms 1 cmm, padded seats and padded backs. Seat height is a minimum of 17°. Available with or without steled base.  Self adjusting stool. Consists of a foam padded upholstered seat with attached foor rest for added comfort. Mounted on sew with attached foor rest for added comfort. Mounted on sew with attached foor rest for added comfort. Mounted on sew with attached foor rest for added comfort. Mounted on sew during examinations.  Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  F2000 Basket, Wastepaper, Round, Metal 1 C administrative areas and nursing stations.  Wall mounted magazine roak with nine (9) magazine holding					E0948		1	С	2 Drawers, 3" H (76mm) 4 Drawers, 6" H (152mm) Drawer Organizer Bins	
F0340 Stool, Self Adjusting 1 c seat with attached foor test for added comfort. Mounted on switch attached foot rest for added comfort. Mounted on Switch attached foot rest for added comfort. Mounted on Switch attached foot self-seaters. Designed for doctor's use during examinations.  Round wastepaper basket, approximately 18* high X 16* diameter. This metal unit is used to collect and temporarily store anal quantities of paper refuse in patient rooms,  F2000 Basket, Wastepaper, Round, Metal 1 C administrative areas and nursing statentors.  Wall mounted magazine rook with rine (9) magazine holding					F0205	Chair, Side With Arms	1	С	arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.	
diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,  F2000 Basket, Wastepaper, Round, Metal 1 C administrative areas and rursing stations.  Wall mounted magazine rack with nine (9) magazine holding					F0340	Stool, Self Adjusting	1	С	seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.	
F2300 Rack, Magazine, Wall Mounted 1 C Wall mounted magazine rack with nine (9) magazine holding compartments.					F2000	Basket, Wastepaper, Round, Metal	1	С	diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
					F2300	Rack, Magazine, Wall Mounted	1	С		

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 11 of 25

				F3200	Clock, Battery, 12" Diameter	1	С	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	
				M1801	Computer, Microprocessing, w/Flat Panel Monitor		C	Operation, Descriptors or inducedy,  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8	
				M1802	Work Station, Computer, Retractable, Wall Mounted	1	С	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space in limited.	
								Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25' hamper bags. Mounted on ball bearing	
				M3070	Hamper, Linen, Mobile, w/Lid	1	С	casters. For linen transport in hospitals and clinics.  A biohazard waste container with a step-on lid. The container	
				M3073	Container, Biohazard Waste, Step-on, Fire Safe	1		will have a capacity of approximately 12 gallons and be made of a fire safe material.  Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It	
				M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	С	has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy imp	
				M4116	Monitor, Vital Signs	1	С	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.	
					Otoscope/Ophthalmoscope, Wall			Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam	
				M4200	Mounted	1	С	rooms. Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive	
				M4255	Stand, IV, Adjustable	1	С	rubber, ball bearing, swivel casters. Stand is used for administering intra  Mobile stretcher. All corrosion resistant stainless steel	
				M4655	Stretcher, Mobile, CRS, 9 Position	1	С	construction. It consists of a tubular frame with side rails, a 9- position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for	
				MZ4C	Light, Exam, Mobile, Spotlight, Mobile			The exam light shall be a mobile floor unit. The light will be a halogen bulb that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a	
				M7401	Stand	1		minimum of 750 foot  Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart	
				M7710	Electrocardiograph, 12 Lead, Portable	1	С	function. Capable of recording two or more leads simultaneously, r Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with	
				M8810	Stand, Mayo	1	С	two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19"	
1 - OUTPATIENT CLINIC / 15 - PRIMA			FLEX OFFICE-2						
1 - OUTPATIENT CLINIC / 15 - PRIMA 1 - OUTPATIENT CLINIC / 15 - PRIMA			FLEX OFFICE-1 FLEX OFFICE-2						
1 - OUTPATIENT CLINIC / 15 - PRIMA			FLEX OFFICE-1						
1 - OUTPATIENT CLINIC / 15 - PRIM/ 1 - OUTPATIENT CLINIC / 6 - CLINIC			FLEX OFFICE-1 RN MANAGER OFFICE						
2 - PACT SPACE / 15 - PRIMARY CA	OFA01	1	FLEX OFFICE-1						
2 - PACT SPACE / 15 - PRIMARY CA			FLEX OFFICE-1						
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA			FLEX OFFICE-1 FLEX OFFICE-2						
			FLEX OFFICE-2	+					
			FLEX OFFICE-2						
2 - PACT SPACE / 15 - PRIMARY CA	OFA01	1	FLEX OFFICE-2						
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01								
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1	RN MANAGER OFFICE						
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1			A L D C WOLF			This JSN is to be used for determining and defining location of	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1		A6046	Artwork, Decorative, With Frame	1	С	decorative artwork. THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1		A6046	Artwork, Decorative, With Frame  Worksurface, w/Overhead Cab, Wall  Mtd, 48" W	1	С	decorative artwork. THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Sheff, Storage/Display 1 Light 1 Cartiflevered Work Surface	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1			Worksurface, w/Overhead Cab, Wall	1 1 5		decorative artwork. THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Sheff, Storage Display 1 Light 1 Light 1 Light 1 Light 1 Light Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tillting and without arms.	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1		E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W		С	decorative artwork. THIST TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Filipper Unit 1 Shelf, Storage Display 1 Light 2 Ligh	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1		E0210 F0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms	5	_ C	decorative artwork. THIST TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface Uphotstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms. Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and earlar floam	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1		E0210 F0210	Worksurface, w/Overhead Cab, Wall Mtd, 48' W Chair, Side, Without Arms Chair, Swivel, High Back	5	С	decorative artwork. THIST TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Locksible Fligher Unit 1 Shell, Storage/Display 1 Light 1 Cantillevered Work Surface Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms. Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floo glides. Seat is non-tilling and without arms. Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flor (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and uphotstered with either woven textle facility or viryl. Dining table. Round 42° diameter or square 42° X 42°. Used in dining facilities and can comfortably seat up to four (4)	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1		F0210  F0210  F0275  F0795	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal	5	C C C	decorative artwork.  THIST TYPICAL INCLUIDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with flore (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and uphotstered with either woven texible labric or winyl.  Dining table. Round 42" dameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.  Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized clock system. Battery	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL	OFA01 OFA01 OFA01	1		F0210 F0210 F0275 F0795	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter	5	с с	decorative artwork.  THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary sewied chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary sewied chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary sewied chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary sewied chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and with glides and and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrue in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when	
2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 6 - CLINIC ADMIN	OFA01 OFA01 OFA01 OFA01 OFA01	1	RN MANAGER OFFICE	F0210  F0210  F0275  F0795	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal	5	C C C	decorative artwork.  THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary sewied chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary sewied chair, 41° high X 23° wide X 23° deep with flive (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 6 - CLINIC ADMIN  Market / 6 - CLINIC ADMIN  1 - OUTPATIENT CLINIC / 28 - PROS	OFA01 OFA01 OFA01 OFA01 OFA01 OFA01 OFA01	1	OFFICE, PROSTHETIC REPRESENTATIVE	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dining facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retires in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing omputer. The unit shall consist of a central processing mint lover, if a panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristies: a 2.8 OFE Pernitium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 6 - CLINIC ADMIN  1 - OUTPATIENT CLINIC / 28 - PROS 1 - OUTPATIENT CLINIC / 7 - IMAGIN	OFA02 OFA02 OFA02 OFA02	1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE WORK ROOM / OFFICE	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dining facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retires in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing omputer. The unit shall consist of a central processing mint lover, if a panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristies: a 2.8 OFE Pernitium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 6 - CLINIC ADMIN  Market / 6 - CLINIC ADMIN  1 - OUTPATIENT CLINIC / 28 - PROS	OFA02 OFA02 OFA02 OFA02 OFA02 OFA02	1 1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilting and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dining facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retires in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing omputer. The unit shall consist of a central processing mint lover, if a panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristies: a 2.8 OFE Pernitium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 6 - CLINIC ADMIN  1 - OUTPATIENT CLINIC / 28 - PROS 1 - OUTPATIENT CLINIC / 1- IMAGIN	OFA01 OFA01 OFA01 OFA01 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02	1 1 1 1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE WORK ROOM / UFFICE	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAI 2 - PACT SPACE / 19 - BEHAVIORAI 2 - PACT SPACE / 6 - CLINIC ADMIN  1 - OUTPATIENT CLINIC / 28 - PRO 1 - OUTPATIENT CLINIC / 7 - IMAGIN 2 - PACT SPACE / 12 - VOLUNTARY 3 - PACT SPACE / 12 - VOLUNTARY 4 - VOLUNTARY 4 - VOLUNTARY 4 - VOLUNTARY 5 - VOLU	OFA01 OFA01 OFA01 OFA01 OFA01 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA07	1 1 1 1 1 1 1 1 1 1	OFFICE PROSTHETIC REPRESENTATIVE WORK ROOM / OFFICE WORK ROOM / OFFICE WORK ROOM / OFFICE VSO ADMINISTRATIVE OFFICE VSO	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 6 - CLINIC ADMIN  1 - OUTPATIENT CLINIC / 28 - PRO 1 - OUTPATIENT CLINIC / 7 - IMAGIN 2 - PACT SPACE / 1 - LOBBY / RAGE 2 - PACT SPACE / 12 - VOLUNTARY 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 2 - PACT SPACE / 14 - VATIENT ADM 3 - VATIENT ADM 3 - VATIENT ADM 4 - VATIENT ADM 5 - VATIEN	OFA01 OFA01 OFA01 OFA01 OFA01 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA07	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE WORK ROOM VIEWING ADMINISTRATIVE OFFICE VSO VSO VSO VSO	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	
2 - PACT SPACE / 13 - PRIMARY CA 2 - PACT SPACE / 13 - BEHAVIORAL 2 - PACT SPACE / 6 - CLINIC ADMIN 2 - PACT SPACE / 6 - CLINIC ADMIN 4 - OUTPATIENT CLINIC / 28 - PROS 5 - OUTPATIENT CLINIC / 7 - IMAGIN 1 - OUTPATIENT CLINIC / 7 - IMAGIN 2 - PACT SPACE / 12 - VOLUNTARY 2 - PACT SPACE / 15 - PRIENT AD 3 - PACT SPACE / 15 - PRIENT AD 4 - PACT SPACE / 15 - PRIENT AD 5 - PACT SPACE /	OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02 OFA02	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE WORK ROOM / OFFICE WORK ROOM / OFFICE WORK ROOM / UEWING ADMINISTRATIVE OFFICE VSO VSO PATIENT ADVOCATE TEAMLET WORKROOM	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 6 - CLINIC ADMIN 2 - PACT SPACE / 6 - CLINIC ADMIN 4 - PACT SPACE / 6 - CLINIC ADMIN 5 - PACT SPACE / 6 - CLINIC ADMIN 6 - PACT SPACE / 10 - PACT SPACE / 12 - VOLUNTARY 2 - PACT SPACE / 12 - VOLUNTARY 2 - PACT SPACE / 13 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 3 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRI	OFA01 OFA01 OFA01 OFA01 OFA01 OFA02	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE WORK ROOM / JOFFICE WORK ROOM / JOFFICE WORK ROOM / JOFFICE VSO PATIENT ADVOCATE TEAMLET WORKROOM TEAMLET WORKROOM	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 16 - CLINIC ADMIN 2 - PACT SPACE / 16 - CLINIC ADMIN 4 - PACT SPACE / 16 - CLINIC ADMIN 5 - PACT SPACE / 16 - CLINIC ADMIN 6 - PACT SPACE / 16 - PACT SPACE / 17 - VOLUNTARY 7 - PACT SPACE / 12 - VOLUNTARY 7 - PACT SPACE / 15 - PRIMARY CA 8 - PACT SPACE / 15 - PRIMARY CA 8 - PACT	OFA01 OFA01 OFA01 OFA01 OFA01 OFA02	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE WORK ROOM / OFFICE WORK ROOM / OFFICE WORK ROOM / UEWING ADMINISTRATIVE OFFICE VSO VSO PATIENT ADVOCATE TEAMLET WORKROOM TEAMLET WORKROOM TEAMLET WORKROOM	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 6 - CLINIC ADMIN 2 - PACT SPACE / 6 - CLINIC ADMIN 3 - PACT SPACE / 6 - CLINIC ADMIN 4 - OUTPATIENT CLINIC / 28 - PACT 5 - OUTPATIENT CLINIC / 7 - IMAGIN 1 - OUTPATIENT CLINIC / 7 - IMAGIN 1 - OUTPATIENT CLINIC / 7 - IMAGIN 2 - PACT SPACE / 12 - VOLUNTARY 2 - PACT SPACE / 13 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 3 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PR	OFA01 OFA01 OFA01 OFA01 OFA01 OFA02	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OFFICE_PROSTHETIC REPRESENTATIVE WORK ROOM / OFFICE WORK ROOM / OFFICE WORK ROOM / OFFICE VSO PATIENT ADVOCATE TEAMLET WORKROOM TEAMLET WORKROOM TEAMLET WORKROOM TEAMLET WORKROOM TEAMLET WORKROOM	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAI 2 - PACT SPACE / 6 - CLINIC ADMIN 2 - PACT SPACE / 6 - CLINIC ADMIN 3 - PACT SPACE / 6 - CLINIC ADMIN 4 - OUTPATIENT CLINIC / 28 - PROS 5 - OUTPATIENT CLINIC / 7 - IMAGIN 5 - OUTPATIENT CLINIC / 7 - IMAGIN 6 - OUTPATIENT CLINIC / 7 - IMAGIN 7 - OUTPATIENT CLINIC / 7 - IMAGIN 8 - PACT SPACE / 12 - VOLUNTARY 9 - PACT SPACE / 14 - PATIENT AD 9 - PACT SPACE / 15 - PRIMARY CA 9 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 3 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 -	OFA01 OFA01 OFA01 OFA01 OFA01 OFA02	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE WORK ROOM / OFFICE WORK ROOM / OFFICE WORK ROOM / OFFICE VSO VSO PATIENT ADVOCATE TEAMLET WORKROOM	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 19 - BEHAVIORAL 2 - PACT SPACE / 16 - CLINIC ADMIN  1 - OUTPATIENT CLINIC / 28 - PRO 1 - OUTPATIENT CLINIC / 7 - IMAGIN 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 12 - VOLUNTARY 2 - PACT SPACE / 15 - PRIMARY CA 3 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 - PRIMARY CA	OFA01 OFA01 OFA01 OFA01 OFA01 OFA02	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE WORK ROOM / OFFICE WORK ROOM / OFFICE WORK ROOM / OFFICE VSO ADMINISTRATIVE OFFICE VSO PATIENT ADVOCATE TEAMLET WORKROOM	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	
2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 19 - BEHAVIORAI 2 - PACT SPACE / 6 - CLINIC ADMIN 2 - PACT SPACE / 6 - CLINIC ADMIN 3 - PACT SPACE / 6 - CLINIC ADMIN 4 - OUTPATIENT CLINIC / 28 - PROS 5 - OUTPATIENT CLINIC / 7 - IMAGIN 5 - OUTPATIENT CLINIC / 7 - IMAGIN 6 - OUTPATIENT CLINIC / 7 - IMAGIN 7 - OUTPATIENT CLINIC / 7 - IMAGIN 8 - PACT SPACE / 12 - VOLUNTARY 9 - PACT SPACE / 14 - PATIENT AD 9 - PACT SPACE / 15 - PRIMARY CA 9 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 2 - PACT SPACE / 15 - PRIMARY CA 3 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 4 - PACT SPACE / 15 - PRIMARY CA 5 - PACT SPACE / 15 -	OFA01 OFA01 OFA01 OFA01 OFA01 OFA02	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OFFICE, PROSTHETIC REPRESENTATIVE WORK ROOM / OFFICE WORK ROOM / OFFICE WORK ROOM / OFFICE VSO VSO PATIENT ADVOCATE TEAMLET WORKROOM	F0210  F0210  F0275  F0795  F2000	Worksurface, w/Overhead Cab, Wall Mtd, 48" W Chair, Side, Without Arms Chair, Swivel, High Back Table, Dining Basket, Wastepaper, Round, Metal Clock, Battery, 12" Diameter Computer, Microprocessing, w/Flat	5 1 1 1 1	c c c c c	decorative artwork. THIST TYPICAL INCLIDES: 2 Vertical Hanging Strips 1 Lockable Fligher Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface  Upholstered side chair approximately 32° high X 19° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with floor glides. Seat is non-tilling and without arms.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with flive (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Dining table. Round 42° diameter or square 42° X 42°. Used in dring facilities and can comfortably seat up to four (4) persons.  Round wastepaper baskel, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper retrues in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on included).  Dask top microprocessing computer. The unit shall consist of a central processing mint lover, 14° pentium processor; 512° minimum characteristies 2 a.8 Of the Pentium processor; 512°	

1. Oct. 1 19 - 19 - 19 - 19 - 19 - 19 - 19 - 1										
1.00   1.00			1							
1	2 - PACT SPACE / 15 - PRIMARY CA	OFA02	1	TEAMLET WORKROOM						
Mode   1			1	TEAMLET WORKROOM						
1	2 - PACT SPACE / 15 - PRIMARY CA	OFA02	1	TEAMLET WORKROOM						
A. M. C. SANCE CORPORATE CONTINUES   1   1   1   1   1   1   1   1   1										
1	2 - PACT SPACE / 15 - PRIMARY CA	OFA02	1	TEAMLET WORKROOM						
1.										
1.										
1	2 - PACT SPACE / 15 - PRIMARY CA	OFA02								
Service   Proceedings   Continue   Continu										
2 Mary 1994 (2 Mary 4 Amen Care) 2 Mary 1994 (2 Mary 4 Mar	2 - PACT SPACE / 25 - SPECIALTY (	OFA02	1	SPECIALTY CARE TEAM WORK AREA						
			1	C&P CLERK WORKSPACE						
March   Marc										
Compared					A5077	Dispenser, Hand Sanitizer, Hands-Free	1			
									THIS TYPICAL INCLUDES:	
									2 PAPER TRAY	
60 W									1 FREESTANDING WORK SURFACE	
Modern Court Press Press   Modern Court Press					E0045		6	С		
1000   1000									THIS TYPICAL INCUDES:	
Color   Colo						Madula Staraga Filos/Shakea Wall			3 Shelves	
Propose Chair, God With Arms  Chair, God Wit		<u>L</u>	L	<u> </u>	E0824		6	С	2 Hanging File Drawers Shelf Dividers	
SUZYS CONF. Select. High Rec.  CONF. Select. H			1		E0205	Chair Sida With Arms		_	arms, padded seats and padded backs. Seat height is a	
Post   Court Calend   Find   Court		}			F0205	Chair, Side With Arms	1	C		
Correct Render of the Correct			1							
FG450 Cachent, Filing, Laterni, Hall Height FG450 Table, Office, (lice as registered) FG750 Table, Office, (lice a		1			E0275	Chair Swivel High Book		_	used at desks or in conference rooms. Back and seat are foam	
FOR Cabried, Filing, Lateral, Half Height 2, 2 G Page And STE Greek pills in comment of the page of the control page of the page of the comment of the page of the					F02/5	Criali, Swiver, nigri back	В			
College Fing Lateral Half Veight  FORD  FO									Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking	
FOUR Table, Office, joint as required 6 C C Office sets, each received May be used as where to love of the part of					E0420	Cabinat Filing Lateral Half Height	2	_	device and drawer label holders. Drawers are adaptable to	
FO759 Table, Office, glare as required)  FO759 Table, Office, glare as require					1 0420	Cabinet, Filling, Lateral, Frail Freight		-	Office table, sized as required. May be used as either a four	
FOYOS Teble Dring  FOYOS Teble D					F0750	Table, Office, (size as required)	6	С		
F0795 Table, Driving  F0795 Rander, Wastepaper, Round, Metal  F0795 Rander, Wastepaper, Round, Metal  F0795 Computer, Microprocessing, will be proceeded to the post of th										
Sealer, Wastepaper, Round, Metal    Page   P					F0795	Table, Dining	1	С		
Sealer, Wastepaper, Round, Metal    Page   P									Round wastepaper basket, approximately 18" high X 16"	
Ballack Wastegaper, Round, Metal 6 C Compare, New York Control of Con									diameter. This metal unit is used to collect and temporarily	
A computer, Microprocessing, wiFlat    Miliani									store small quantities of paper refuse in patient rooms	
M1800 Period Montrol Processing, WFlast Processing Comprisions (2) Compared to Minimize the Compared of the Co					F2000	Basket, Wastepaper, Round, Metal	6	С	administrative areas and nursing stations.	
M1801 Parel Monitor C Mallinarction primer to, scanner and coper (PTC) altin-cape and coper (PTC) alti					F2000	Basket, Wastepaper, Round, Metal	6	С	administrative areas and nursing stations.  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard,	
M1640 PrinterCoprelFax Combination 1 C C markers.  1. OUTPATIENT CLINIC / 12- VOLUN GFA30 1 VITWYTS  1. OUTPATIENT CLINIC / 13- ACQUI OFA30 1 ADMIN: OFFICE, OPEN  A5077 Dispersor, Hands-Free 1 PAG Sentitzer, Hands-Free 1 PAG S					F2000	Computer, Microprocessing, w/Flat	6	С	administrative areas and nursing stations.  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following	
1. OUTPATIENT CLINIC /12-VOLUN GF483 1 VILUNTER SIGN-IN AREA 1 VOLUNTERS SIGN-IN AREA 2 VOLUNTER						Computer, Microprocessing, w/Flat			administrative areas and nursing stations.  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8	
1. OUTPATENT CLINIC / 13 - ACOU OFA03 1 ADMIN: OFFICE, OPEN A5077 Dispersor, Hand Sanitizer, Hands-Free 1 1 About free with counted hand sanitizer dependent for use through the counted hands and pathed base facility. Use does not include the counted hands and pathed base facility. Use does not include the counted hands and pathed base facility. Use does not include the counted hands and pathed base. See Integrit a survival with a many facility. A7 flesh X 27 deep with many facilities are many facilities. A continue and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit a survival with a many facilities and pathed base. See Integrit and see and pathed base. See Integrit and see and see and many facilities are survival with a see and s					M1801 M1840	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination	6	С	administrative areas and nursing stations.  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.6 GHz Pentium processor, 512 MB memory, 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one	
1. OUTPATIENT CLINIC /13 - ACOU OF ADS 1 ADMIN: OFFICE, OPEN   A 5977 Dispenser, Hand Sanitizer, Hands-Free   1					M1801 M1840	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination	6	С	administrative areas and nursing stations.  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.6 GHz Pentium processor, 512 MB memory, 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one	
ASO77 Dispenser, Hand Sanitizer, Hands-Free  1 . https://documents.com/documents/docum	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03			M1801 M1840	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination	6	С	administrative areas and nursing stations.  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.6 GHz Pentium processor, 512 MB memory, 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one	
ASO77 Dispenser, Hand Sanitizer, Hands-Free  1 . https://documents.com/documents/docum	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination	6	С	administrative areas and nursing stations.  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.6 GHz Pentium processor, 512 MB memory, 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one	
F0205 Chair, Side With Arms  4 C Implicatement side chair, 32* high X2* wisk X23* deep with arms, paided settle and paided backs. Seet height is a minimum of 17*. Available with or without back back.  F0275 Chair, Swivel, High Back  1 C addess or in conference rooms. Back and seat are from paided with first post and settle with first post contemporary swivel chair, 4* high X2* wisk X2* deep with first post contemporary swivel chair, 4* high X2* wisk X2* deep with first post contemporary swivel chair, 4* high X2* wisk X2* deep with first post contemporary swivel chair, 4* high X2* wisk X2* deep with first post contemporary swivel chair, 4* high X2* wisk X2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with marry x2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with marry x2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with marry x2* deep with marry x2* deep with first post contemporary swived chair, 4* high X2* wisk X2* deep with marry x2* deep with x2* deep with marry x2* deep with marry x2* deep with x2* deep with x2*	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination	6	С	administrative areas and nursing stations.  Desk top microprocessing computer. The unit shall consist of a central processing min tower, fall panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.6 OEAP Pentitum processor; 512 MB memory; 8 Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.	
F0205 Chair, Side With Arms 4 Common packed backs. Seath engint is a minimum of 17. Available with a windows also back.  F0275 Chair, Swivel, High Back 1 Chair, Swivel, Washington, Switch Back, Back 1 Chair, Switch Back 1 Chai	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination Ped, Box Box File	6 1 6	С	administrative areas and nursing stations.  Desk top microprocessing computer. The unit shall consist of a central processing min tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.6 CHz Pentlum processor; 512 MB memory; 8 Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include	
F0205 Chair, Side With Arms 4 C minimum of 17". Available with or without seld base. F0275 Chair, Swivel, High Back 5 F0275 Chair, High Port Swith Port Swivel, High Port Swivel, Hi	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination Ped, Box Box File	6 1 6	С	administrative areas and nursing stations.  Desk top microprocessing compute. The unit shall consist of a central processing mini tower, flat panel monitor, kepboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 dHz Pentium processor; 512 Miß memory; 8 Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.	
F0275 Chair, Swivel, High Back 1 Chair, Swivel, High Back 1 Code with five (5) caster evivel base and arms Chair may be used at desis or in content or common State and east are foliam padded and uphostered with earth wowen totals label; or why. I common state and protein the state of the padded and uphostered with earth wowen totals label; or why. I common state and protein the state of the padded and uphostered with earth wowen totals label; or why. I common state and protein state and marring stateons.  F2000 Basket, Wastepaper, Round, Metal 1 C C districts and marring stateons.  F3200 Clock, Battery, 12° Diameter 1 Code, 12° dameter. Round surface, easy to read numbers with reways second hard. Wall mounted unit for use when impractical to install a fully synchrotroid clock system. Battery common state and paskers in chair and protein state and protein. The state and copied of the protein state and protein state an	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free	6 1 6	C C	administrative areas and nursing stations.  Desk top microprosessing compute. The unit shall consist of a central processing mini tower, fills panel monitor, kepboard, mouse and speakers. The system shall have the following motion and processors. 32 a 80 Februium processor; 512 MB memory, 8 Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a	
F0275 Chair, Swivel, High Back 1 1 C guided and updrated with literary come table father or whys.  F2000 Basket, Wastepaper, Round, Metal 1 C guided and updrated with literary patient rooms, and the state of a collect and temporarily to dameter. This metal unit is used to collect and temporarily to dameter. The metal unit is used to collect and temporarily to dameter. The metal unit is used to collect and temporarily to dameter. The metal unit is used to collect and temporarily to dameter. The metal unit is used to collect and temporarily to dameter. The metal unit is used to collect and temporarily to dameter. The metal unit is used to collect and temporarily to dameter. The metal unit is used to collect and temporarily to dameter. The unit unit of unit or use when impractical to intrinsic of paper value and patient rooms, and patient patients of paper value and patient to the collection.  Clock, Battery, 12° Diameter 1 1 Co. Advisor and the patient processing with every segmented, Clotheries not included).  Each part of the patient processing mini tower, flat panel monitor, keyboard, and the patient processor, 512 Modificactions printer, fas. scanner and copier (PFC) all-in-one matchine.  M1801 Printer/Copier/Fax Combination 1 C C Modification and the patient processor, 512 Modification printer, fas. scanner and copier (PFC) all-in-one matchine.  1 OUTPATIENT CLINIC / 15 - PRIM, OFA07 1 PHARMACY STUDENT 1 Dispenser, Hand Sanitizer, Hands-Free 1 Abuch fee wall-mounted hand sanitizer disponant. For use throughout a hashing liquid. Units are battery operated.  Worksurface, w/Overhead Cab, Wall 3 C C India Handy to select a dealer of the sanitizer disponant of the sanitizer and the sanitizer disponant. For use throughout a hashing liquid. Units are battery operated.  1 Used and the patient processor of the sanitizer disponant of the sanitizer disponant of the sanitizer and the saniti	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free	6 1 6	C C	administrative areas and nursing stations.  Desk top microprosessing compute. The unit shall consist of a central processing mini tower, fills panel monitor, kepboard, mouse and speakers. The system shall have the following motion and processors. 32 a 80 Februium processor; 512 MB memory, 8 Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a	
F2000 Basket, Wastepaper, Round, Metal  F2000 Basket, Wastepaper, Round, Metal  F2000 Clock, Battery, 12" Diameter  Clock, Battery, 12" Diameter  Clock, Battery, 12" Diameter  Computer, Microprocessing, wiFlat Panel Monitor  M1801 Panel Monitor  M1840 Printer/Copier/Fax Combination  M1840 Printer/	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free	6 1 6	C C	administrative areas and nursing stations.  Deak top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Multifunctional printer, flax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing fluxid. Units are battery operated.  Upholstered side chair, 32* high X 21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without sleb base.  Highback contemporary swivel chair, 41* high X 23* wide X 23*	
F2000 Basket, Wastepaper, Round, Metal 1 C C diameter. This metal unit is used to collect and temporarily store and quartities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12' diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized clock system. Battery operated, lighteries not included).  Computer, Microprocessing, W/Flat Panel Monitor Denie Moni	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms	1 4	. c	administrative areas and nursing stations.  Deak top microprosening computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Maltifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battle operated.  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference orons. Back and seat are foam towed at desks or in conference orons. Back and seat are foam	
F2000 Basket, Wastepaper, Round, Metal 1 C c ambinistrative areas and rusing station.  F3200 Clock, Battery, 12" Diameter 1 Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when improcess in processing many that the processing many than the processing and processing demonster. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mounted united to the processor, flat panel monitor, keyboard, mounted united to the panel Monitor 1 C C Multifunctional printer, flat panel monitor, keyboard, mounted united to the panel Monitor 1 C C Multifunctional printer, flat panel monitor, keyboard, mounted united to the panel Monitor 1 C C Multifunctional printer, flat panel monitor, keyboard, mounted united to the panel Monitor 1 C C Multifunctional printer, flat panel monitor, keyboard, mounted united to the panel Monitor 1 C C Multifunctional printer, flat panel monitor, keyboard, mounted united to the panel Monitor 1 C C Multifunctional printer, flat panel monitor, keyboard, mounted united printer, flat panel monitor, keyboard, mounted printer, flat panel monitor, keyboard, mounted united printer, flat panel monitor, keyboard, mounted flat panel printer, flat panel printer, flat panel monitor, keyboard, mounted flat panel printer, flat panel monitor, keyboard, mounted flat panel printer, flat pa	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms	1 4	. c	administrative areas and nursing stations.  Deak top microprosening computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Maltifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battle operated.  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference orons. Back and seat are foam towed at desks or in conference orons. Back and seat are foam	
F3200 Clock, Battery, 12° Diameter  Clock, Battery, 12° Diameter  Computer, Microprocessing, w/Flat Panel Monitor  M1840 Printer/Copier/Fax Combination  M1840 Printer/Copier/Fax Combination  M0075 Workstation, L-Shaped, Free Std, 60x54 1  1 - OUTPATIENT CLINIC / 15 - PRIM/ OFA07 1 PHARMACY STUDENT  A5077 Dispenser, Hand Sanitizer, Hands-Free  Worksurface, w/Overhead Cab, Wall BED210 Mtd, 48° W  Clock, Battery, 12° Diameter  1 Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted in for use when impractical to included).  Deak top microprocessing minimum characteristics: a 2.8 GHz Pentium processor; 512 C A mouse and spassers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 C M memory, 8 M me	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms	1 4	. c	administrative areas and nursing stations.  Desk top microprossing computer. The unit shall consist of a central processing mini tower, filel panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32* high X 21* wide X 23* deep with arms, padded satts and padded backs. Seat height is a minimum of 17*. Available with or without sted base.  Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference oroms. Back and seat are foam golded and uphostered with either woven toxille fabric or viryle.  Round wastepaper basket, approximately 18* high X 16*	
F3200 Clock, Battery, 12" Diameter  Clock, Battery, 12" Diameter  Clock, Battery, 12" Diameter  Computer, Microprocessing, W/Flat  Computer, Microprocessing, W/Flat  Panel Monitor  Computer, Microprocessing, W/Flat  Computer, Microprocessing, W/Flat  Panel Monitor  1 C Memory, 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one matchine.  M1840 Printer/Copier/Fax Combination  M075 Workstation, L-Shaped, Free Std, 60x54  1 OUTPATIENT CLINIC / 15 - PRIM, OFA07  1 PHARMACY STUDENT  A5077 Dispenser, Hand Sanitizer, Hands-Free  Worksurface, W/Overhead Cab, Wall  E0210 Mtd, 48" W  3 C I Cantilovered Work Surface  Highback contemporary swivet chair, 41" high X 23" wide X 23" deep with five (5) caster swived base and ams. Chair may be used at deasts or in comforcemence ones. Back and seal are foram.	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077 F0205	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back	6 1 6 1		administrative areas and nursing stations.  Deak top microprosessing compute. The unit shall consist of a central processing mini tower, filet panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Mutifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility, Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32" high X 21" wide X 23" deep with a minimum of 17". Available with or without sted base. Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swive base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam godded and upholstered with either wown testile fabric or vinyt.  Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in paster morns.	
F3200 Clock, Battery, 12" Diameter 1 Coperation of Coperation (batteries not included).    F3200 Clock, Battery, 12" Diameter 1 Coperation (batteries not included).   Desk top microprocessing computer. The unit shall consist of a central processing in minimum characteristics: a 2.6 Rtz Pentium processor; 512 MB memory, 8 MB memory, 9 MB memo	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077 F0205	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back	6 1 6 1		administrative areas and nursing stations.  Desk top microprossing complet. The unit shall consist of a central processing min lower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Uphotstered side chair, 32* high X21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without side dbase. Highback contemporary swivel chair, 41* high X 25* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in contented contemporary swivel chair, 41* high X 25* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in contente one onens. Back and seat are foam padded and uphotstered with either woven testile factor or why!  Round wastepaper basket, approximately 18* high X 16* diameter. This metal unit is used to collect and temporarily store small quantities of paper resule in patient rooms, administrative areas and nursing stations.	
Desk top microprocessing computer. The unit shall consist of a central processing mill tower, list panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 MB memory, 9 M	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077 F0205	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back	6 1 6 1		administrative areas and nursing stations.  Desk top microprossing complet. The unit shall consist of a central processing min lower, filel panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32" high X 21" wide X 23" deep with amount of 17". Available with or without sled base. Highback contemporary swivel chair, 41" high X 25" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference oroms. Back and seat are foam padded and upholstered with either woven testile fishior or viryl. Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
Computer, Microprocessing, w/Flat  M1801 Panel Monitor  M1840 Printer/Copier/Fax Combination  M1840 Printer/Copier/Fax Combination  M1840 Printer/Copier/Fax Combination  M1840 Printer/Copier/Fax Combination  M0075 Workstation, L-Shaped, Free Std, 60x54  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  1 OUTPATIENT CLINIC / 15 - PRIM OFA07  Dispenser, Hand Sanitizer, Hands-Free  Morkstation, L-Shaped, Free Std, 60x54  Dispenser, Hand Sanitizer, Hands-Free  Morkstation, L-Shaped, Free Std, 60x54	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077 F0205	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination  Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal	1 1 1		administrative areas and nursing stations.  Deak top microprosensing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Multifunctional printer, flax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing fluxly Units are battle younger to the sanitizing fluxly. Units are battle younger to the sanitizing fluxly. Units are battle younger to make the sanitizing fluxly. Units are battle without she battle.  Upholstered side chair, 32' high x 21' wide x 23' deep with arms, padded seats and padded backs. Seat height is a minimum of 17'. Available with or without sleb base.  Highback contemporary swivel chair, 41' high X 23' wide X 23' deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and sear for an padded and upholstered with either woven testile fabric or vinyl. Round wastepaper basket, approximately 18' high X 16' diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12' diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized dock system. Battery	
Computer, Mirroprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination 1 C Memony, 8 Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  1 OUTPATIENT CLINIC / 15 - PRIM OFA07 1 PHARMACY STUDENT  A5077 Dispenser, Hand Sanitizer, Hands-Free Dispenser, Hand Sanitizer, Hands-Free Worksurface, w/Overhead Cab, Wall E0210 Mitd, 48" W  3 C I Garstewerd Work Surface Highback contemporary swivet chair, 41" high X 23" wide X 23" deep with five (5) caster swived base and arms. Chair may be used at desks or in conference rooms. Base And seat are foam.	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077 F0205	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination  Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal	1 1 1		administrative areas and nursing stations.  Deak top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Multifunctional printer, flax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  Upholstered side chair, 32* high X 21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without sled base.  Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven testile fabric or vinyl.  Round wastepaper basket, approximately 18* high X 16* diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized docks system. Battery operated, (batteries not included).	
M1840 Printer/Copier/Fax Combination 1 C C Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  Workstation, L-Shaped, Free Std, 60x54 1  1-OUTPATIENT CLINIC / 15 - PRIM OFA07 1 PHARMACY STUDENT  A5077 Dispenser, Hand Sanitizer, Hands-Free 1 A bouch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Worksurface, w/Overhead Cab, Wall E0210 Mtd, 48" W 3 C 1 Garsterwerd Work Surface  Highback contemporary swivet chair, 41" high X 23" wide X 23" deep with five (5) caster swived base and arms. Chair may be used at desks or in conference norms. Back and seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077 F0205	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12" Diameter	1 1 1		administrative areas and nursing stations.  Deak top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Multifunctional printer, flax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  Upholstered side chair, 32' high x 21' wide x 23' deep with arms, padded seats and padded backs. Seat height is a minimum of 17'. Available with or without sleb base.  Highback contemporary swivel chair, 41' high X 23' wide X 23' deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and sear for an padded and upholstered with either woven testile fabric or vinyt. Round wastepaper basket, approximately 18' high X 16' diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12' diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized dock system. Battery operated, (batteries not included).	
U0075 Workstation, L-Shaped, Free Std, 60x54  1 OUTPATIENT CLINIC / 15 - PRIM OFA07  1 PHARMACY STUDENT  A5077 Dispenser, Hand Sanitizer, Hands-Free  1 A bouch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 3 Sheff, Storage/Display 1 Light 1 Contributed Work Surface  Highback contemporary swivel chair, 41' high X 23' wide X 23' deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference norms. Bake And seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077 F0205 F0275 F2000	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12* Diameter  Computer, Microprocessing, w/Flat	1 1 1		administrative areas and nursing stations.  Desk top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Uphostered side chair, 32* high X21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without set base.  Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and uphostered with either woven testile factor or viryl.  Round wastepaper basket, approximately 18* high X 16* diameter. This metall unit is used to collect and temporarily store small qualmostered with either woven testile factor or viryl.  Round wastepaper basket, approximately 18* high X 16* diameter. This metall unit is used to collect and temporarily store small qualmostered with either up net in patient rooms, administrative areas and nursing stations.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on tinuded).  Desk top microprocessing computer. The unit shall consist prominimum characteristics: a 2.8 GHz Pentium processor, 512	
1 - OUTPATIENT CLINIC / 15 - PRIM OFA07 1 PHARMACY STUDENT  A5077 Dispenser, Hand Sanitizer, Hands-Free 1 . A bouch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Sheft, Storage/Display 1 Light 1 Light 2 Sheft (Sonage/Display) 1 Light 4 Light 2 Sheft (Sonage/Display) 1 Light 4 Ligh	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251 A5077 F0205 F0275 F2000 M1801	Computer, Microprocessing, w/Flat Panel Monitor Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor	1 1 1 1		administrative areas and nursing stations.  Desk top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Uphotstered side chair, 32* high X21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without set dates.  Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in contender one rooms. Back and seat are foranged and uphotstered with either woven testile factor or why for the contemporary swivel chair, 41* high X 16* diameter. This metall unit is used to ocler and temporarily store small qualmostered with either woven testile factor or why with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized dook system. Battery operated, (batteries on timuloud).  Desk top microprocessing computer. The unit shall consist or earthy processing minit lower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2, 8 GHz Pentium processor; 512 MB memory; 8	
A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Sheff, Storage/Display 1 Light 3 C 1 Cantilevered Work Surface 4 Highback contemporary swivel chair, 41* high x 23* wide x 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference norse. Back and seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12* Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination	1 1 1 1		administrative areas and nursing stations.  Desk top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Uphotstered side chair, 32* high X21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without set dates.  Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in contender one rooms. Back and seat are foranged and uphotstered with either woven testile factor or why for the contemporary swivel chair, 41* high X 16* diameter. This metall unit is used to ocler and temporarily store small qualmostered with either woven testile factor or why with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized dook system. Battery operated, (batteries on timuloud).  Desk top microprocessing computer. The unit shall consist or earthy processing minit lower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2, 8 GHz Pentium processor; 512 MB memory; 8	
A5077 Dispenser, Hand Sanitizer, Hands-Free 1 throughout a healthcare facility. Unit does not include the sanitization fluid. Units are battery operated.  THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Sheft, Storage/Display 1 Light 3 C 1 Cantilevered Work Surface 4 Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference norse. Back and seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU	OFA03	1	VOLUNTEER SIGN-IN AREA	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12* Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination	1 1 1 1		administrative areas and nursing stations.  Desk top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Uphotstered side chair, 32* high X21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without set dates.  Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in contender one rooms. Back and seat are foranged and uphotstered with either woven testile factor or why for the contemporary swivel chair, 41* high X 16* diameter. This metall unit is used to ocler and temporarily store small qualmostered with either woven testile factor or why with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized dook system. Battery operated, (batteries on timuloud).  Desk top microprocessing computer. The unit shall consist or earthy processing minit lower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2, 8 GHz Pentium processor; 512 MB memory; 8	
A5077 Dispenser, Hand Sanitizer, Hands-Free 1 throughout a healthcare facility. Unit does not include the sanitization fluid. Units are battery operated.  THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Sheft, Storage/Display 1 Light 3 C 1 Cantilevered Work Surface 4 Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference norse. Back and seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU 1 - OUTPATIENT CLINIC / 13 - ACQL	NOFA03	1	VOLUNTEER SIGN-IN AREA ADMIN: OFFICE, OPEN	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12* Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination	1 1 1 1		administrative areas and nursing stations.  Desk top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Uphotstered side chair, 32* high X21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without set dates.  Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in contender one rooms. Back and seat are foranged and uphotstered with either woven testile factor or why for the contemporary swivel chair, 41* high X 16* diameter. This metall unit is used to ocler and temporarily store small qualmostered with either woven testile factor or why with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized dook system. Battery operated, (batteries on timuloud).  Desk top microprocessing computer. The unit shall consist or earthy processing minit lower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2, 8 GHz Pentium processor; 512 MB memory; 8	
THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Sheft, Storage/Display 1 Light 3 C 1 Cantilevered Work Surface 4 Highback contemporary swivel chair, 41* high x 23* wide x 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU 1 - OUTPATIENT CLINIC / 13 - ACQL	NOFA03	1	VOLUNTEER SIGN-IN AREA ADMIN: OFFICE, OPEN	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12* Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination	1 1 1 1		administrative areas and nursing stations.  Deak top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without side base.  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference orons. Back and seat are foam padded and upholstered with either woven textle fabric or vinyl. Round wastepaper basket, approximately 18" high X 15" diameter. This metal unit is used to collect and temporally store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticated to instal a fully synchronized dock system. Battery operated, (batteries not included).  Deak top microprocessing originater. The unit shall consist of a central processing mini lower, file parel monitor, keploard, mounted much chowing minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copter (PFC) all-in-one manchine.	
2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light E0210 Mtd, 48" W 3 C 1 Cantilevered Work Surface Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swive base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU 1 - OUTPATIENT CLINIC / 13 - ACQU	NOFA03	1	VOLUNTEER SIGN-IN AREA ADMIN: OFFICE, OPEN	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840 U0075	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination  Workstation, L-Shaped, Free Std, 60x54	1 1 1 1 1 1 1 1		administrative areas and nursing stations.  Deak top microprosensing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32° high X 21° wide X 23° deep with arms, padded seats and padded backs. Seat height is a minimum of 17°. Available with or without sled base.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and sear are foam padded and upholstered with either woven textile fabric or vinyl. Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporally store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized dock system. Battery operated, (batteries not included).  Desk top microprocessing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall now the following mouse and speakers: The system shall now the following MB memory. 3  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.	
Worksurface, w/Overhead Cab, Wall E0210 Mtd, 48" W  1 Sheff, Storage/Display 1 Light 1 C 1 Cantilevered Work Surface  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swive base and mars. Chair may be used at desks or in conference rooms. Bad arms. Chair may be	1 - OUTPATIENT CLINIC / 12- VOLU 1 - OUTPATIENT CLINIC / 13 - ACQL	NOFA03	1	VOLUNTEER SIGN-IN AREA ADMIN: OFFICE, OPEN	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840 U0075	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination  Workstation, L-Shaped, Free Std, 60x54	1 1 1 1 1 1 1 1		administrative areas and nursing stations.  Deak top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, flax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  Upholstered side chair, 32' high x 21' wide x 23' deep with arms, padded seats and padded backs. Seat height is a minimum of 17'. Available with or without side bates.  Highback contemporary swivel chair, 41' high X 23' wide X 23' deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference orons. Back and seat are foam padded and upholstered with either woven testile fabric or vnyt.  Round wastepaper basket, approximately 18' high X 16' diameter. This metal unit is used to collect and temporally store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12' diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized dock system. Battery operated, (batteries not included).  Dask top microprocessing ominit ower, filst panel monitor, keyboard, mainistrative areas and nursing stations.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitating liquid. Units are battery operated.	
E0210 Mtd, 48" W 3 C 1 Cantilevered Work Surface  Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swive base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU 1 - OUTPATIENT CLINIC / 13 - ACQL	NOFA03	1	VOLUNTEER SIGN-IN AREA ADMIN: OFFICE, OPEN	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840 U0075	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination  Workstation, L-Shaped, Free Std, 60x54	1 1 1 1 1 1 1 1		administrative areas and nursing stations.  Desk top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Uphotstered side chair, 32* high X21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without seld base.  Highback contemporary swived chair, 41* high X 23* wide X 23* deep with five (5) caster swived base and arms. Chair may be used at deaks or in conference rooms. Back and seat are foam padded and uphotstered with either woven testile factor or why for the conference rooms. Back and seat are foam padded and uphotstered with either woven testile factor or why sadministrative areas and nursing stations.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized dook system. Battery operated, Chatteries ont included, and central processing minit tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2, 8 GHz Pentium processor; 512 MB memory; 8  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing flugid. Units are battery operated.  THIS TYPICAL INCLUDES:	
deep with five (5) caster swived base and mass. Chair may be used at desks or in conference rooms. Back and seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU 1 - OUTPATIENT CLINIC / 13 - ACQL	NOFA03	1	VOLUNTEER SIGN-IN AREA ADMIN: OFFICE, OPEN	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840 U0075	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12* Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination  Workstation, L-Shaped, Free Std, 60x54  Dispenser, Hand Sanitizer, Hands-Free	1 1 1 1 1 1 1 1		administrative areas and nursing stations.  Desk top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Uphotstered side chair, 32* high X21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without seld base.  Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and uphotstered with either woven testile factor or viryl.  Round wastepaper basket, approximately 18* high X 16* diameter. This metal unit is used to collect and temporarily store small qualments of paper return patient rooms, administrative areas and nursing stations.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on kinduced) and cantral processors in the patient of the part of the part of the part of the patiency and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  THIS TYPICAL INCLUDES: 2. Vertical Hangid Sirips 1. Lockable Flipper Unit 1. Sheef, Storage Display	
deep with five (5) caster swived base and mass. Chair may be used at desks or in conference rooms. Back and seat are foam	1 - OUTPATIENT CLINIC / 12- VOLU 1 - OUTPATIENT CLINIC / 13 - ACQU	NOFA03	1	VOLUNTEER SIGN-IN AREA ADMIN: OFFICE, OPEN	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840 U0075  A5077	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination  Workstation, L-Shaped, Free Std, 60x54  Dispenser, Hand Sanitizer, Hands-Free  Worksurface, w/Overhead Cab, Wall	1 1 1 1 1 1 1 1		administrative areas and nursing stations.  Deak top microprosessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Maltifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32° high X 21° wide X 23° deep with arms, padded seats and padded backs. Seat height is a minimum of 17°. Available with or without side blase.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporally store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate to install a fully synchronized dock system. Battery operated, Datteries not included).  Deak top microprocessing orinit tower, flat panel monitor, keyboard, a central processing mini tower, flat panel monitor, keyboard, a central processing mini tower, flat panel monitor, keyboard, and memory. By MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  1 Shell, Storage/Display 1 1 Light	
F0275 Chair, Swivel, High Back 3 C padded and uphotestered with either woven their back up view.	1 - OUTPATIENT CLINIC / 12- VOLU 1 - OUTPATIENT CLINIC / 13 - ACQU	NOFA03	1	VOLUNTEER SIGN-IN AREA ADMIN: OFFICE, OPEN	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840 U0075  A5077	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination  Workstation, L-Shaped, Free Std, 60x54  Dispenser, Hand Sanitizer, Hands-Free  Worksurface, w/Overhead Cab, Wall	1 1 1 1 1 1 1 1		administrative areas and nursing stations.  Deak top microprosensing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Maltifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32° high x 21° wide x 23° deep with arms, padded seats and padded backs. Seat height is a minimum of 17°. Available with or without side base.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven testile fabric or vinyl. Store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized dock system. Battery operated, (batteries not included).  Desk top microprocessing originater. The unit shall consist of a central processing mini tower, file panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.	
	1 - OUTPATIENT CLINIC / 12- VOLU 1 - OUTPATIENT CLINIC / 13 - ACQU	NOFA03	1	VOLUNTEER SIGN-IN AREA ADMIN: OFFICE, OPEN	M1801 M1840 U2251  A5077  F0205  F0275  F2000  M1801 M1840 U0075  A5077	Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination Ped, Box Box File  Dispenser, Hand Sanitizer, Hands-Free Chair, Side With Arms  Chair, Side With Arms  Chair, Swivel, High Back  Basket, Wastepaper, Round, Metal  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat Panel Monitor  Printer/Copier/Fax Combination  Workstation, L-Shaped, Free Std, 60x54  Dispenser, Hand Sanitizer, Hands-Free  Worksurface, w/Overhead Cab, Wall	1 1 1 1 1 1 1 1		administrative areas and nursing stations.  Deak top microprosensing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 Maltifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Upholstered side chair, 32° high x 21° wide x 23° deep with arms, padded seats and padded backs. Seat height is a minimum of 17°. Available with or without side base.  Highback contemporary swivel chair, 41° high X 23° wide X 23° deep with five (6) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven testile fabric or vinyl. States and advanced to the content of t	

				F0420	Cabinet, Filing, Lateral, Half Height	1	С	Half height two (2) or three (3) drawer lateral filing cabinet, 28* high X 42* wide X 18* deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.	
				F2000	Basket, Wastepaper, Round, Metal	3	С	Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	3	C	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory. 8	
				M1840	Printer/Copier/Fax Combination	1	С	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.	
1 - OUTPATIENT CLINIC / 6 - CLINIC			OFFICE						
1 - OUTPATIENT CLINIC / 6 - CLINIC 1 - OUTPATIENT CLINIC / 6 - CLINIC	OFC01	1	OFFICE OFFICE						
1 - OUTPATIENT CLINIC / 6 - CLINIC 1 - OUTPATIENT CLINIC / 6 - CLINIC	OFC01		OFFICE OFFICE						
1 - OUTPATIENT CLINIC / 6 - CLINIC	OFC01	1	OFFICE						
				F0110	Bookcase, 3 Shelf	1	С	Freestanding open metal shelf book case, approximately 60° high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.	
				F0205	Chair, Side With Arms	2	С	Upholstered side chair, 32* high X 21* wide X 23* deep with arms, padded seats and padded backs. Seat height is a minimum of 17*. Available with or without sled base.	
				F0275	Chair, Swivel, High Back	1	С	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either wo	
				F0405	Cabinet, Filing, Full Height, 4-5 Drawer	1	С	Four (4) or five (5) drawer letter size, vertical filing cabinet, 53° high X 15° wide X 29' deep with locking device. Each drawer has label holder, handle and roller cradle.	
				F0420	Cabinet, Filing, Lateral, Half Height	1	С	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.	
				F0635	Desk, Double Pedestal	1	С	Double pedestal flat top desk, 30° high X 60° wide X 30° deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.	
								Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,	
				F2000	Basket, Wastepaper, Round, Metal	1	U	administrative areas and nursing stations.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully sprictoroized clock system. Battery	
				F3200	Clock, Battery, 12" Diameter	1	С	implactucal to install a fully syntronized clock system. Battery operated, (batteries not included).  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following	
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	С	minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8 High resolution computer printer with a variety of type styles	
				M1825	Printer, Computer	1	С	and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as we	
2 - PACT SPACE / 3 - EDUCATION A 2 - PACT SPACE / 3 - EDUCATION A	OPMH1 OPMH1		GROUP ROOM-1 GROUP ROOM-2						
2 - PACT SPACE / 3 - EDUCATION A	OPMH1	1	GROUP ROOM-3						
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use	
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  THIS TYPICAL INCLUDES:	
								1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Fili-Up Shelf 1 Sharps Container Holder 1 Wastebasket and Holder 1 Chart Holder 2 Drawers, 3'H (76mm)	
	-			E0945	Cart, Computer, Mobile, 36"H x 32"W x 22"D	1	С	2 Drawers, 6"H (152mm) Drawer Organizer Bins Stacking chair, approximately 34" H X 21" W X 24" D. May be	
				F0295	Chair, Stacking	16	С	Stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.  Video tape storage cabinet, approximately 60" high X 36" wide	
		<u> </u>		F0435	Cabinet, Storage, Video Tape	1	С	X 14" deep with six (6) shelves and door lock.  "Step-on" wastepaper basket with inner liner and foot petal	
	-	-		F2010	Basket, Wastepaper, Step-On	1	С	activated flip top.  Portable camera/recorder (camcorder) with video-out capacity	
				F2250 M0011	Camera, Portable, With Recorder	1	С	to accommodate a remote recorder.	
				M0506	Television, Flat Screen	1	С	Flat screen television with approximately 20' diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.	
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	С	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8	
				R6200	Refrigerator, U/C or F/S, 5 Cu Ft	1	С	Utility refrigerator approximately 35° H x 24° W x 26° D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and	
1 - OUTPATIENT CLINIC / 7 - IMAGIN	ORPP1	1	CT: PREP						
. CON ANEXT CERTO / 7 - IMAGIN	JULI		J					Disposable soap dispenser. One-handed dispensing operation.	
				A5075	Dispenser, Soap, Disposable	1	С	Designed to accommodate disposable soap cartridge and valve.	
								A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include	
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		A touch tree wall-mounted nand salinizer dispenser. For use throughout a healthcare facility. Unit does not include the salitizing liquid. Units are battery operated.  Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish,	

Initials: \_\_\_\_ (Lessor) /\_\_\_\_ (Gov't) Page 14 of 25

				1717200	modificu	_		rooms.	
				M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	С	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on'turn-off, built-in speculum tray and 8 foot colled cords. Unit is designed for use in patient exam rooms.	
				M1825	Printer, Computer	1	С	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, oth matrix, line or plotter) as we	
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	1		testing for middle ear impedanted rompinance.  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8	
				M0025	Audiometer, Diagnostic, Middle Ear,	1		Diagnostic impedance audiometer. Unit includes a clinical ear analyzer and can link to a complete data base computer system that stores patient results. Used for diagnostic audiological testing for middle ear impedance / compliance.	
				M0010	Recorder, Tape, w/Delayed Audio Feedback	1	С	Delayed audio feedback tape recorder. Unit consists of a recorder and playback mechanism which delays speech playbacks or the patient can directly associate what was said with how it sounds. The unit includes a delay mode/time selector, amplifier and mic.	
				F3200	Clock, Battery, 12* Diameter	1	С	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	
				F2000	Table, Mobile  Basket, Wastepaper, Round, Metal	1	С	general work applications, primarily in dry areas.  Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
			1	F0280	Chair, Swivel, Low Back	2		winyl.  Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for	
				F0205	Chair, Side With Arms	2		arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or	
				E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	С	4 Drawers, 6" H (152mm) Drawer Organizer Bins  Upholstered side chair, 32" high X 21" wide X 23" deep with	
				E0042	48" W	1	С	ADJUSTABLE KEYBOARD TRAY  THIS TYPICAL INCLUDES:     Cart Body, Style-A Narrow, w/Raised Edge Top     Accessory Rall, Side     Drawers, 3º 1/ (76mm)	
					Workcenter, Computer, Free Standing,		_	1 TOOL RAIL 2 PAPER TRAY 1 DIAGONAL TRAY 1 FREESTANDING WORK SURFACE 1 MOBILE PEDESTAL, BOX/FILE	
				A5077	Dispenser, Hand Sanitizer, Hands-Free	2		A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  THIS TYPICAL INCLUDES:	
1 - OUTPATIENT CLINIC / 23 - SPEC 1 - OUTPATIENT CLINIC / 23 - SPEC			BOOTH, AUDIOMETRIC EXAM BOOTH, AUDIOMETRIC EXAM						
				U2234	Dispenser, Cavi-wipe	1			
				M8320	Table, Treatment, Hi/Lo	1	С	Hillo metal treatment table. Unit consists of a hydraulic electromechanical power system operated with a hand or foot control. Includes a foam pad, upholstered top with back section adjustable to a full chair position. Adjustable height from 24't to 38't	
				M8200	Ultrasonic Treatment Unit	1	С	Ultrasonic treatment unit which operates at one or more frequencies. Unit features a treatment timer, variable interrupted outputs and a variable power range. Unit has one or more treatment heads depending on sound wave frequency. Used for physiologic	
				M3090	Cabinet, Treatment, 2 Door, 2 Drawer, Single Shelf	2	С	Single shelf, two compartment, treatment cabinet. Heavy construction with two drawers and storage area with removable shelf in the compartment. Laminated moisture-proof working surface. Unit is mounted on casters or adjustable leveling glides. Used in	
				A5077 F0340	Dispenser, Hand Sanitizer, Hands-Free Stool, Self Adjusting	1	C	the sanitizing liquid. Units are battery operated.  Self adjusting stool. Consists of a foam padded uphoistered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.	
1 - OUTPATIENT CLINIC / 26 - PHYS	OTGC1	1	OT: TREATMENT CLINIC	450=-	Discourse Hay 10 W			A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include	
				U2234	Refrigerator, U/C or F/S, 5 Cu Ft Dispenser, Cavi-wipe	1	U	maius, and	
				R6200		1	С	MM memony, 8  Wiltiny refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and	
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	1		positioned of entire state of the inergises chair.  Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8	
				F3200 M1410	Clock, Battery, 12" Diameter  Chair, Laboratory, Blood Drawing, w/Storage	1	С	impractical to install a fully synchronized clock system. Battery operated, (batteries not included). Laboratory blood drawing chair with storage. Chair has built-in storage cabinet(s) and locking arm assembly that may be positioned on either side of the fiberglass chair.	
				F0275	Chair, Swivel, High Back	1	С	padded and upholstered with either woven textile fabric or vinyl.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when	
				A5108	Waste Disposal Unit, Sharps	1	С	regulations for handling sharps.  Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam	

	•							
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
				F0210	Chair, Side, Without Arms	1	С	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
				M4040	Scale, Weighing, 300 Pound Capacity	1	С	Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use.
				M4050	Height Measuring Device, Precision	1		A precision mechanical height measuring device providing accurate measurements to the nearest sixteenth of an inch. Aluminum construction and wall mounted for long lasting use. Also called a Stadiometer.
2 - PACT SPACE / 1 - LOBBY / RECE	DI AV1	1	FAMILY WAITING AREA	111000				
Z-FACI SFACE/1-LOBBI / RECE	PLATI	_	FAMILI WATING AREA	F0215	Chair, Child's	4	С	Armless stacking chair scaled for use by children. Lightweight and available with a choice of different seat heights. Single seat waiting room chair with foam padded seat and
				F0305	Chair, Waiting Room, Single	4	С	back. Upholstered with either woven fabric textile or vinyl.  Arms and floor glides included.  Occasional lamp table (end table) approximately 20* high X 27*
				F0740	Table, Occasional, Lamp	1	С	wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).  Dining table. Round 42" diameter or square 42" X 42". Used
				F0795	Table, Dining	1	С	in dining facilities and can comfortably seat up to four (4) persons.
1 - OUTPATIENT CLINIC / 26 - PHYS	PRC01	1	TOILET DEMO					
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
				U2234	Dispenser, Cavi-wipe	1	•	trie samitzing ilquid. Onto are battery operated.
1 - OUTPATIENT CLINIC / 26 - PHYS	PTEA1		PT: CORRIDOR					
1 - OUTPATIENT CLINIC / 26 - PHYS	PTEA1	1	PT: TREATMENT EXERCISE AREA					
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation.  Designed to accommodate disposable soap cartridge and valve.
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
								THIS TYPICAL INCLUDES:  1 Cart Body, Style-A Narrow, w/Raised Edge Top  1 Accessory Rail, Side
				E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	С	2 Drawers, 3" H (76mm) 4 Drawers, 6" H (152mm) Drawer Organizer Bins
				F0465	Cabinet, Storage, 2 Door, 5 Shelf	2	С	Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves.
				F2000	Declark Washington Bassed Make	1	С	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
				F2000	Basket, Wastepaper, Round, Metal	1	_ C	administrative areas and nursing stations.  Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when
				F3200	Clock, Battery, 12" Diameter	1	С	impractical to install a fully synchronized clock system. Battery operated, (batteries not included).  Seated stepping ergometer for total body, arms and/or legs low
				G0144	Ergometer, Recumbent Stepper	1	С	impact conditioning. The unit features a closed kinetic chain action which combines reciprocal stepping and arm action. The arm settings and seat are adjustable. A battery operated performa
				G1007	Ergometer, Stationary, Stair	1	С	Stair climbing exercise unit for use in physical training in a gym or in rehabilitation exercise protocols in a physical therapy clinic. The unit includes for pedist, variable resistance settings, several exercise routines with varying intensity setting
				G1026	Exercise Apparatus, Weight Training, Multi-Station	1	С	Multi-station weight training apparatus for physical development and rehabilitation. Unit features a variety of benches, pull bars, supports and seats grouped around a central frame containing one or more weight stacks. Each station is designed to exerc
				G1043	Ergometer, Recumbent Bicycle, Computer Assisted	1	С	Computer assisted recumbent bicycle aerobic trainer. The trainer provides aerobic workouts on a computer controlled and monitored recumbent bicycle ergometer. The ergometer has several training routines and intensities which either the severciser or a t
					Cabinet, Treatment, 2 Door, 2 Drawer,			exerciser or a th Single shelf, two compartment, treatment cabinet. Heavy construction with two drawers and storage area with removable shelf in the compartment. Laminated moisture-proof working surface. Unit is mounted or casters or adjustable leveling
				M3090	Single Shelf	1	С	glides. Used in  Paraffin bath for heat treatment of injuries. Unit features a chrome plated, corrosion resistant, double walled Monel metal tank to prevent loss of heat, thermostatic control, drain, timer,
				M8105	Bath, Paraffin, Hand/Foot	1	С	thermometer and stand with casters. Smaller models are availab  Fluidotherapy unit that heats and circulates CELLEX particles
				M8110	Fluidotherapy Unit, Double Extremity	11	С	resulting in a warm massage for treated extremities. Unit is electronically programmable for regulating temperature, airflow and pulse mode. Used to increase circulation and range of motion,
				Modes			_	Bicycle ergometer. The unit includes an adjustable seat, pedals with toe clips, disc brakes, and tachometer/odometer. The display provides readouts of time, speed and distance. The unit features steel construction for durability and reliability.
				M8125	Ergometer, Bicycle, Stationary	1	С	The e Ergometer for measuring upper body exertion during an exercise regimen. The unit consists of a seat and a hand crank mechanism at shoulder height. The unit is used for physical
				M8133	Ergometer, Upper Body	1	С	rehabilitation protocols and stress testing. The unit quantifiably measures  Convertible exercise staircase. Staircase is sturdily built in two
				M8145	Exerciser, Staircase, Convertible	1	С	sections permitting a corner type or straight type arrangement. It consists of steps 30-36" wide and a square platform. It includes handrails to accommodate both children and adults. B
								Physical therapy parallel bars. Unit can have manual or electrically powered adjustments. Bar height is adjustable from 25' to 40' and the bar width is adjustable from 16' to 25''. Hand rails are chrome plated 1-1/2' steel tubing. Walking aisle
				l	D # 1 D 5:		_	
				M8240	Parallel Bars, Physical Therapy	1	С	is a mile set of the line brace 1-1/2 secent during. Waining uses is a mile Exercise platform with mat. Platform is ruggedly constructed to resist dents and scratches from wheelchairs and braces. Item has thickly pulsolstered 2° polyfoam mat with nylon-reinforced

Major   Preferent Function and Preferent Preference   P									
NOTE   Trade   Design   Process   Commence					M9205	Platform Eversica w/Mat Powered	1		rests on one or two pedestal bases which contain the power mechanism for adjusting the table height. The platform top or removable mattress is covered with heavy duty, nylon-
MINOR   Control Cont									Electric treadmill. Unit consists of a strong steel frame with front and side handrails covered with foam rubber, a remote control unit and a moving belt with a speed range from 0 to 10 mph. The unit also has a patient-controlled start/stop switch
1935   Process Underscorers   Code Port   1   1   1   1   1   1   1   1   1						Exerciser, Continuous Passive Motion	1		Continuous passive motion exerciser (CPM). The unit provides mobilization of a patient's limbs with little or no effort required by the patient. The exerciser is used postoperatively to mobilize
1.0026   1									Under counter freezer. This unit features space-saving thin- wall construction and has the flexibility of being built with existing cabinets, installed under-counter without top or custom-
NO.0000   NO.00000   NO.000000   NO.00000   NO.000000   NO.000000   NO.000000   NO.000000   NO.000000   NO.000000   NO.000000   NO.000000   NO.000000   NO.0000000   NO.0000000000   NO.000000000000000000000000000000000000					U2236	Ice/Water Dispenser, Freestanding	1	Ŭ	minished to specifications. This unit is a general purpose laborar
10022   March defined   1   1   1   1   1   1   1   1   1		1	₩		U2237		1		
1,000   1,00			Ш.			Mirror and Drawer	1		
1,000   1,00			┼						
Compared From Carter Compared Services   Compared From Carter Compared Servi					U2241	Mirror, Posture, 28"x72", Portable	1		
CONTRACTOR   CON		-	₩						
### CAPPACE STATES AND PATENT CHECK-Berl   Fig. 50									
### CAPPACE STATES AND PATENT CHECK-Berl   Fig. 50									
PROVE LIGHT FUND TO LIGHT CLINIC TS - CLINIC SCHOOL									
FOOD Class, Derived, Laws Based.  FOOD Readed, Wassequeer, Royard Metal  FOOD Sendade, Wassequeer, Royard Metal  FOOD Sendade, Plager House Day.  FOOD Sendade, Wassequeer, Royard Metal  FOOD Sendade, Plager House Day.  FOOD Sendade, Plager House Day.  FOOD Sendade, Management, Royard Metal  FOOD Sendade, Plager House Day.  FOOD Sendade, Management, Royard Metal  FOOD Sendade, Plager House Day.  FOOD Sendade, Management, Royard Metal  FOOD					F0205	Chair Sida With Arms	5	C	arms, padded seats and padded backs. Seat height is a
PEGO Carret, Farq, Lateral, Hol Pletger  PEGO OBHART Washington, Glovel, Metal  Peter Copier Ros Cerebration  MISSO Peter Lober, Peter Copier Ros Cerebration  MISSO Peter Copier Ros Cerebration  MISSO Peter Lober, Peter Copier Ros Cerebration  MISSO Peter Copier Ros Cerebration  MISSO Pe									Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or
FROST Cablest Fire Latent Half Regret S 3 C and X If the wide horsest baseds baseds a control and a support of the control and a sup			$\vdash$		ru280	Cnair, Swiver, Low Back	4	C	
F2000 Basket Waldepark Roard, Media  F2000 Basket Waldepark Roard, Media  F2000 Shredder, Proper Reavy Day					F0420	Cabinet, Filing, Lateral, Half Height	3	С	high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to
Systeder, Paper Heavy Day.  1 Compared Microprocessing, will be an experimental and an experimental to a set of control and an experimental and a set of control and a set of con									Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
Computer, Minoprocessing, wifflat Pennel Morter  M1801 Printer Cycle Pennel Morter  M1802 Printer Cycle Pennel Morter  M1803 Printer Cycle Finance  M1804 Printer Cycle Finance  M1805 Printer Cycle Finance  M1806 Printer Cycle Finance  M1806 Printer Cycle Finance  M1807 Printer Cycle Finance  M1808 Printer Cycle Finance  M1809 Printer									paper per pass at a minimum rate of 25 feet per minute. The unit shall have a 16 inch throat to accept paper. Paper shall be
M1501 Plane Moretor  M1502 Printer, Label, Pharmacy  S C Commence, to Internet to use injurimous applications. The printer construction and the second of the commence of the second of the commence of the second of the commence of the comm					F2550		1	С	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following
M1530 Printer Label, Pharmacy  M1540 PrinterCopie/Fax Combination  1 Combination  FD275 Chair, Swivel, High Back  FD275 Chair, Swivel, Low Back  FD276 Chair, Fing, Lateral, Half Height  FD276 Chair, Swivel, Low Back  FD276 Chair, Swivel, Low Back  FD276 Chair, Fing					M1801		5	С	MB memory; 8  Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to
TOUTPATIENT CLINIC / 1-LOBBY RECP3 1 INFORMATION DESK  F0275 Chair, Swivel, High Back 1 Chair, Swivel, High Back 2 Chair, Swivel, High Back 3 Chair, Swivel, High Back 4 Chair, Swivel, High Back 5 Chair						,			speed of 6 inches per second and a minimum resolution of 203 dpi.  Multifunctional printer, fax, scanner and copier (PFC) all-in-one
FD275 Chair, Swived, High Back 1 FD275 Chair, Swived, High Back 1 FD276 Chair, Swived, High Back 1 FD276 Chair, Swived, High Back 1 FD276 Chair, Swived, High Back 1 FD277 Chair, Swived, High Back 1 FD278 Chair, Swived, High Back 1 FD279 Chair, Swived, High Back 1 FD279 Chair, Swived, High Back 1 FD270 Chair, Swived, Low Back 1 FD270 Chair Swived, Low Back 1 FD270 Chair Swived, Low Back 1		1	+		M1840	Printer/Copier/Fax Combination	1	C	machine.
FO275 Chair, Swivel, High Back 1 Chair, Swivel, Low Back 2	1 - OUTPATIENT CLINIC / 1 - LOBBY	RECP3	1	INFORMATION DESK					
Basket, Wastepaper, Round, Metal  1 Commandation of the second of the se					F0275	Chair, Swivel, High Back	1	С	deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1. OUTPATIENT CLINIC (6 - CLINIC RPR01 1 SUPPORT COPY ROOM 2. PACT SPACE /1 - LOBBY / RECERPR01 1 COPIER / FAX / OFFICE SUPPLIES 4. COPIER / FAX / OFFICE SUPPLIES 5. COPIER / OFFICE SUPPLIES 5. COPIER / OFFICE SUPPLIES 5. COPIER / OFFICE SUPPLI					F2000		_1_	С	diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
2. PACT SPACE / 1 - LOBBY / RECK RROI 1 COPIER / FAX / OFFICE SUPPLIES		<b> </b>	₩		U0075	vvoinstation, L-snaped, Free Std, 60X54	1		
2. PACT SPACE / 1 - LOBBY / RECE RRR01 1 OOPIER / FAX / OFFICE SUPPLIES			1	SUPPORT: COPY ROOM					
FO420 Cabinet, Filing, Lateral, Half Height  FO420 Basket, Wastepaper, Round, Metal  FO420 Basket, Wastepaper, Round, Metal  FO420 Cabinet, Filing, Lateral, Half Height  FO420 Cabinet, Filing, Lateral,	2 - PACT SPACE / 1 - LOBBY / RECI	RPR01	1	COPIER / FAX / OFFICE SUPPLIES					
F2000 Basket, Wastepaper, Round, Metal 1 F2000 Basket, Wastepaper, Round, Round, Metal 2 F2000 Basket, Wastepaper, Round, Round, Metal 1 F2000 Basket, Wastepaper, Round, Metal 1 F2	2-PACT SPACE/1-LOBBY/REC	KPK01	1	COPIER / FAX / OFFICE SUPPLIES					high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to
M1840 Printer/Copie//Fax Combination 1 C Multifunctional printer, fax, acanner and copier (PFC) all-in-one machine.  1 - OUTPATIENT CLINIC / 6 - CLINIC SEC01 1 OFFICE SECRETARY AND WAITING  THIS TYPICAL INCLUDES: 4 Standard Solid Panel 2 Panels-b-Panel Cornectors 2 Panel Cornect									Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
THIS TYPICAL INCLUDES: A Standard Solid Panel 2 Panel-De-Panel Connector, 2-Way Corner 2 Pinished End Hardware 1 Cantilevered Orner Work Surface 3 Lockable Flipper Units 3 Lights 2 Tackboards 2 Tackboards 2 Tackboards 2 Tackboards 2 Tackboards 3 Lockable Flipper Units 3 Lockable Flipper Units 3 Lockable Flipper Units 4 Lockable Flipper Units 5 Lights 6 Lockable Flipper Units 7 To C 7 To 8 Lockable Flipper Units 8 Lights 9 Lockable Flipper Units 9 Lockable Flipper Uni			$\vdash$						Multifunctional printer, fax, scanner and copier (PFC) all-in-one
THIS TYPICAL INCLUDES: 4 Standard Solid Panel 2 Panel-to-Panel Connector; 2-Way Corner 3 Panel Connector; 2-Way Corner 4 Finhed End Hardwork Surface 5 Cantilevered Work Surface 6 Cantilevered Work Surface 7 Cantilevered Work Surface 8 Cantilevered Work Surface 8 Cantilevered Work Surface 9 Cantilevered Work Surface 1 Cantilevered Work Surface 2 Cantilevered Work Surface 2 Tackboards C 2 To C 2 To Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a C 2 To Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a C 2 To C 2 Work C 2 To C 3 To C 4 Work C 4 Work C 4 Work Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 22" wide X 15" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to 8 Standard Surface Surface 8 C 4 Work C 5 Work C 6 Work C 6 Work C 6 Work C 7 Work C 8 Work Assert Approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in pleater rooms,		}	+-		M1840	Printer/Copier/Fax Combination	1	С	machine.
4 Standard Solid Panel 2 Panel-Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 1 Cantilevered Corner Work Surface 2 Cantilevered Order Work Surface 3 Lockable Flipper Units 3 Lights 2 Tackboards 3 Lockable Flipper Units 3 Lights 4 Tackboards 5 Tackboards 6 To Upholstered side chair, 32° high X 21° wide X 23° deep with arms, padded seats and padded backs. Seat height is a miting of the part of the p	1 - OUTPATIENT CLINIC / 6 - CLINIC	SEC01	1	OFFICE SECRETARY AND WAITING					
E0099 Stand, 72x96 1 C 2 To  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a mixed with arms and company sowed chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a mixed padded seats and padded backs. Seat height is a mixed padded seat seat seat seat seat seat seat seat									4 Standard Solid Panel 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 1 Cantilevered Corner Work Surface 2 Cantilevered Work Surface 3 Lockable Flipper Units 3 Lights
F0205 Chair, Side With Arms 1 C minimum of 17". Available with or without sled base.  Low back contemporary swisel chair, 27" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or C vity.  Chair, Swivel, Low Back 1 C vity.  Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 15" deep with recessed handles, locking device and drawer later holders. Drawers are adaptable to either letter or legal size materials.  Cabinet, Filing, Lateral, Half Height 1 C either letter or legal size materials.  Round wastepagen back, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in pleater rooms,					E0099		1	С	2 To Upholstered side chair, 32" high X 21" wide X 23" deep with
Half height two (2) or three (3) drawer lateral fling cabinet, 28' high X 42' wide X 18' deep with recessed handles, locking device and drawer labels holders. Drawers are adaptable to grow and drawer labels holders. Drawers are adaptable to a either letter or legal size materials.  Cabinet, Filing, Lateral, Half Height 1  Ceither letter or legal size materials.  Round wastespeer backet, approximately 18' high X 16' diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in plaient rooms,							1		minimum of 17*. Available with or without sled base.  Low back contemporary swivel chair, 37" high X 25" wide X 31* deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or
high X 42 wide X 18" deep with recessed handles, locking device and drawer labels holders. Drawers are adaptable to device and drawer labels holders. Drawers are adaptable to either letter or legal size materials.  1 C either letter or legal size materials.  Round wastespaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in plaient rooms,		<del>                                     </del>	+-		F0280	Chair, Swivel, Low Back	11	С	
diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in pine.					F0420	Cabinet, Filing, Lateral, Half Height	1	С	high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
									diameter. This metal unit is used to collect and temporarily

Initials: \_\_\_\_\_ (Lessor) / \_\_\_\_\_ (Gov't)

Compared to the compared to										
Compare Notice   Compare   Compare Notice   Compare Not					F3200	Clock Battery 12* Diameter	1	C	with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery	
Companied Calific California (1998)   2011   1					. 6266			U	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following	
Company   Comp					M1801		1	С	MB memory; 8	
PACE   1										
Mode										
Company   Comp					A E 0.7 E	Diananaar Caan Dianaaahla	4			
Figure   F								-	Dining room chair with glides. Chair has straight legs with	
Fig. 50					F0225	Chair, Dining Room	8	C	Dining table. Round 42" diameter or square 42" X 42". Used	
Page					F0795	Table, Dining	2	С		
Page									Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily	
Page					F2000	Basket, Wastepaper, Round, Metal	1	С	store small quantities of paper refuse in patient rooms,	
Post							1		Wall mounted magazine rack with nine (9) magazine holding	
COUPARIENT CLANC (28 - PROS SHCS). 1 ARE STONAGE ROOM.  WORLD STONAGE STONAGE STONA					1 2300	reack, Magazine, Wall Mounted	·		Clock, 12" diameter. Round surface, easy to read numbers	
Part					F2200	Olask Battan 401 Dispersion		0	impractical to install a fully synchronized clock system. Battery	
					F3200	Clock, Battery, 12" Diameter	1	C		
1500   Control Contr									includes a heating tank, connection for a cold water supply,	
K688 Oces, Microsoc, Corazone  1 C. Commission to seque days at the part of th					K1552		1	С	controller. The unit is used for semi-automatic coffee brewing in cafe	
March   Marc										
1   C   Separation   Comment   Com					1				plastic. The oven delivers instant energy for rapid heating,	
Product   Papeling   State   P					K4665	Oven, Microwave, Consumer	1	С	digital tim	
									Four (4) slice, electric pop-up toaster. The toaster casing is	
1,550   Tooter Pipt Up 4 Shot Recent   1										
STORO   Refrigeration, 14 Cutals Feet   1   C.   Security   Company of the principle of t					K8250	Toaster, Pop-Up, 4 Slice, Electric	1	С		
### PROS. APPL STD: STORAGE ROOM    PROS. APPL STD: STORAGE ROOM   Proc. APPL STD: STD: APPL STD: APPL STD: STD: APPL STD:									This is a 14 Cubic Foot frostless top mount refrigerator/freezer	
OUTPATIENT CLINC / 13 - PROS SICS 1 PROS SICS 1 PROS SICS 1 PROS STORAGE ROOM					D7000	Petrigorator 14 Cubio Foot	4		used in households or other areas where general purpose	
Comparation Clause   Compara					K7000	Refrigerator, 14 Cubic Feet		C	storage or perishable items is required.	
U.0555   T.778 * 2.00   1.4	1 - OUTPATIENT CLINIC / 28 - PROS	SRCS1	1	PROS. APPL. STO.: STORAGE ROOM		Module, Storage, Shelves, Wall Mtd.				
USSS   Shelver, Mobile   14					U0836	72W x 24D	14			
OUTPATIENT CLINE (16 - PRIMASSED) 1 BEDICAL EQUIPMENT STORAGE ROOM  OUTPATIENT CLINE (16 - PRIMASSED) 1 BEDICAL EQUIPMENT STORAGE ROOM  OUTPATIENT CLINE (16 - PRIMASSED) 1 BEDICAL EQUIPMENT STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - ACOU STORAGE STORAGE STORAGE ALCOVE  OUTPATIENT CLINE (17 - ACOU STORAGE					U2055		14			
OUTPATIENT CLINE (16 - PRIMASSED) 1 BEDICAL EQUIPMENT STORAGE ROOM  OUTPATIENT CLINE (16 - PRIMASSED) 1 BEDICAL EQUIPMENT STORAGE ROOM  OUTPATIENT CLINE (16 - PRIMASSED) 1 BEDICAL EQUIPMENT STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (16 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - PRIMASSED) 1 CLUMPSUPPLY STORAGE ALCOVE  OUTPATIENT CLINE (17 - ACOU STORAGE STORAGE STORAGE ALCOVE  OUTPATIENT CLINE (17 - ACOU STORAGE	1 - OUTPATIENT CLINIC / 13 - ACOL	SRF01	1	A&D: STORAGE FOUIPMENT						
CUITATENT CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, STORAGE ACOVE  CUITATINET CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, STORAGE ACOVE  ACOUPT COUPSUPPY, STORAGE ACOVE  CUITATINET CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, STORAGE ACOVE  ACOUPT CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, STORAGE ACOVE  ACOUPT CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, STORAGE ACOVE  ACOUPT CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, STORAGE ACOVE  ACOUPT CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, STORAGE ACOVE  ACOUPT CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, STORAGE ACOVE  ACOUPT CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, STORAGE ACOVE  ACOUPT CLINIC (16 - PRIMISSEE) 1 COUPSUPPY, ST	1 - OUTPATIENT CLINIC / 16 - PRIMA	SRE01	1	MEDICAL EQUIPMENT STORAGE ROOM						
OUTPATIENT CLING (16 - PRIMAS REG) 1 COUPPSUPPY STORAGE ALOVE  OUTPATIENT CLING (16 - PRIMAS										
- OUTPATIENT CLING / 1s - PRIAM SPREST 1   EQUIPSIPEY X STORAGE ALCOVE										
OUTPATIENT CLINIC / 18 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 28 - PRIMA SPECT 1   EQUIPSIPPLY STORAGE ALCOVE   OUTPATIENT CLINI	1 - OUTPATIENT CLINIC / 16 - PRIMA	SRE01	1	EQUIP/SUPPLY STORAGE ALCOVE						
OUTPATIENT CLINIC / 18 - PRIMARY CAS SECTION AND CONTRACT CLINIC / 18 -										
OUTPATIENT CLINIC / 18 - PRIMA SECTI 1 SQUIPSUPPLY STORAGE ALCOVE	1 - OUTPATIENT CLINIC / 16 - PRIM	SRE01								
OUTPATIENT CLINIC / 18 - PRIMA SEED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SEED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SEED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SEED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SEED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SEED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMA SEED 1   FIOT: STORAGE EQUIPMENT   OUTPATIENT CLINIC / 18 - PRIMA SEED 1   FIOT: STORAGE EQUIPMENT   OUTPATIENT CLINIC / 18 - PRIMARY CAS SEED 1   EQUIPMENT STORAGE FOOM   OUTPATIENT CLINIC / 18 - PRIMARY CAS SEED 1   EQUIPMENT STORAGE FOOM   OUTPATIENT CLINIC / 18 - PRIMARY CAS SEED 1   EQUIPMENT STORAGE FOOM   OUTPATIENT CLINIC / 18 - PRIMARY CAS SEED 1   EQUIPMENT STORAGE FOOM   OUTPATIENT CLINIC / 18 - PRIMARY CAS SEED 1   EQUIPMENT STORAGE FOOM   OUTPATIENT CLINIC / 18 - PRIMARY CAS SEED 1   EQUIPMENT STORAGE FOOM   OUTPATIENT CLINIC / 18 - PRIMARY CAS SEED 1   EQUIPMENT STORAGE FOOM   OUTPATIENT CLINIC / 13 - ACQUIRMENT STORAGE FOOM   OUTPATIENT CLINIC / 14 - ENVIRONMENT STRINI  OUTPATIENT CLINIC / 14 - ENVIRONMENT STRINI  OUTPATIENT CLINIC / 14 - ENVIRONMENT STRINI  OUTPATIENT CLINIC / 13 - ACQUIRMENT STRINI  OUTPATIENT CLINIC / 14 - ENVIRONMENT STRINI	1 - OUTPATIENT CLINIC / 16 - PRIMA	SRE01	1	EQUIP/SUPPLY STORAGE ALCOVE						
OUTPATIENT CLINIC / 16 - PRIMM SRED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 16 - PRIMM SRED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 16 - PRIMM SRED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - PRIMM SRED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - BRUMP SRED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - BRUMP SRED 1   EQUIPSUPPLY STORAGE ALCOVE   OUTPATIENT CLINIC / 18 - BRUMP SRED 1   TO RAGE COME   OUTPATIENT CLINIC / 18 - BRUMP SRED 1   BOWE GRAD STORAGE COM			_							
OUTPATIENT CLINIC / 18 - PRIMA SREDI  OUTPATIENT CLINIC / 23 - PRICE SREDI  I POTO: \$TORAGE ACOUPMENT  OUTPATIENT CLINIC / 23 - PRICE SREDI  OUTPATIENT CLINIC / 35 - PRICE SREDI  I POTO: \$TORAGE COUPMENT  OUTPATIENT CLINIC / 35 - PRICE SREDI  OUTPATIENT CLINIC / 35 - ACOU SRIGHT  OUTPATIENT CLINIC	1 - OUTPATIENT CLINIC / 16 - PRIMA	SRE01	1							
OUTPATIENT CLINIC / 3- BACK SREED 1 1 PITOT: STORAGE_EQUIPMENT CLINIC / 1-3 PACE / 4 - ENVIRONMEN SREED 1 1 STORAGE	1 - OUTPATIENT CLINIC / 16 - PRIMA	SRE01		EQUIP/SUPPLY STORAGE ALCOVE						
- PACT SPACE / 4 - ENVIRONMEN SECTION STORAGE SECTION STORAGE SECTION STORAGE SECTION STORAGE SECTION	1 - OUTPATIENT CLINIC / 23 - SPEC 1 - OUTPATIENT CLINIC / 26 - PHYS	SRE01								
PACT SPACE / 16 - PRIMARY CAS RED 1 NUSSEKEEPING AIDS CLOSET  A5077 Dispenser, Hand Sanitizer, Hands-Free  1 NUSSEKEEPING AIDS CLOSET  A5077 Dispenser, Hand Sanitizer, Hands-Free  1 A both free walf-mounted hand senitizer dispenser. For use throughout he healthness tealing, but does not include the mentaling leads are healthness and the mounted hand senitizer dispenser. For use throughout healthness healthness and the mounted hand senitizer dispenser. For use throughout healthness healthness and the mounted hand senitizer dispenser. For use throughout healthness healthness and the mounted hand senitizer dispenser. For use throughout healthness healthness healthness and the mounted hand senitizer dispenser. For use throughout healthness he	1 - OUTPATIENT CLINIC / 5 - BIOME	SRE01	1	BIOMEDICAL STORAGE						
A5077 Dispenser, Hand Sanitizer, Hands-Free 1   A bouch free wall-mounted hand sanitizer dispenser. For use throughout a hardworse policy Unit does not include the sanitizing liquid that are based your posted.  M2070 Shelving, Storage, 77tx36wx18d 3 C C and in the sanitizer dispenser. For use throughout a hardworse protein the demand applicable that we have found your posted.  M2070 Shelving, Storage, 77tx36wx18d 3 C C and in the sanitizer thated ensure, growing or sanitizer depenser. For use through the sanitizer dependence and the sanitizer dependence. For use through the sanitizer dependence and the sanitizer dependence. For use through the sanitizer and for use and through the sanitizer an	2 - PACT SPACE / 16 - PRIMARY CA	SRE01	1	MEDICAL EQUIPMENT STORAGE ROOM						
A5077 Dispenser, Hand Santizer, Hands-Free 1	2 - PACT SPACE / 4 - ENVIRONMEN	SRE01	1	HOUSEKEEPING AIDS CLOSET						
AS077 Dispenser, Hand Sanitzer, Hands-Free 1					1					
M2070 Shelving, Storage, 77hx36wx18d 3 C Corrosion resistant blaked enamel, galvanized or stanless steel open unit with adjustable shelves. The closed version is also owniblate. For use in the storage room.  M4116 Monitor, Vital Signs 2 C C and claims. For use in the storage room.  M4116 Monitor, Vital Signs 2 C C and claims. Includes an optional mobile stand.  OUTPATIENT CLINIC / 13 - ACQU SRGC1 1 A&D: STORAGE, MEDICAL GAS  DIFFERENCE OF A STORAGE, MEDICAL GAS  M2115 Truck, Hand, 2 Wheel 1 C C Wheel hand truck. Double handed with three supportive crossbars for heavy duty use. 800 pound weight capacity with www 8 or 10 indiv whields. For use in the warehouse.  OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, BIO+AA2ARD WASTE COMM PACT SPACE / 4 - ENVIRONMEN SRHM1 1 REGULATED MEDICAL WASTE ROOM  M2005 Shelves 1 C C Cabinet, Storage, Acid, Floor Standing.  M2005 Shelves 1 C C Corrosion resistant blaked enamel, galvanized or stanless steel open unit with adjustable shelves. The closed version is also ownibite. For use in the warehouse.  Cabinet, Storage, Acid, Floor Standing.  The C C Corrosion resistant blaked enamel, galvanized or stanless steel open unit with adjustable shelves. The closed version is also ownible. For use in the warehouse.  Cabinet, Storage, Acid, Floor Standing.  M2005 Shelves 1 C C Corrosion resistant blaked enamel, galvanized or stanless steel open unit with adjustable shelves. The closed version is also ownible. For use in the storage room.  M2070 Shelving, Storage, 77hx36wx18d 1 C C Williams and approximately 77 H X SF W X 18* D. Corrosion resistant blaced enamel, galvanized or stanless steel open unit with adjustable shelves. The closed version is also ownible. The close reasoly locks for stable positioning and patient transfer and features as non-					A5077	Dispenser, Hand Sanitizer, Hands-Free	1			
M2070 Shelving, Storage, 77hx36wx18d 3 C c one unit with adjustable shelves. The closed version is also available. For use in the storage room.  M4116 Monitor, Vital Signs 2 C C one unit with adjustable shelves. The closed version is also available. For use in the storage room.  Electronic sphygmoramometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.  ABD: STORAGE, MEDICAL GAS  M2115 Truck, Hand, 2 Wheel 1 C C wheel hand truck. Duckle handed with three supportive constants for heavy day use. Solo pound weight opendate with two 8 or 10 inch wheels. For use in the warehouse.  OUTPATIENT CLINIC /13 - ACQU SRHM1 1 ABD: STORAGE, BIO-HAZARD WASTE OUTPATIENT CLINIC /13 - ACQU SRHM1 1 ABD: STORAGE, BIO-HAZARD WASTE 9-ACT SPACE /4 - ENVIRONMEN SRHM1 1 REGULATED MEDICAL WASTE ROOM  PACT SPACE /4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM  TRASH COLLECTION ROOM  ABD: STORAGE, BIO-HAZARD WASTE 0 Cabinet, Storage, Acid, Floor Standing, Shelves 1 C cycle from the design pool all, An 16-gauge stell frame with versit, 11/2° alrapsed between walls and corner with adjustable shelves. The closed version is also available. For use in the waterhouse stell from the contraction of the contraction o					1				Storage shelving unit approximately 77" H X 36" W X 18" D.	
M4116 Monitor, Vital Signs 2 C C DITPATIENT CLINIC / 13 - ACQU SRGC1 1 A&D: STORAGE, MEDICAL GAS  - OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, FLAMMABLE - OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, BIO-INZARD WASTE - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 REGULATED MEDICAL WASTE ROOM - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM - Cabinet, Storage, Acid, Floor Standing, Shelves - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 EQUIP/SUPPLY ALCOVE					M2070	Shalving Storage 77hy2042.4	2		open unit with adjustable shelves. The closed version is also	
- OUTPATIENT CLINIC / 13 - ACQU SRGC1 1 A&D: STORAGE, MEDICAL GAS  - OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, FLAMMABLE - OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, FLAMMABLE - OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, BIO-HAZARD WASTE - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 REGULATED MEDICAL WASTE ROOM - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 RASH COLLECTION ROOM - Cabinet, Storage, Acid, Floor Standing, Shelves  - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - LOBBY SRLW1 1 STORAGE AND SRLW1 SRLW1 STORAGE AND SRLW1 SRLW1 SRLW1 SRLW1 SRLW1 SRLW1 SRLW1 SRLW1 SRL					IVIZU/U	Shewing, Storage, //fix36Wx180	3	C		
OUTPATIENT CLINIC / 13 - ACQU SRGC1 1 A&D: STORAGE, MEDICAL GAS  M2115 Truck, Hand, 2 Wheel 1 C wheel not ruck. Double handed with three supportive crossbars for heavy duty use. 800 pound weight capacity with we 6 or 10 inch wheels. For use in the werehouse.  OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, FLAMMABLE OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, BIO-HAZARD WASTE - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 REGULATED MEDICAL WASTE ROOM - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM  Cabinet, Storage, Acid, Floor Standing, Shelves 1 C C well between walls and epony finis with verts, 1 1/2" airspace between walls and epony finis  OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 EQUIP/SUPPLY ALCOVE  MRI wheelchair. This unit accommodates any size patient, with 15" wide seal, with 15 compact enough to bit frought on seal with rest and over thresholds. The chair easily locks for stable position and applications and over thresholds. The chair easily locks for stable positioning and group compact may be provided the storage count.  MRI wheelchair. This unit accommodates any size patient, with 15" wide seal, with 15 compact enough to bit phrough narrow doorways and over thresholds. The chair easily locks for stable positioning and patient transfer and features a non-						Manitan Vital C		_	blood pressure, pulse rate and temperature. Used in hospitals	
- OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, FLAMMABLE - OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, BIO-HAZARD WASTE - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 REGULATED MEDICAL WASTE ROOM - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM - PRIMA SRHM1 1 TRASH COLLECTION ROOM - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM - PACT			E		M4116	ivionitor, Vitai Signs	2	C	and clinics. Includes an optional mobile stand.	
- OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, FLAMMABLE - OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, BIO-HAZARD WASTE - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 REGULATED MEDICAL WASTE ROOM - PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM - Cabinet, Storage, Acid, Floor Standing, Shelves 1 Cabinet, Storage, Acid, Floor Standing, Shelves 1 Cabinet, Storage, Acid, Floor Standing, Shelves 1 Cabinet, Storage, Acid, Floor Standing, Storage, Trix/36wx18d 1 Cabinet, Storage, Trix/36wx18d 1 Cabinet, Storage, Trix/36wx18d 1 Cabinet, This unit accommodates any size patient, with 15° wide soat, yet is compact enough to slight rough narrow doorways and over thresholds. The claim easily locks for standing and patient marker are not experienced by the storage room.	1 - OUTPATIENT CLINIC / 13 - ACQU	SRGC1	1	A&D: STORAGE, MEDICAL GAS						
- OUTPATIENT CLINIC / 13 - ACQU SRHM1 1 A&D: STORAGE, FLAMMABLE					1					
- PACT SPACE / 4 - ENVIRONMEN SRHMI 1 REGULATED MEDICAL WASTE ROOM - PACT SPACE / 4 - ENVIRONMEN SRHMI 1 TRASH COLLECTION ROOM - PACT SPACE / 4 - ENVIRONMEN SRHMI 1 TRASH COLLECTION ROOM - Cabinet, Storage, Acid, Floor Standing, Shelves - Cabinet, Storage, Acid, Floor Standing, Shelves - Cabinet, Storage, Acid, Floor Standing, Shelves - Cabinet, Storage, Acid, Floor Standing, Storage, Acid, Floor Standing, Storage, Shelves - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 - OUTPATIENT CLINIC / 1 - PRIMM SRLW1 - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 - MRI Wheelchair. This unit accommodates any size patient, with 15° wide seat, yet it is compact coupled to slight trough locks for stable positioning and patient transfer and features a non-			<u> </u>		M2115	Truck, Hand, 2 Wheel	1	С	two 8 or 10 inch wheels. For use in the warehouse.	
1. PACT SPACE / 4 - ENVIRONMEN SRHM1 1 REGULATED MEDICAL WASTE ROOM 1. PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM 1 TRASH ROOM 1 TRASH COLLECTION ROOM 1 TRASH COLLECTION ROOM 1 TRASH										
PACT SPACE / 4 - ENVIRONMEN SRHM1 1 TRASH COLLECTION ROOM  Cabinet, Storage, Acid, Floor Standing, Shelves  Cabinet, Storage, Acid, Floor Standing, Shelves, three-point latch with key-lock and 2" raised leak proof sill. An 15-gauge steet frame with vents, 1 12" airspace between walls and epoxy finis  Storage shelving unit approximately 7" H X 36" W X 18" D. Corrosion resistant based enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.  OUTPATIENT CLINIC / 1 - LOBBY SRLW1  OUTPATIENT CLINIC / 16 - PRIMA SRLW1  STORAGE, WHEELCHAIR  OUTPATIENT CLINIC / 16 - PRIMA SRLW1  MRI wheelchair. This unit accommodates any size patient, with 19" wide seat, yet it is compact enough to slightrough narrow doorways and over thresholds. The chair easily locks for stable positioning and patient transfer and features a non-										
Shelves Cabinet, Storage, Acid, Floor Standing, Shelves To Cabinet, Storage, Acid, Floor Standing, Shelves To Cabinet, Storage, Acid, Floor Standing, To Cabinet, Storage, Acid, Floor Standing, To Cabinet, Storage, Acid, Floor Standing, To Cabinet, Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or staniless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.  - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 16 - PRIM SRLW1 1 EQUIP/SUPPLY ALCOVE  MRI wheelchair. This unit accommodates any size patient, with 19" wide seat, yet it is compact enough to slighthrough narrow doorways and over thresholds. The chair easily locks for stable positioning and patient transfer and features a non-										
Cabinet, Storage, Acid, Floor Standing, Shelves  M2005  Shelves  1 C c opox finis  Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.  - OUTPATIENT CLINIC / 1 - LOBBY SRLW1  - OUTPATIENT CLINIC / 16 - PRIM SRLW1  1 EQUIP/SUPPLY ALCOVE  MRI wheelchair. This unit accommodates any size patient, with 19" wide seat, yet it is compact enough to sligh through narrow doorways and over thresholds. The chair easily locks for stable positioning and patient transfer and features a non-									standard two door cabinet with adjustable shelves, three-point	
M2070 Shelving, Storage, 77hx36wx18d 1 Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also open unit with adjustable shelves. The closed version is also available. For use in the storage room.  - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 16 - PRIMA SRLW1 1 EQUIP/SUPPLY ALCOVE  MRI wheelchair. This unit accommodates any size patient, with 19" wide seat, yet it is compact enough to sligh through narrow doorways and over thresholds. The chair easily locks for stable positioning and patient transfer and features a non-								_	steel frame with vents, 1 1/2" airspace between walls and	
Outpatient CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 16 - PRIMA SRLW1 1 EQUIP/SUPPLY ALCOVE					M2005	oneives	1	С	epoxy tinis	
M2070 Shelving, Storage, 77hx36wx18d 1 C open unit with adjustable shelves. The closed version is also available. For use in the storage room.  - OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 16 - PRIMA SRLW1 1 EQUIP/SUPPLY ALCOVE  MRI wheelchair. This unit accommodates any size patient, with 19" wide seat, yet it is compact enough to sligh through narrow doorways and over thresholds. The chair easily locks for stable positioning and patient transfer and features a non-					1				Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel. galvanized or stainless steel	
- OUTPATIENT CLINIC / 1 - LOBBY SRLW1 1 STORAGE, WHEELCHAIR - OUTPATIENT CLINIC / 16 - PRIMA SRLW1 1 EQUIP/SUPPLY ALCOVE MRI wheelchair. This unit accommodates any size patient, with 19" wide seat, yet it is compact enough to slip through narrow doorways and over thresholds. The chair easily locks for stable positioning and patient transfer and features a non-					M2070	Shelving, Storage, 77hx36wx18d	1	С	open unit with adjustable shelves. The closed version is also	
- OUTPATIENT CLINIC / 16 - PRIMA SRLW1 1 EQUIP/SUPPLY ALCOVE  MRI wheelchair. This unit accommodates any size patient, with 19" wide seat, yet it is compact enough to slip through narrow doorways and over thresholds. The chair easily locks for stable positioning and patient transfer and refeatures a non-		(001				Salary Colonge, Thisophaton				
MRI wheelchiir. This unit accommodate any size patient, with 19" wide sait, yet, it is compact enable to slip through (with 19" wide sait, yet, it is compact enable to slip through narrow doorways and over thresholds. The chair easily locks for stable positioning and patient transfer and features a non-			1	EQUIP/SUPPLY ALCOVE						
narrow doorways and over thresholds. The chair easily locks for stable positionism and relatives an on-										
X9910 Wheelchair, MRI 6 C corrosive, I					1				narrow doorways and over thresholds. The chair easily locks	
	i	1	l	İ	X9910	Wheelchair, MRI	6	С	corrosive, I	

					1				
1 - OUTPATIENT CLINIC / 11 - POLIC		1	STORAGE, ARMORY AND WEAPONS						
1 - OUTPATIENT CLINIC / 12- VOLUN 1 - OUTPATIENT CLINIC / 13 - ACQU			STORAGE A&D: STORAGE, FORM / PROCESSED STOR	FS					
1 - OUTPATIENT CLINIC / 7 - IMAGIN	SRS01	1	EQUIPMENT, STERILIZATION ROOM						
2 - PACT SPACE / 3 - EDUCATION A 2 - PACT SPACE / 3 - EDUCATION A			STORAGE, PATIENT EDUCATION MATERIAL- STORAGE, PATIENT EDUCATION MATERIAL	-1					
2 - PACT SPACE / 3 - EDUCATION A	SRS01	1	STORAGE, PATIENT EDUCATION MATERIAL						
2 - PACT SPACE / 3 - EDUCATION A	SRS01	1_	STORAGE, PATIENT EDUCATION MATERIAL						
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.	
								A touch free wall-mounted hand sanitizer dispenser. For use	
					S: 11 10 % 11 15			throughout a healthcare facility. Unit does not include	
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		the sanitizing liquid. Units are battery operated.  Round wastepaper basket, approximately 18" high X 16"	
								diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,	
				F2000 X1750	Basket, Wastepaper, Round, Metal Drying Rack	1	С	administrative areas and nursing stations.	
				X2201	Trophon	1			
2 - PACT SPACE / 25 - SPECIALTY C	SDSE1	1	SPECIALTY CARE STORAGE AND SUPPLIES						
2 - PACT SPACE / 25 - SPECIALTY C			PODIATRY STORAGE						
								A touch free wall-mounted hand sanitizer dispenser. For use	
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.	
				F0465	Cabinet, Storage, 2 Door, 5 Shelf	1	С	Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves.	
				1 0 100					
								Liquid nitrogen Dewar. Unit consists of a 50 liter capacity insulated storage cylinder with stainless steel inside, dispensing	
				M1300	Dewar, Liquid Nitrogen	1	С	spout and mobility cart. Used for bulk liquid nitrogen storage.  Stationary, wire, shelving unit. Unit has fully adjustable	
								shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes	
				M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	4		and configurations. Price provided is for a unit approximately  74"H x 1	
				MEUUU	w/nujustable offettes	4	U	I TO THE TOTAL TOT	
2 - PACT SPACE / 17 - PRIMARY CAI 2 - PACT SPACE / 17 - PRIMARY CAI			GYN EXAM TOILET GYN EXAM TOILET						
2 - PACT SPACE / 17 - PRIMARY CAI	TLTF1	1	GYN EXAM TOILET						
2 - PACT SPACE / 17 - PRIMARY CAI 2 - PACT SPACE / 17 - PRIMARY CAI			GYN EXAM TOILET GYN EXAM TOILET						
2 - PACT SPACE / 17 - PRIMARY CAI	TLTF1	1	GYN EXAM TOILET						
2 - PACT SPACE / 4 - ENVIRONMEN 2 - PACT SPACE / 4 - ENVIRONMEN	TLTF1	1	TOILET, STAFF-2 TOILET, STAFF-1						
								Disposable soap dispenser. One-handed dispensing operation.	
				A5075	Dispenser, Soap, Disposable	1		Designed to accommodate disposable soap cartridge and valve.	<u> </u>
								Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily	
				F2000	Basket, Wastepaper, Round, Metal	1	С	store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
UNASSIGNED / 1 - LOBBY / RECEPT	TI TE2	1	TOILET, PUBLIC, FEMALE						
UNASSIGNED / 1 - LOBBY / RECEPT	TLTF2	1	TOILET, PUBLIC, FEMALE						
UNASSIGNED / 1 - LOBBY / RECEPT UNASSIGNED / 1 - LOBBY / RECEPT	TLTF2 TLTF2	1	TOILET, PUBLIC, FEMALE TOILET, PUBLIC, FEMALE						
Old Colored Print Color (NECC)			TOTAL TITLE TO THE TOTAL						
				A5075	Dispenser, Soap, Disposable	1		Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.	
2 - PACT SPACE / 1 - LOBBY / RECE			FAMILY TOILET						
	TLTF3	1							
2 - PACT SPACE / 1 - LOBBY / RECE	TLTF3	1	FAMILY TOILET						
	TLTF3 TLTF3	1	FAMILY TOILET FAMILY TOILET FAMILY TOILET						
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE	TLTF3 TLTF3	1	FAMILY TOILET					Discosable soap discenser. One-handed discensing operation.	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE	TLTF3 TLTF3	1	FAMILY TOILET	A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE	TLTF3 TLTF3	1	FAMILY TOILET	A5075	Dispenser, Soap, Disposable	1		Designed to accommodate disposable soap cartridge and valve.  Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE	TLTF3 TLTF3	1	FAMILY TOILET	A5075 F2000	Dispenser, Soap, Disposable  Basket, Wastepaper, Round, Metal	1		Designed to accommodate disposable soap cartridge and valve. Round wastepaper basket, approximately 18" high X 16"	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE	TLTF3 TLTF3 TLTF3	1 1 1	FAMILY TOILET FAMILY TOILET			1		Designed to accommodate disposable soap cartridge and valve. Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE UNASSIGNED / 1 - LOBBY / RECEP <sup>1</sup> UNASSIGNED / 1 - LOBBY / RECEP <sup>1</sup>	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2	1 1 1	FAMILY TOILET  FAMILY TOILET  TOILET, PUBLIC, MALE  TOILET, PUBLIC, MALE			1		Designed to accommodate disposable soap cartridge and valve. Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE UNASSIGNED / 1 - LOBBY / RECEPP UNASSIGNED / 1 - LOBBY / RECEPP UNASSIGNED / 1 - LOBBY / RECEPP	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1	FAMILY TOILET  FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE			1		Designed to accommodate disposable soap cartridge and valve. Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE UNASSIGNED / 1 - LOBBY / RECEPP UNASSIGNED / 1 - LOBBY / RECEPP UNASSIGNED / 1 - LOBBY / RECEPP	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1	FAMILY TOILET  FAMILY TOILET  TOILET, PUBLIC, MALE  TOILET, PUBLIC, MALE			1		Designed to accommodate disposable soap cartridge and vater.  Round wastepaper basket, approximately 18* high, 48* disdinater. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE UNASSIGNED / 1 - LOBBY / RECEPP UNASSIGNED / 1 - LOBBY / RECEPP UNASSIGNED / 1 - LOBBY / RECEPP	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1	FAMILY TOILET  FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE			1 1	С	Designed to accommodate disposable soap cartridge and valve. Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEPT	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1	FAMILY TOILET  FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE	F2000	Basket, Wastepaper, Round, Metal	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high X 16* diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation.  Disposable soap dispenser. One-handed dispensing operation.  Designed to accommodate disposable soap cartridge and valve.	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEPT	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1	FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE	F2000	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable	1	С	Designed to accommodate disposable soap cartridge and via Kund wastepper basket, approximately 18° high X 18° diameter. This metal unit is used to collect and temporarily store small quantilise of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEPT	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1	FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE	F2000	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side,	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hanging clothes and over/under compartments for hats, etc. Used for personal belongings	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEPT	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE	F2000	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16*  dameter. This metal unit is used to collect and temporarily store small quantilise of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap disponser. One-handed dispensing operation.  Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hanging clothes and over/under compartments for hats, etc. Used for personal belongings storage.	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEPT	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE	A5075	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEPT	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE	F2000	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side,	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X16* diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation.  Disposable soap dispenser. One-handed dispensing operation.  Disposable soap dispenser. One-handed dispensing operation.  Two person side by side locker. Steel unit. It consists of side by side compartments for hanging clothes and over/under compartments for hats, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-172* thick.  Benches shall be laminated hardwood with a moisture resistant	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEP! 2 - PACT SPACE / 4 - ENVIRONMEN' 1 - OUTPATIENT CLINIC / 10 - PATH	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2	1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC	A5075 A1040 A5025	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEP!  2 - PACT SPACE / 4 - ENVIRONMEN'  1 - OUTPATIENT CLINIC / 10 - PATH 2 - PATH 3 - PATH 3 - PATH 3 - PATH 4 - PATH	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1 TLTU1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEP!  2 - PACT SPACE / 4 - ENVIRONMEN! 1 - OUTPATIENT CLINIC / 10 - PATH	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1 TLTU1 TLTU1 TLTU1 TLTU1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE  SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC LAB	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP UNASSIGNED / 1 - LOBBY / RECEP 2 - PACT SPACE / 4 - ENVIRONMEN 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 20 - PHYS 1 - OUTPATIENT CLINIC / 25 - PHYS	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC OPERATIONS TOILET TOILET	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEP'  2 - PACT SPACE / 4 - ENVIRONMEN'  1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 11 - POLIC 1 - OUTPATIENT CLINIC / 11 - POLIC 1 - OUTPATIENT CLINIC / 25 - PHYS' 1 - OUTPATIENT CLINIC / 25 - PHYS' 1 - OUTPATIENT CLINIC / 26 - PHYS'	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC TOILET TOILET TOILET TOILET TOILET TOILET	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP UNASSIGNED / 1 - LOBBY / RECEP 2 - PACT SPACE / 4 - ENVIRONMEN 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 25 - PHYS 1 - OUTPATIENT CLINIC / 26 - PHYS 1 - OUTPATIENT CLINIC / 4 - ENVIRC	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC CAB: TOILET, URINE SPECIMEN COLLECTIC TOILET TOILET TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP! UNASSIGNED / 1 - LOBBY / RECEP! 2 - PACT SPACE / 4 - ENVIRONMEN' 1 - OUTPATIENT CLINIC / 10 - PATH (1 - OUTPATIENT CLINIC / 10 - PATH (1 - OUTPATIENT CLINIC / 25 - PHYS (1 - OUTPATIENT CLINIC / 26 - PHYS (1 - OUTPATIENT CLINIC / 4 - ENVIRC (1 - OUTPATIENT CLINIC / 4 - ENVIR	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE  SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC OPERATIONS TOILET TOILET TOILET TOILET TOILET, STAFF	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP  UNASSIGNED / 1 - LOBBY / RECEP!  2 - PACT SPACE / 4 - ENVIRONMEN!  1 - OUTPATIENT CLINIC / 10 - PATH! 1 - OUTPATIENT CLINIC / 11 - PATH! 1 - OUTPATIENT CLINIC / 12 - PHYS! 1 - OUTPATIENT CLINIC / 25 - PHYS! 1 - OUTPATIENT CLINIC / 4 - ENVIRC 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA	TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE SHOWER, STAFF  SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC AB: TOILET, URINE SPECIMEN COLLECTIC OPERATIONS TOILET TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, PATIENT TOILET, PATIENT TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEP!  2 - PACT SPACE / 4 - ENVIRONMEN! 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 2 - PHYS 1 - OUTPATIENT CLINIC / 2 - PHYS 1 - OUTPATIENT CLINIC / 4 - ENVIRC 1 - OUTPATIENT CLINIC / 7 - IMAGIN 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE  SHOWER, STAFF  SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC TOILET TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE  UNASSIGNED / 1 - LOBBY / RECEP! 2 - PACT SPACE / 4 - ENVIRONMEN' 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 11 - POLIC 1 - OUTPATIENT CLINIC / 22 - PHYS 1 - OUTPATIENT CLINIC / 24 - ENVIRC 1 - OUTPATIENT CLINIC / 4 - ENVIRC 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, TOILET, MALE  SHOWER, STAFF  SHOWER, STAFF TOILET, URINE SPECIMEN COLLECTIC AB: TOILET, URINE SPECIMEN COLLECTIC OPERATIONS TOILET TOILET TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP! UNASSIGNED / 1 - LOBBY / RECEP! 2 - PACT SPACE / 4 - ENVIRONMEN' 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 12 - PHYS 1 - OUTPATIENT CLINIC / 26 - PHYS 1 - OUTPATIENT CLINIC / 26 - PHYS 1 - OUTPATIENT CLINIC / 4 - ENVIRC 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE  TOILET, PUBLIC, MALE  TOILET, PUBLIC, MALE  TOILET, PUBLIC, MALE  TOILET, PATIENT TOILET, TAFF TOILET, TAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, TATIENT TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP UNASSIGNED / 1 - LOBBY / RECEP 2 - PACT SPACE / 4 - ENVIRONMEN 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 12 - PHYS 1 - OUTPATIENT CLINIC / 2 - PHYS 1 - OUTPATIENT CLINIC / 4 - ENVIRC 1 - OUTPATIENT CLINIC / 1 - ENMARY CA 2 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 1	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE  SHOWER, STAFF  SHOWER, STAFF  CLAB: TOILET, URINE SPECIMEN COLLECTIC CLAB: TOILET, URINE SPECIMEN COLLECTIC CAB: TOILET, URINE SPECIMEN COLLECTIC COPERATIONS TOILET TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP UNASSIGNED / 1 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 2 - PHYS 1 - OUTPATIENT CLINIC / 4 - ENVIRC 1 - OUTPATIENT CLINIC / 1 - FINIARY CA 2 - PACT SPACE / 17 - PRIMARY CA 3 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 4 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPACE / 17 - PRIMARY CA 5 - PACT SPAC	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET TOILET, PUBLIC, MALE SHOWER, STAFF LAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC CAB: TOILET, URINE SPECIMEN COLLECTIC COPERATIONS TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF TOILET, FATIENT TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP! UNASSIGNED / 1 - LOBBY / RECEP!  2 - PACT SPACE / 4 - ENVIRONMEN! 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 20 - PHYS 1 - OUTPATIENT CLINIC / 20 - PHYS 1 - OUTPATIENT CLINIC / 4 - ENVIRC 1 - OUTPATIENT CLINIC / 7 - IMAGIN 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE /	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE SHOWER, STAFF  SHOWER, STAFF  CLAB: TOILET, URINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC OPERATIONS TOILET TOILET TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP UNASSIGNED / 1 - PATHA 1 - OUTPATIENT CLINIC / 10 - PATHA 1 - OUTPATIENT CLINIC / 1 - PATHA 1 - OUTPATIENT CLINIC / 2 - PHYS 1 - OUTPATIENT CLINIC / 4 - ENVIRC 2 - PACT SPACE / 1 - PRIMARY CA 3 - PACT SPACE / 1 - PRIMARY CA 4 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PR	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE  SHOWER, STAFF  SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC CAB: TOILET, URINE SPECIMEN COLLECTIC COPERATIONS TOILET TOILET TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP! UNASSIGNED / 1 - LOBBY / RECEP! 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 10 - PATH 1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - P	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTU1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE  SHOWER, STAFF  SHOWER, STAFF  TOILET, LVINE SPECIMEN COLLECTIC LAB: TOILET, URINE SPECIMEN COLLECTIC COPERATIONS TOILET TOILET TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	
2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECE 2 - PACT SPACE / 1 - LOBBY / RECEP UNASSIGNED / 1 - PATHA 1 - OUTPATIENT CLINIC / 10 - PATHA 1 - OUTPATIENT CLINIC / 1 - PATHA 1 - OUTPATIENT CLINIC / 2 - PHYS 1 - OUTPATIENT CLINIC / 4 - ENVIRC 2 - PACT SPACE / 1 - PRIMARY CA 3 - PACT SPACE / 1 - PRIMARY CA 4 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PRIMARY CA 5 - PACT SPACE / 1 - PR	TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTF3 TLTM2 TLTM2 TLTM2 TLTM2 TLTM2 TLTM1 TLTW1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET FAMILY TOILET  TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE TOILET, PUBLIC, MALE  SHOWER, STAFF  SHOWER, STAFF  LAB: TOILET, URINE SPECIMEN COLLECTIC CAB: TOILET, URINE SPECIMEN COLLECTIC COPERATIONS TOILET TOILET TOILET TOILET TOILET TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, STAFF TOILET, PATIENT	A5075 A1040 A5025 N-1 N-2	Basket, Wastepaper, Round, Metal  Dispenser, Soap, Disposable  Locker, 2 Person, Side by Side, 72x15x18	1	С	Designed to accommodate disposable soap cartridge and valve.  Round wastepper basket, approximately 18* high. X 16* diameter. This metal unit is used to collect and temporarily store small quantiles of paper refuse in patient rooms, administrative areas and nursing stations.  Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  Two person side by side locker. Steel unit. It consists of side by side compartments for hars, etc. Used for personal belongings storage.  Portable locker room bench. Approximately 1-1/2* thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong	

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 19 of 25

2 - PACT SPACE / 4 - ENVIRONMEN 2 - PACT SPACE / 4 - ENVIRONMEN			TOILET, STAFF TOILET, STAFF						
2 - PACT SPACE / 4 - ENVIRONMENT	TLTU1	1	TOILET, STAFF						
2 - PACT SPACE / 4 - ENVIRONMENT 2 - PACT SPACE / 4 - ENVIRONMENT	TLTU1		TOILET, STAFF TOILET, STAFF						
2 - PACT SPACE / 4 - ENVIRONMENT	TLTU1		TOILET, STAFF						
2 - PACT SPACE / 4 - ENVIRONMEN			TOILET, STAFF						
2 - PACT SPACE / 4 - ENVIRONMEN	ILIU1	1	TOILET, STAFF						
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.	
				A3073	Disperser, Coap, Disposable				
								A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include	
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		the sanitizing liquid. Units are battery operated.	<u>.                                    </u>
								Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily	
				F2000	Basket, Wastepaper, Round, Metal	1	С	store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
2 - PACT SPACE / 17 - PRIMARY CA 2 - PACT SPACE / 17 - PRIMARY CA		1	PROCEDURE ROOM, GENERAL PROCEDURE ROOM, GENERAL						
2 - PACT SPACE / 17 - PRIMARY CA			PROCEDURE ROOM, GENERAL						
2 - PACT SPACE / 17 - PRIMARY CA			PROCEDURE ROOM, GENERAL						
2 - PACT SPACE / 17 - PRIMARY CA	IRGST	1	PROCEDURE ROOM, GENERAL					Horizontal mounting rail will consist of lock mounting devices	
								capable of; supporting up to 75 pounds each, being	
					Rail, Accessory Mounting, Length As			repositioned, and mounting and dismounting of equipment without the use of tools. The rail must be capable of supporting	,
				A1132 A1200	Required	1	С	medical equipment a	<u> </u>
				A1200					<u> </u>
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.	
								A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include	
	1	-		A5077	Dispenser, Hand Sanitizer, Hands-Free	1	-	the sanitizing liquid. Units are battery operated.  Examination glove dispenser box for wall mounting. Fabricated	<b>-</b>
		Ì			Disponent Glove Sussia-I/F	ĺ		of either cold rolled steel with a white baked enamel finish,	Ì
				A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	С	plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.	
								A container for collecting and transporting syringes and other	
				1		l		sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA	
				A5108	Waste Disposal Unit, Sharps	1_	С	regulations for handling sharps.	<u> </u>
								THIS TYPICAL INCLUDES:  1 Wall Mounted Rail	
								Locked Storage Container     Tray/Shelves	
								1 Locker Drawer w/Locked Lid, 6"H (152mm)	
								5 Drawers, 3"H (76mm) 3 Drawers, 6"H (152mm)	
					Locker, Supply, Medication, Wall Mtd,			2 Tray/Shelves Divider Drawer Organizer Bins	
				E0915	23"W x 20"D	1	С	Consider the need for	
								THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top	
								1 Accessory Rail, Side	
					Cart, General Storage, Mobile, 42"H x			2 Drawers, 3" H (76mm) 4 Drawers, 6" H (152mm)	
				E0948	32"W x 22"D	1	С	Drawer Organizer Bins	<u> </u>
								Upholstered side chair, 32" high X 21" wide X 23" deep with	
				F0205	Chair, Side With Arms	1	С	arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.	
					,				
								Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on	
				F0340	Stool, Self Adjusting	1	С	swivel casters. Designed for doctor's use during examinations.	
								Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily	
				F2000	Basket, Wastepaper, Round, Metal	1	С	store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
				F2300	Rack, Magazine, Wall Mounted	1	С	Wall mounted magazine rack with nine (9) magazine holding	
				1 2300	itack, Magazine, Wali Mounted			Clock, 12" diameter. Round surface, easy to read numbers	<u> </u>
								with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery	
				F3200	Clock, Battery, 12" Diameter	1	С	operated, (batteries not included).	<u> </u>
								Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard,	
					Computer, Microprocessing, w/Flat			mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512	
				M1801	Panel Monitor	1	С	MB memory; 8	<u> </u>
		Ì			Work Station, Computer, Retractable,	ĺ		A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and	Ì
	<b>.</b>			M1802	Wall Mounted	1	С	areas where physical space in limited.	<b>├</b> ─
						l		Mobile linen hamper with hand or foot operated lid. Made of	
		Ì				ĺ		heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing	Ì
				M3070	Hamper, Linen, Mobile, w/Lid	1	С	casters. For linen transport in hospitals and clinics.	<u> </u>
						l		A biohazard waste container with a step-on lid. The container	
		Ì		M3073	Container, Biohazard Waste, Step-on, Fire Safe	1		will have a capacity of approximately 12 gallons and be made of a fire safe material.	Ì
					i iio Said	<u> </u>	<u> </u>	Aneroid sphygmomanometer. Unit is wall mounted and has	
		Ì				ĺ		large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward	Ì
		Ì		M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	С	tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy imp	Ì
				IVIN 1 UU	mountu				$\vdash$
		Ì				ĺ		Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals	Ì
				M4116	Monitor, Vital Signs	1	С	and clinics. Includes an optional mobile stand.	<u> </u>
						l		Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts	
		Ì				ĺ		from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for	Ì
				M4255	Stand, IV, Adjustable	1	С	administering intra	<u> </u>
	1	]				Ī		Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-	]
		Ì						position hydraulic base with pneumatic fowler adjustment, and	Ī
	<u></u>	L		M4655	Stretcher, Mobile, CRS, 9 Position	1	С	a 2" pad. Unit is mounted on 8" conductive casters. Designed for	L
								The exam light shall be a mobile floor unit. The light will be a	
					list Form Maria Control	l		halogen bulb that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in	
		Ì		M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	1		diameter from a set distance. The light intensity shall be a minimum of 750 foot	Ì
								Used to detect the electrical signals associated with cardiac	
						l		activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart	
		Ì		M7710	Electrocardiograph, 12 Lead, Portable	1	С	function. Capable of recording two or more leads simultaneously, r	Ì
-		•						- complete	

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 20 of 25

	1				1			
							_	Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable
				M8810	Stand, Mayo	11	С	13"x19"
2 - PACT SPACE / 17 - PRIMARY CAI	TRPR1	1	PROCEDURE ROOM, GENERAL					
								Horizontal mounting rail will consist of lock mounting devices capable of; supporting up to 75 pounds each, being consistent and manufacture of development.
				A1132	Rail, Accessory Mounting, Length As	4	С	repositioned, and mounting and dismounting of equipment without the use of tools. The rail must be capable of supporting
				A1132 A1200	Required	1	Ü	medical equipment a
								Disposable soap dispenser. One-handed dispensing operation.
				A5075	Dispenser, Soap, Disposable	11	С	Designed to accommodate disposable soap cartridge and valve.
								A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include
		-		A5077	Dispenser, Hand Sanitizer, Hands-Free	2		the sanitizing liquid. Units are battery operated.  Examination glove dispenser box for wall mounting. Fabricated
					Dispenser, Glove, Surgical/Examination,			Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate
		-		A5107	Wall Mntd	1	С	mounting and demounting.
								A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon
				A5108	Waste Disposal Unit, Sharps	1	С	and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
								THIS TYPICAL INCLUDES: 1 Wall Mounted Rail
								1 Locked Storage Container 2 Tray/Shelves
								1 Locker Drawer w/Locked Lid, 6"H (152mm) 5 Drawers, 3"H (76mm)
								3 Drawers, 6*H (152mm) 2 Tray/Shelves Divider
				E0915	Locker, Supply, Medication, Wall Mtd, 23"W x 20"D	1	С	Drawer Organizer Bins Consider the need for
								THIS TYPICAL INCLUDES:
								1 Cart Body, Style-A Narrow, w/Raised Edge Top 1 Accessory Rail, Side
				E0046	Cart, General Storage, Mobile, 42"H x	_	_	2 Drawers, 3" H (76mm) 4 Drawers, 6" H (152mm)
				E0948	32"W x 22"D	11	С	Drawer Organizer Bins
								Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a
				F0205	Chair, Side With Arms	1	С	minimum of 17". Available with or without sled base.
								Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on
1		-		F0340	Stool, Self Adjusting	11	С	swivel casters. Designed for doctor's use during examinations.  Round wastepaper basket, approximately 18" high X 16"
								Round wastepaper basket, approximately 18 high X 18 diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
				F2000	Basket, Wastepaper, Round, Metal	1	С	administrative areas and nursing stations.
				F2300	Rack, Magazine, Wall Mounted	1	С	Wall mounted magazine rack with nine (9) magazine holding compartments.
								Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when
				F3200	Clock, Battery, 12" Diameter	1	С	impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
								Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard,
					Computer, Microprocessing, w/Flat			mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512
				M1801	Panel Monitor	1	С	MB memory; 8 A wall mounted retractable work station. Work station is used
				M1802	Work Station, Computer, Retractable, Wall Mounted	1	С	as a computer station in treatment rooms, exam rooms and areas where physical space in limited.
								Mobile linen hamper with hand or foot operated lid. Made of
								Mobile linen namper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25' hamper bads. Mounted on ball bearing
				M3070	Hamper, Linen, Mobile, w/Lid	1	С	platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
					Container Biohazard Wasta Ston on			A biohazard waste container with a step-on lid. The container
				M3073	Container, Biohazard Waste, Step-on, Fire Safe	1		will have a capacity of approximately 12 gallons and be made of a fire safe material.
								Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It
					Sphygmomanometer, Aneroid, Wall			has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading.
				M4100	Mounted	1	С	Sturdy imp
								Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals
		-		M4116	Monitor, Vital Signs	1	С	and clinics. Includes an optional mobile stand.  Wall mounted otoscope and ophthalmoscope. Includes 6 foot
								Waii mounted otoscope and opnthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8
				M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	С	Contains need turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
				IV142UU	iviourited		C	Adjustable IV stand with 4-hook arrangement. Stand has
								stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive
				M4255	Stand, IV, Adjustable	1	С	rubber, ball bearing, swivel casters. Stand is used for administering intra
								Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-
								position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed
				M4655	Stretcher, Mobile, CRS, 9 Position	1	С	for
								The exam light shall be a mobile floor unit. The light will be a halogen bulb that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in
				M7404	Light, Exam, Mobile, Spotlight, Mobile Stand	1		diameter from a set distance. The light intensity shall be a
				M7401	Otaniu	1	-	minimum of 750 foot Used to detect the electrical signals associated with cardiac
								activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart
				M7710	Electrocardiograph, 12 Lead, Portable	1	С	function. Capable of recording two or more leads simultaneously, r
								Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with
								two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable
		-		M8810	Stand, Mayo	1	С	13'x19"
2 - PACT SPACE / 25 - SPECIALTY C	UCCL1	1	CLEAN SUPPLY					
								A touch free wall-mounted hand sanitizer dispenser. For use
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 21 of 25

								THIS TYPICAL INCLUDES:	
								1 Wall Mounted Rail 1 Supply Locker	
								1 Drawer, 9°H (229mm) 4 Tray/Shelves	
				Facco	Locker, Supply, w/Shelves, Wall Mtd,		_	Drawer Organizers Consider the need for an E0921 to transport the locker from	
	1	1		E0903	23"W x 20"D	1	С	place to place.  Medical/Surgical Supply locker, Wall Mounted, approximately	
								23"W x 20"D. THIS TYPICAL INCLUDES:	
								Locked Storage Container     Tray/Shelves	
								5 Drawers, 3'H (76mm) 2 Drawers, 6'H (152mm)	
				E0912	Locker, Supply, Med Surg, Wall Mtd	1	С	2 Tray/Shelf Dividers Drawer Organizer	
				LOUIL	200kor, Gappiy, Mod Garg, Wali Ma		Ŭ	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily	
				F2000	Basket, Wastepaper, Round, Metal	,	C	store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
				1 2000	Dasket, Wastepaper, Nouna, Wetai	<u> </u>		Stationary, wire, shelving unit. Unit has fully adjustable	
					Shelving, Storage, Wire, CRS,			shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes	
				M2055	w/Adjustable Shelves	4	С	and configurations. Price provided is for a unit approximately 74"H x 1	
1 - OUTPATIENT CLINIC / 16 - PRIM	USCL1	1	UTILITY ROOM, SOILED						
1 - OUTPATIENT CLINIC / 16 - PRIM 1 - OUTPATIENT CLINIC / 7 - IMAGII			UTILITY ROOM, SOILED UTILITY ROOM, SOILED						
2 - PACT SPACE / 16 - PRIMARY CA 2 - PACT SPACE / 25 - SPECIALTY	USCL1	1	SOILED UTILITY						
2 - PACT SPACE / 25 - SPECIALIT	USCLI		SOILED						
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.	
								A touch free wall-mounted hand sanitizer dispenser. For use	
	<u> </u>	L		A5077	Dispenser, Hand Sanitizer, Hands-Free	1	ــــــــــــــــــــــــــــــــــــــ	throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.	
								Soiled linen collection cart, approximately 70" H x 68" W x 28" D with four (4) casters. Used to transport clean or soiled	
	1	1		F0510	Cart, Linen, Soiled	2	С	laundry.  Round wastepaper basket, approximately 18" high X 16"	
								diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,	
				F2000	Basket, Wastepaper, Round, Metal	1	С	administrative areas and nursing stations.	
1 - OUTPATIENT CLINIC / 16 - PRIM			UTILITY ROOM, CLEAN						
1 - OUTPATIENT CLINIC / 16 - PRIM 1 - OUTPATIENT CLINIC / 26 - PHYS	UTLC1	1	UTILITY ROOM, CLEAN PT/OT: UTILITY ROOM, CLEAN						
1 - OUTPATIENT CLINIC / 7 - IMAGII 2 - PACT SPACE / 16 - PRIMARY CA			UTILITY ROOM, CLEAN CLEAN UTILITY						
2 17.01 017.027 10 1 1.0007.007	0.20.							A touch free wall-mounted hand sanitizer dispenser. For use	
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.	
				7.0077	Dispersed, Fland Carinizer, Flands Floo			THIS TYPICAL INCLUDES:	
								1 Wall Mounted Rail 1 Supply Locker	
								1 Drawer, 9°H (229mm) 4 Tray/Shelves	
				F0000	Locker, Supply, w/Shelves, Wall Mtd,	١.		Drawer Organizers Consider the need for an E0921 to transport the locker from	
				E0903	23"W x 20"D	1	С	place to place.  Medical/Surgical Supply locker, Wall Mounted, approximately	
				E0903	23°W X 20°D		C	Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail	
				E0903	23*W X 20*D	1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container	
				E0903	23°W X20°D	1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail	
				E0903	Locker, Supply, Med Surg, Wall Mtd	1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3°H (76mm)	
						·		Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3°H (76mm) 2 Drawers, 6°H (152mm) 2 Tray/Shel Dividers	
					Locker, Supply, Med Surg, Wall Mtd	·		Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3°H (75mm) 2 Drawers, 6°H (152mm) 2 Drawers, 6°H (152mm) 2 Tray/Shelf Dividers Drawer Organizer Round wastepoper basket, approximately 18° high X 16°	
				E0912		1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYP[CAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3°H (76mm) 2 Drawers, 3°H (15mm) 2 Drawers, 10°H (15mm) 2 Tray/Shelf Dividers Drawer Organizer Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper returbe in patient rooms, administrative areas and nursing stations.	
				E0912	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal	1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYP[CAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Drawers, 3°H (152mm) 2 Tray/Shelf Dividers Drawer Organizer Round wastepsper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper returbe in patient rooms, administrative areas and nursing stations. Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes	
4. OUTPATIENT CLINIC / 4. LODD	VWPC01		WAITING ADEA	E0912	Locker, Supply, Med Surg, Wall Mtd	1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelwes 5 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Tray/Shelf Dividers Drawer Organization 1 Drawer Organizatio	
1 - OUTPATIENT CLINIC / 1 - LOBB 1 - OUTPATIENT CLINIC / 26 - PHYS	WRC01	1	WAITING AREA PT/OT WAITING	E0912	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS,	1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelwes 5 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Tray/Shelf Dividers Drawer Organization 1 Drawer Organizatio	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC	WRC01 E WRC01 E WRC01	1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN	E0912	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS,	1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelwes 5 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Tray/Shelf Dividers Drawer Organization 1 Drawer Organizatio	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC	WRC01 EWRC01 EWRC01 EWRC01	1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA	E0912	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS,	1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelwes 5 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Tray/Shelf Dividers Drawer Organization 1 Drawer Organizatio	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC	WRC01 EWRC01 EWRC01 EWRC01 EWRC01	1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN	E0912	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS,	1	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3°H (76°mm) 2 Drawers, 3°H (76°mm) 2 Drawers, 3°H (16°Dmm) 2 Tray/Shelf Dividers Drawer Organization 1 Tray/Shelf Drawer Organizati	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC	WRC01 EWRC01 EWRC01 EWRC01 EWRC01	1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA	E0912 F2000 M2055	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves	1 1 4	С	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shews 1 Locked Storage Container 4 Tray/Shews 1 Tr	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC	WRC01 EWRC01 EWRC01 EWRC01 EWRC01	1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA	E0912	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS,	1	c c	Medical/Surgical Supply locker, Wall Mounted, approximately 23 W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Toylores, 80°C, 100°C, 10	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC	WRC01 EWRC01 EWRC01 EWRC01 EWRC01	1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA	E0912 F2000 M2055	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves	1 1 4	c c	Medical/Surgical Supply locker, Wall Mounted, approximately 23 W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Toylors, 80°C 1 Toylors, 80°C	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC	WRC01 EWRC01 EWRC01 EWRC01 EWRC01	1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA	F2000 M2055 F0305	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves  Chair, Waiting Room, Single	1 1 4	c c	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Tray/Shelf Dividers Drawer Organization 1 Drawer Organizatio	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC	WRC01 EWRC01 EWRC01 EWRC01 EWRC01	1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA	F2000 M2055 F0305 F0740	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp	1 4 4 23	C C C C	Medical/Surgical Supply locker, Wall Mounted, approximately 23 W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container  4 Tray/Shelver  1 Tray/Shelver  2 Tray/Shel Dhidders  Drawer Organizer  Round wastepsyer basket, approximately 18° high X 16° dameter. This metal unit is used to collect and temporarily store small quantities of paper returned in patient rooms, administrative areas and nursing stations.  Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 73°H x 1  Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or viryl. Arms and floor glides included.  Occasional lamp table (end table) approximately 20° high X 27° wide X 27° deep with choice of finishes (wood, cak veneer, or high pressure laminate).  Wall mounted magazine rack with nine (8) nagazine holding compartments.  Flat screen television with speckers, NTSC turer, a 16:9.	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC	WRC01 EWRC01 EWRC01 EWRC01 EWRC01	1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA	F2000 M2055 F0305 F0740	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp	1 4 4 23	C C C C	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Slorage Container 4 Tray/Shewe 5 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Drawers, 3°H (76mm) 2 Tray/Shewe 1 Tray/S	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912 F2000 M2055 F0305 F0740 F2300	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted	1 1 4 23 6	C C C C C	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Slorage Cortainer 4 Tray/Shewe 5 Drawers, 3°H (76mm) 2 Drawers Organized Cortainer 4 Dr	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA	F0912 F2000 M2055 F0305 F0740 F2300	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted	1 1 4 23 6	C C C C C	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container  4 Tray/Shalver  1 Locked Storage Container  2 Tray/Shalver  3 Tray/Shalver  4 Tray/Shalver  4 Tray/Shalver  4 Tray/Shalver  5 Tray/Shalver	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912 F2000 M2055 F0305 F0740 F2300	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen	1 1 4 23 6	C C C C C	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Slorage Cortainer 4 Tray/Shewe 5 Drawers, 3°H (76mm) 2 Drawers Organized Control of State Control of	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912 F2000 M2055 F0305 F0740 F2300	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted	1 1 4 23 6	C C C C C	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container  4 Tray/Shalves  1 Locked Storage Container  2 Tray/Shalves  3 Tray/Shalves	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912  F2000  M2055  F0305  F0740  F2300  M0506	Locker, Supply, Med Surg, Wall Mid  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, W/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen	1 1 4 23 6	C C C C C	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Slorage Container  4 Tray/Shalves  5 Drawers, 3°H (76mm)  2 Tray/Shell Phidess  Drawers, 3°H (76mm)  2 Tray/Shell Phidess  Drawers, 3°H (15mm)  2 Tray/Shell Phidess  Drawer Organization  Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nurning stations.  Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and confligurations. Price provided is for a unit approximately 74°H x 1  Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric testile or vinyl. Arms and flood glides included.  Cocasional lamp table (end table) approximately 20° high X 27° dex X 27° deep with choice of finishes (wood, cal venere, or high pressure laminate). Wall mounted magazine rock with nine (9) magazine holding compartments.  Flat screen television with approximately 20° diagrap screen size. The TV will have built-in speakers, NTSC tuner, a 16°9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.  This JSN will provide a whole work station sprical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrees all fylical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 -	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912  F2000  M2055  F0305  F0740  F2300  M0506	Locker, Supply, Med Surg, Wall Mid  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, W/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen	1 1 4 23 6	C C C C C	Medical Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container  4 Tray/Shalves  5 Drawers, 3°C (Femm)  6 Drawers, 3°C (Femm)  7 Tray/Shelf Dividers  1 Tray/Shelf Dividers	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 -	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912  F2000  M2055  F0305  F0740  F2300  M0506	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, W/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen  Workstation, Straight, Free Standing, 72*	1 1 4 23 6	C C C C C C	Medical Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container  4 Tray/Shalves  5 Drawers, G*H (152mm)  2 Tray/Shalves  5 Drawers, G*H (152mm)  5 Stationary, wite, shelving unt. Unit has fully adjustable shelves constructed of statiless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 7 Drawers, G*H (152mm)  5 Ingle seat waiting room chair with foam padded seat and back. Uphotsered with either woven tabric textile or vinyl. Arms and floor glides included.  Cocassional larger table (end table) approximately 20° high X 27° wide X 27° deep with orboxed of histhes (wood, oak veneer, or high pressure laminate).  Wall mounted magazine rack with nine (9) magazine holding compatiments.  First screen tealvision with approximately 20° diagonal screen size. The TV will have built-in speakers, NTSC turer, a 16:3 will press the screen appear (radio, minimum of 1280 x 788 resolution and a remote control.  This JSN will provide a whole work station typical to quickly plan Nork ill press in clinical or administratives are used with write or the page of the price	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1 - LOBBY / REC 5 - PACT SPACE / 1 - LOBBY / REC 6 - PACT SPACE / 1 - LOBBY / REC 7 - PACT SPACE / 1 - LOBBY / REC 8 - PACT SPACE / 1 - LOBBY / REC 9 - PACT SPACE / 1 - LOBBY / REC 1 - OUTPATIENT CLINIC / 12 - VOLU	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912  F2000  M2055  F0305  F0740  F2300  M0506	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, W/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen  Workstation, Straight, Free Standing, 72*	1 1 4 23 6	C C C C C C	Medical Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container  4 Tray/Shalves  1 Locked Storage Container  2 Tray/Shalves  3 Tray/Shalves  3 Tray/Shalves  3 Tray/Shalves  3 Tray/Shalves  3 Tray/Shalves  4 Shalves  4 Shalves  4 Shalves  4 Shalves  5 Tray/Shalves  5 Tr	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1 - LOBBY / REC 5 - PACT SPACE / 1 - LOBBY / REC 6 - PACT SPACE / 1 - LOBBY / REC 7 - PACT SPACE / 1 - LOBBY / REC 8 - PACT SPACE / 1 - LOBBY / REC 9 - PACT SPACE / 1 - LOBBY / REC 1 - OUTPATIENT CLINIC / 12 - VOLU	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912  F2000  M2055  F0305  F0740  F2300  M0506	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, W/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen  Workstation, Straight, Free Standing, 72*	1 1 4 23 6	C C C C C C	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Slorage Container  4 Tray/Shalves  5 Drawers, 3°H (76mm)  2 Tray/Shell Divideus  5 Drawers, 3°H (76mm)  2 Tray/Shell Divideus  Drawers Gryath (152mm)  2 Tray/Shell Divideus  Drawers Gryath (152mm)  2 Tray/Shell Divideus  Drawer Gryath (152mm)  2 Tray/Shell Divideus  Drawer Gryath (152mm)  Round wastepsper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quartities of paper refuse in patient rooms. Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of statiniess stations.  Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of statiniess steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 73°H x 1  Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or viryl.  Arms and floor glides included.  Occasional lamp table (end table) approximately 20° high X 27° del X 27" deep with choice of finishes (wood, cak veneer, or high pressure laminate). Wall mounted magazine rack with nine (9) magazine holding compartments.  Flat screen television with approximately 20° diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9  This JSN will provide a whole work station typical to quickly plan with areas in clinical or administrative spaces. There will be a price descreas if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INICLUDES  Upholstered side chair, 32° high X 21° wide X 23° deep with arms, padded seats and padded backs. Seat height is a minimum of 17.4°, Available with or without side base.  Highback contemporary swivel chair, 41° high X 23° wide X 23°	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1 - LOBBY / REC 5 - PACT SPACE / 1 - LOBBY / REC 6 - PACT SPACE / 1 - LOBBY / REC 7 - PACT SPACE / 1 - LOBBY / REC 8 - PACT SPACE / 1 - LOBBY / REC 9 - PACT SPACE / 1 - LOBBY / REC 1 - OUTPATIENT CLINIC / 12 - VOLU	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912 F2000 M2055 F0305 F0740 F2300 M0506 F0123 F0205	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen  Workstation, Straight, Free Standing, 72*  W  Chair, Side With Arms	1 1 4 23 6 6 6 3 3 2 2		Medical Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container  4 Tray/Shawe  1 Locked Storage Container  2 Tray/Shall ("Girmin")  2 Drawers, G*H (152mm)  2 Tray/Shall ("Girmin")  2 Drawers, G*H (152mm)  2 Tray/Shall ("Didders")  2 Drawers, G*H (152mm)  2 Tray/Shall ("Didders")  2 Drawer Organizer  Round wastepager basket, approximately 15° high X 15° control temporarily active small quantities of paper returned in patient rooms, administrative areas and nursing stations.  2 Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of statilises steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 72°H x 1  Single seat waiting room chair with foam padded seat and back. Upholstered with either woven tabric textile or vinyl. Arms and floor glides included.  Cocassional lamps table (end table) approximately 20° high X 27° wide X 27° deep with choice of finishes (wood, cak veneer, or high pressure laminate).  Wall mounted magazine rack with nine (9) magazine holding compartments.  Flat screen talevision with approximately 20° high X 27° wide X 27° deep with choice of finishes (wood, cak veneer, or high pressure laminate).  Wall mounted magazine rack with nine (9) magazine holding compartments.  Flat screen talevision with approximately 20° high X 27° wide X 27° deep with choice of finishes (wood, cak veneer, or high pressure laminate).  This JSN will provide a whole work station hypical to quickly plan work ill areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging styris instead of panels. THIS TYPICAL INCLUDES  Upholstered side chair, 32° high X 21° wide X 23° deep with min decrease and panels. Chair may be used at desks or in conference rooms. Back and seat are foam minimum of 17°. Available with or without steel base.	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1 - LOBBY / REC 5 - PACT SPACE / 1 - LOBBY / REC 6 - PACT SPACE / 1 - LOBBY / REC 7 - PACT SPACE / 1 - LOBBY / REC 8 - PACT SPACE / 1 - LOBBY / REC 9 - PACT SPACE / 1 - LOBBY / REC 1 - OUTPATIENT CLINIC / 12 - VOLU	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	E0912  F2000  M2055  F0305  F0740  F2300  M0506  E0123  F0275	Locker, Supply, Med Surg, Wall Mid  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, W/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen  Workstation, Straight, Free Standing, 72*  W  Chair, Side With Arms  Chair, Swivel, High Back	1 1 4 23 6 6 6 3 3 2 2	C C C C C C	Medical Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container  4 Tray/Shalves  1 Locked Storage Container  2 Tray/Shalves  3 Tray/Shalves	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1 - LOBBY / REC 5 - PACT SPACE / 1 - LOBBY / REC 6 - PACT SPACE / 1 - LOBBY / REC 7 - PACT SPACE / 1 - LOBBY / REC 8 - PACT SPACE / 1 - LOBBY / REC 9 - PACT SPACE / 1 - LOBBY / REC 1 - OUTPATIENT CLINIC / 12 - VOLU	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	F0912 F2000 M2055 F0305 F0740 F2300 M0506 F0123 F0205	Locker, Supply, Med Surg, Wall Mtd  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, w/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen  Workstation, Straight, Free Standing, 72*  W  Chair, Side With Arms	1 1 4 23 6 6 6 3 3 2 2 3 3		Medical Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Storage Container  4 Tray/Shalver  1 Locked Storage Container  2 Tray/Shalver  3 Tray/Shalver  4 Tray/Shalver  3 Tray/Shalver  4 Tray/Shalver  3 Tray/Shalver  4 Tray/Shalver  4 Tray/Shalver  5 Tray/Shalver	
1 - OUTPATIENT CLINIC / 26 - PHYS 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 2 - PACT SPACE / 1 - LOBBY / REC 3 - PACT SPACE / 1 - LOBBY / REC 4 - PACT SPACE / 1 - LOBBY / REC 5 - PACT SPACE / 1 - LOBBY / REC 6 - PACT SPACE / 1 - LOBBY / REC 7 - PACT SPACE / 1 - LOBBY / REC 8 - PACT SPACE / 1 - LOBBY / REC 9 - PACT SPACE / 1 - LOBBY / REC 1 - OUTPATIENT CLINIC / 12 - VOLU	SI WRC01 E WRC01 E WRC01 E WRC01 E WRC01 E WRC01	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PT/OT WAITING WAITING AREA WAITING ROOM, GYN WAITING AREA WAITING AREA WAITING AREA WAITING AREA VAITING AREA WOULD AREA WOULD AREA VOLUNTEER MULTIPURPOSE ROOM	E0912  F2000  M2055  F0305  F0740  F2300  M0506  E0123  F0275	Locker, Supply, Med Surg, Wall Mid  Basket, Wastepaper, Round, Metal  Shelving, Storage, Wire, CRS, W/Adjustable Shelves  Chair, Waiting Room, Single  Table, Occasional, Lamp  Rack, Magazine, Wall Mounted  Television, Flat Screen  Workstation, Straight, Free Standing, 72*  W  Chair, Side With Arms  Chair, Swivel, High Back	1 1 4 23 6 6 6 3 3 2 2 3 3	C C C C C C	Medical/Surgical Supply locker, Wall Mounted, approximately 23°W x 20°D. THIS TYPICAL INCLUDES:  1 Wall Mounted Rail  1 Locked Slorage Container  4 Tray/Shewe  5 Drawers, 3°H (76mm)  2 Tray/Shewe  5 Drawers, 3°H (152mm)  2 Tray/Shewe  5 Drawers, 3°H (152mm)  2 Tray/Shewe  Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quarrities of paper refuse in patient rooms, administrative areas and nurning stations.  Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of statiniess steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 72°H x 11 and configurations. Price provided is for a unit approximately 72°H x 11 and configurations. Price provided is for a unit approximately 72°H x 12°H x 12°	

Initials: \_\_\_\_\_ (Lessor) / \_\_\_\_\_ (Gov't) Page 22 of 25

				F3200	Clock, Battery, 12" Diameter	1	С	Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					Computer, Microprocessing, w/Flat			Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512
				M1801	Panel Monitor	3	С	MB memory; 8  Multifunctional printer, fax, scanner and copier (PFC) all-in-one
		<u> </u>		M1840	Printer/Copier/Fax Combination	1	С	machine.
2 - PACT SPACE / 19 - BEHAVIORAL	WRTM1	1	STAFF WORKROOM					
								A touch free wall-mounted hand sanitizer dispenser. For use
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
								Half height two (2) or three (3) drawer lateral filing cabinet, 28"
				F0420	Cabinet, Filing, Lateral, Half Height	4	С	high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
								Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms,
				F2000	Basket, Wastepaper, Round, Metal	1	С	administrative areas and nursing stations.  Multifunctional printer, fax, scanner and copier (PFC) all-in-one
				M1840	Printer/Copier/Fax Combination	1	С	machine.
1 - OUTPATIENT CLINIC / 7 - IMAGIN			CT: CONTROL ROOM					
1 - OUTPATIENT CLINIC / 8 - OIT	XCTC1	1	OIT					
				F0275	Chair, Swivel, High Back	4	С	Highback contemporary swivel chair, 41* high X 23* wide X 23* deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either wo
								Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily
				F2000	Basket, Wastepaper, Round, Metal	1	С	store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Clock, 12" diameter. Round surface, easy to read numbers
				F3200	Clock, Battery, 12" Diameter	1	С	Clock, 12 diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
				. 5200	Joseph Daniely, 12 Diameter			Desk top microprocessing computer. The unit shall consist of
				M1801	Computer, Microprocessing, w/Flat Panel Monitor	4	С	a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 8
				M1840	Printer/Copier/Fax Combination	1	С	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
					TANKS I			The CT Scanner System is an noninvasive radiographic technique that involves the reconstruction of a tomographic
				X6240	Radiographic Unit, Computerized Tomography (CT)	1	F	plane of the body from a large number of collected x-ray absorption measurements taken during a scan around the body's periphery. The CT Syst
1 - OUTPATIENT CLINIC / 7 - IMAGIN	XCTC2	1	CT COMPUTER/POWER EQUIPMENT ROOM					
1 - OUTPATIENT CLINIC / 7 - IMAGIN	XCIST	1	CT: SCAN					
				A5075	Dispenser, Soap, Disposable	1	С	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  A touch free wall-mounted hand sanitizer dispenser. For use
				A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glove dispenser box for wall mounting. Fabricated
				A5077	Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
					Dispenser, Glove, Surgical/Examination,		C	throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glowe dispenses box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
				A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glowe dispenses tox for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plassic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. Round wastepaper basket, approximately 18° high X 18° diameter. This metal unit is used to collect and temporarily
				A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1		throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glowe dispenses box for wall mounting. Fabricated of either cold rolled selet with a white backed ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting, and demounting, and demounting and selection of the selection
				A5107 F0355	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight	1	С	throughout a healthcare facility. Unit does not include the sanitizing flucid. Units are battery operated.  Examination glowe dispenses box for wall mounting. Fabricated of either cold rolled steal with a white based ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rutber tips.  Round wastepaper baseks, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper release in patient rooms,
				A5107 F0355 F2000 F2010	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On	1 1 1 1	C C	throughout a healthcare facility. Unit does not include the sanitizing flucid. Units are battery operated.  Examination glowe dispenses box for wall mounting. Fabricated of either cold rolled steel with a white based ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rutber tips.  Round wastepaper basket, approximately 18 <sup>th</sup> lips 1, ½ 16 <sup>th</sup> diameter. This metal unit is used to collect and temporarily store small quantities of paper relose in patient rooms, administrative areas and nursing stations.  'Step-on' wastepaper basket with inner liner and foot petal activated filip top.  Clock, 12 <sup>th</sup> diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized dock system. Battery
				A5107 F0355	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight Basket, Wastepaper, Round, Metal	1 1	С	throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glowe dispenses hox for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylet. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  "Step-on" wastepaper basket with inner liner and foot petal accitanted fill top.  Clock, 12° dameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to instal a fully synchronized dock system. Battery operated, (batteries not included).
				A5107 F0355 F2000 F2010 F3200	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On Clock, Battery, 12* Diameter	1 1 1 1	C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  Examination glowe dispenses hox for wall mounting. Fabricated of either cold rolled steel with a white backed ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. Round wastepaper basket, approximately 16" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Teleporn wastepaper basket with inner liner and foot petal architectif plants and the stations. The port of the stations and the stations was the stations and the stations was the stations with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, thateries not includedly.  Mobile linen hamper with hand or foot operated id. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25 hamper bags, Mounted on halb bearing
				A5107  F0355  F2000  F2010  F3200  M3070	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On Clock, Battery, 12" Diameter Hamper, Linen, Mobile, w/Lid	1 1 1 1	C C	throughout a healthcare facility. Unit does not include the sanitizing flucid. Units are battery operated.  Examination glowe dispenses box for wall mounting. Fabricated of either cold rolled steel with a white based ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and deficiated with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rutber tips.  Round wastepaper basket, approximately 18* high X 16** diameter. This metal unit is used to collect and temporarily store small quantities of paper retuse in patient rooms, administrative areas and nursing stations.  *Step-or* wastepaper basket with miner liner and foot petal activated filip top.  Clock, 12** diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized dock system. Battery operated, (batteries not included).  Mobile linen hamper with hand or foot operated lid. Made of heavy tubular statiness sate with they guage wided steel
				A5107 F0355 F2000 F2010 F3200	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On Clock, Battery, 12* Diameter	1 1 1 1	C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  Examination glowe dispenser box for wall mounting. Fabricated of either cold rolled setel with a white backed ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off sxam or surgical tables. Fitted with electrically conductive rubber tips. Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  'Step-on' wastepaper basket with inner liner and foot petal activated file plot.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries on tincluded).  Mobile linen hamper with hand or foot operated id. Made of havey fullular stanless steel with heavy gauge welded steel platform. Hoto's 25° hamper bags. Mounted on tall bearing casters. For linen transport in hospitals and clinics.
				A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On Clock, Battery, 12* Diameter Hamper, Linen, Mobile, w/Lid Portable Oxygen Portable Suction	1 1 1 1 1 1 1 1	C C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  Examination glowe dispenser box for wall mounting. Fabricated of either cold rolled setel with a white backed ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. Round wastepaper basket, approximately 18° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Step-or wastepaper basket with inner liner and foot petal activated file plot.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, fluiders on tincluded).  Mobile lines hamper with hand or foot operated id. Made of havey fluider stanies steel with heavy gauge welded steel platform. Holds 25° hamper bags, Mourned on hall bearing casters. For linen transport in hospitals and clinics.
				A5107 F0355 F2000 F2010 F3200 M3070 U0002	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight  Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On Clock, Battery, 12" Diameter  Hamper, Linen, Mobile, w/Lid Portable Oxygen	1 1 1 1 1 1 1 1	C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  Examination glowe dispenses hox for wall mounting. Fabricated of either cold rolled steel with a white backed ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.  Round wastepaper basket, approximately 16° high X 16° diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  Teleporn wastepaper basket with inner liner and foot petal architection of the stations and the stations. The provides the stations was the stations and the stations and the stations was the stations.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, thateries not includedly properated, thateries not includedly perform. Holds 25° hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.  Cl Tinjector. This unit is a specialized radiographic system that provides sharp, well-defined visual images of the vascular anatomy. The injector introduces a vision radiographic guither make. The CT Scanner System is an noninvisive radiographic.
				A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On Clock, Battery, 12* Diameter Hamper, Linen, Mobile, w/Lid Portable Oxygen Portable Suction	1 1 1 1 1 1 1 1	C C C	throughout a healthcare facility. Unit does not include the sanitizing flucid. Units are battery operated.  Examination glowe disperse hox for wall mounting. Fabricated of either cold rolled steel with a while backed enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.  Round wastepport basket, approximately 18* high X 16** diameter. This metal unit is used to collect and temporarily store small quantities of paper release in patient rooms, administrative areas and nursing stations.  Step-on' wastepaper basket with inner liner and foot petal activated filip top.  Clock, 12* diameter. Round surface, assy to read numbers with savege second hand. Wall mounted unit for use when important to the same state of the same state of the same state of the proper state of the same state of the
1 - OUTPATIENT CLINIC / 7 - IMAGIN	XDBD1	1	BONE DENSITY SCAN ROOM	A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003 X6196	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight  Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On Clock, Battery, 12" Diameter  Hamper, Linen, Mobile, w/Lid Portable Oxygen Portable Suction  Injector, CT  Radiographic Unit, Computerized	1 1 1 1 1 1 1 1	C C C	throughout a healthcare facility. Unit does not include the sanitizing fluid. Units are battery operated.  Examination glowe disperse hox for wall mounting. Fabricated of either cold rolled steel with a white backed enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.  Round wastepport basket, approximately 18* high X 16** diameter. This metal unit is used to collect and temporarily store small quantities of paper reluxe in patient rooms, administrative areas and mursing stations.  Step-or wasteppaper basket with inner liner and foot petal activated filip top.  Clock, 12* diameter. Round surface, assy to read numbers with same store the same state of the
1 - OUTPATIENT CLINIC / 7 - IMAGIN	XDBD1	1	BONE DENSITY SCAN ROOM	A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003 X6196 X6240	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight  Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On  Clock, Battery, 12" Diameter  Hamper, Linen, Mobile, w/Lid Portable Oxygen Portable Suction  Injector, CT  Radiographic Unit, Computerized Tomography (CT)	1 1 1 1 1 1 1	C C C	throughout a healthcare facility. Unit does not include the sanitizing flucid. Units are battery operated.  Examination glowe disperse box for wall mounting. Fabricated of either cold rolled sets with a white based enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rutber tips.  Round wastepaper basket, approximately 18* high X 16** diameter. This metal unit is used to collect and temporarily store small quantities of paper reluxe in patient rooms, administrative areas and nursing stations.  **Step-or* wastepaper basket with inner liner and foot petal activated filip top.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchroized dock system. Battery operated, (batteries not included).  Mobile linen hamper with hand or foot operated lid. Made of heavy flucillar stanless stell with heavy guage welded steel platform. Holds 25* hamper hags. Mounted on hall bearing casters. For linen transport in hospitals and clinics.  C'T injector. This unit is a specialized radiographic system that provides sharp, well-defined visual images of the vascular anatomy. The injector introduces a vision radiographic plane of the body from a large number of collected x-ray absorption measurements taken during a scan around the body's periphery. The C'T Syst.
1 - OUTPATIENT CLINIC /7 - IMAGIN	XDBD1	1	BONE DENSITY SCAN ROOM	A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003 X6196	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight  Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On Clock, Battery, 12* Diameter  Hamper, Linen, Mobile, w/Lid Portable Oxygen Portable Suction  Injector, CT  Radiographic Unit, Computerized Tomography (CT)  Dispenser, Hand Sanitizer, Hands-Free	1 1 1 1 1 1 1 1	C C C	throughout a healthcare facility. Unit does not include the sanitizing fluid, Units are battery operated.  Examination glowe dispenses hox for wall mounting. Fabricated of either cold rolled steel with a white backed ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  She stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.  Round wastapspare basket, approximately 18" high X 18" diameter. This metal until is used to collect and temporarily store small quantities of paper refuses in patient rooms, administrative areas and nursing state stores.  Step-orn wastepsper basket with inner lines and foot petal socialised file tool.  Clicok, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).  Mobile linen hamper with hand or foot operated id. Made of heavy tubular stanless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on hall bearing casters. For linen transport in hospitals and clinics.  Ct' injector. This unit is a specialized radiographic system that provides sharp, well-defined visual images of the vascular anatomy. The injector introduces a vision radiographic patient of the day from a large number of collected viral standards. The CT Scanner System is an noninvasive radiographic patient of the day from a large number of collected viral standards and standards. The CT Scanner System is an noninvasive radiographic patient of the body from a large number of collected viral sections of the sanitizing lught. Units are battery operated.
1 - OUTPATIENT CLINIC / 7 - IMAGIN	XDBD1	1	BONE DENSITY SCAN ROOM	A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003 X6196 X6240	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight  Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On  Clock, Battery, 12" Diameter  Hamper, Linen, Mobile, w/Lid Portable Oxygen Portable Suction  Injector, CT  Radiographic Unit, Computerized Tomography (CT)	1 1 1 1 1 1 1	C C C	throughout a healthcare facility. Unit does not include the sanitizing flucid. Units are battery operated.  Examination glowe dispenses box for wall mounting. Fabricated of either cold rolled steel with a white based enamed finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rutber tips.  Round wastepaper basket, approximately 18* high X 16** diameter. This metal unit is used to collect and temporarily store small quantities of paper reluxe in patient rooms, administrative areas and nursing stations.  **Step-on* wastepaper basket with mirer liner and foot petal activated filip top.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchroized dock system. Battery operated, (batteries not included).  Mobile lines hamper with hand or foot operated lid. Made of havey utualized trailless steel with heavy guage welded steel platform. Holds 25* hamper hags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.  CT injector. This unit is a specialized radiographic system that provides sharp, well-defined visual images of the vascular anatomy. The injector introduces a vision radiographic plane of the body from a large number of collected x-ray absorption measurements taken during a scan around the body's periphery. The CT Syst  At touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glow dispenser box for wall mounting. Fabriciated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT CLINIC / 7 - IMAGIN	XDBD1	1	BONE DENSITY SCAN ROOM	A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003 X6196 X6240	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight  Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On  Clock, Battery, 12" Diameter  Hamper, Linen, Mobile, w/Lid Portable Oxygen Portable Suction  Injector, CT  Radiographic Unit, Computerized Tomography (CT)  Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination,	1 1 1 1 1 1 1	C	throughout a healthcare facility. Unit does not include the sanitizing fluxul. Units are battery operated.  Examination glowe dispenses hox for wall mounting. Fabricated of either cold rolled steel with a white backed ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.  Round wastepaper basket, approximately 18° high X 16° dameter. This metal unit is used to collect and temporarily store small quantities of paper relates in patient rooms, software sense and nursing stations.  Step-or' wastepaper basket with inner liner and foot petal admended the post of the station of t
1 - OUTPATIENT CLINIC / 7 - IMAGIN	XDBD1	1	BONE DENSITY SCAN ROOM	A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003 X6196 X6240 A5077 A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight  Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On  Clock, Battery, 12" Diameter  Hamper, Linen, Mobile, w/Lid Fortable Oxygen Portable Oxygen Portable Suction  Injector, CT  Radiographic Unit, Computerized Tomography (CT)  Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Chair, Side With Arms	1 1 1 1 1 1 1 1 1 1	C	throughout a healthcare facility. Unit does not include the sanitizing flucid. Units are battery operated.  Examination glowe dispenses box for wall mounting. Fabricated of either cold rolled sets with a white based ename finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rutber tips.  Round wasteppen basket, approximately 18* high X. 16* diameter. This metal unit is used to collect and temporarily store small quantities of paper reloase in patient rooms, administrative areas and mursing stations.  Step-or "wasteppen basket with inner liner and foot petal activated filip top.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticate lo install a fully synchronized dock system. Battery operated, (batteries not included).  Mobile linen hamper with hand or foot operated lid. Made of havey fubular stanless seled with heavy guage welded steel platform. Holds 25* hamper hangs. Mounted on hall bearing casters. For linen transport in hospitals and clinics.  CT injector. This unit is a specialized radiographic system that provides sharp, well-defined visual images of the vascular anatomy. The injector introduces a vision radiopage fluid (contrast medium) into an artery or vein through a small catheter, malk.  The CT Scanner System is an noninvasive radiographic technique that involves the reconstruction of a tomographic plane of the body from a large number of collected x-ray absorption measurements taken during a scan around the body's periphery. The CT Syst.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility, Unit does not include the sanitizing liquid. Units are battery operated.  Examination glow dispensers box for wall mounting, Fabricated of either cold rolled steel with a white baked enamel finish, plastic or arely. Provided with wall bracket to f
1 - OUTPATIENT CLINIC / 7 - IMAGIN	XDBD1	1	BONE DENSITY SCAN ROOM	A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003 X6196 X6240 A5077	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight  Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On  Clock, Battery, 12" Diameter  Hamper, Linen, Mobile, w/Lid Portable Oxygen Portable Suction  Injector, CT  Radiographic Unit, Computerized Tomography (CT)  Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd	1 1 1 1 1 1 1 1 1 1	C C C C C C C C C C C C C C C C C C C	throughout a healthcare facility. Unit does not include the sanitizing flucid. Units are battery operated.  Examination glowe dispenser box for wall mounting. Fabricated of either cold rolled steel with a white backed enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.  Round wastepager basket, approximately 18° high X 16° dameter. This metal unit is used to collect and temporarily store small quantities of paper release in patient rooms, administrative areas and nursing stations.  Step-or wastepaper basket with inner liner and foot petal activated filip top.  Clock, 12° diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, lotterities not included.  Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25° hamper bags. Mounted on hall bearing casters. For linen transport in hospitals and dinics.  Cl' injector. This unit is a specialized radiographic system that provides sharp, well-defined visual images of the vascular anatomy. The injector indoorse is valour adaptive, and the sanitation glow dispersion and the body's periphery. The CT Syst.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitation glow dispersion because of the cody from a large number of collected x-ray sbeoption measurements taken during a scan around the body's periphery. The CT Syst.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing luglicul Units are bathery operated.  E
1 - OUTPATIENT CLINIC / 7 - IMAGIN	XDBD1	1	BONE DENSITY SCAN ROOM	A5107 F0355 F2000 F2010 F3200 M3070 U0002 U0003 X6196 X6240 A5077 A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd Footstool, Straight  Basket, Wastepaper, Round, Metal Basket, Wastepaper, Step-On  Clock, Battery, 12" Diameter  Hamper, Linen, Mobile, w/Lid Fortable Oxygen Portable Oxygen Portable Suction  Injector, CT  Radiographic Unit, Computerized Tomography (CT)  Dispenser, Hand Sanitizer, Hands-Free Dispenser, Glove, Surgical/Examination, Wall Mntd  Chair, Side With Arms	1 1 1 1 1 1 1 1 1 1	C C C C C C C C C C C C C C C C C C C	throughout a healthcare facility. Unit does not include the sanitizing flucid. Units are battery operated.  Examination glowe dispenses box for wall mounting. Fabricated of either cold rolled steel with a white based ename flinish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.  Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rutber tips.  Round wastepaper basket, approximately 18* high X 16** diameter. This metal unit is used to collect and temporarily store small quantities of paper reloas in patient rooms, administrative areas and nursing stations.  *Step-on' wastepaper basket with mirer liner and foot petal activated filip top.  Clock, 12* diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impracticat to install a fully synchronized dock system. Battery operated, (batteries not included).  Mobile lines hamper with hand or foot operated lid. Made of heavy tubular stanless sated with heavy guoge welded steel platform. Holds 25* hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.  CT injector. This unit is a specialized radiographic system that provides sharp, well-defined visual images of the vascular anatomy. The righter introduces a vision radiographic technique that involves the reconstruction of a tomographic plane of the body from a large number of collected x-ray associption measurements taken during a scan around the body's periphery. The CT Syst.  A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  Examination glowed dispensers box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with a white baked namel finish, plastic or acrylic. Provided with wall bracked base.  Low back contemporary swived tokar, 37* high X 25* wide X 3

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 23 of 25

March   Marc									
March   Marc					M1801		1	С	a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512
March   Marc						Work Station, Computer, Retractable,	1		A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and
									heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing
Comparison Carter   Tables   Design   Comparison   Comp							1	C	Full body scanner used to determine bone mineral density
A0175   Objective Plane   1					X2120	Scanner, Bone Density, Full Body	1	С	
Address	1 - OUTPATIENT CLINIC / 7 - IMAGIN	XDR01	1	GENERAL PURPOSE RADIOLOGY ROOM					
April					A5075	Dispenser, Soap, Disposable	1	С	Designed to accommodate disposable soap cartridge and valve.
					A5077	Dispenser, Hand Sanitizer, Hands-Free	1		throughout a healthcare facility. Unit does not include
Cont. Common Storage, Mobile, 42*114   2   Cont. Common Storage, Mobile, 42*114   Cont. Common Storage, Mobile, Mo					A5106		1	С	with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall.
EDUS CONTROLLER CONTRO									THIS TYPICAL INCLUDES:  1 Cart Body, Style-A Narrow, w/Raised Edge Top  1 Accessory Rail, Side
Fig. Coar, Die With Arms  Fig. 200					E0948		2	С	4 Drawers, 6" H (152mm)
POSS Sool, Self Adequating 2 C C and an an actual actual communication of the communication o					F0205	Chair, Side With Arms	1	С	arms, padded seats and padded backs. Seat height is a
FOODS Frequency Colleged 1 C C Indignations in The same developed in the same pages of the control of the same pages of					F0340	Stool, Self Adjusting	2	С	seat with attached foot rest for added comfort. Mounted on
Basher, Wastepaper, Bourst, Metal  Cook, Ballery, 12' Danneller  Door Took					F0355	Footstool, Straight	1	С	surgical tables. Fitted with electrically conductive rubber tips.
Fig. 200 Clock, Bastery, 12* Deameter  1					F2000	Basket, Wastepaper, Round, Metal	1	С	diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
NSOTO Hamper Lines, Mobile, will at Committee and an interpretation and an interpretatio					F3200	Clock, Battery, 12* Diameter	11	С	with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery
Mag/70   Hamper, Lines, Mobile, will.4   1   C   casses. For from transport and others of the control of the									heavy tubular stainless steel with heavy gauge welded steel
M355 Sand, M. Adjustable  1 Cutter, Carb Ange  1 Cutter, Carb Ange  1 Cutter, Carb Ange  2 Cutter, Carb Ange  2 Cutter, Carb Ange  2 Cutter, Carb Ange  3 Cutter, Carb Ange  4 Cutter, Carb Ange  5 Sand, Bucky, Vertical, Till, Automatic  6 Cutter, Carb Ange  7 For Carb Ange Carb Ange  8 Sand, Bucky, Vertical, Till, Automatic  8 Sand, Bucky, Vertical, Till, Automatic  8 Sand, Bucky, Vertical, Till, Automatic  9 For Carb Ange Car					M3070	Hamper, Linen, Mobile, w/Lid	1	С	casters. For linen transport in hospitals and clinics.  Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts
ASOTO Dispenser, Sosp, Disposable 1 Dispenser, Sosp, Dispenser, Sosp, Disposable 1 Dispenser, So								С	rubber, ball bearing, swivel casters. Stand is used for
The system is specifically adequate to perform adoptive to environmental processing and approximate the specifically adequate to perform adoptive to environmental and composition and composi					V440E	Stand Busine Vertical Tilt Automatic	1	_	floor and wall to provide a vibration-free mounting platform for the universal bucky. The grid line free radiographs are produced at exposure times as short as two milliseconds.
SS000   Radiographic Unit, 80 kW, Non-Till Table   2   F   theating table top and a					X1403	Stand, bucky, venical, fill, Addinage	'		This system is specifically designed to perform radiographic examinations in the Radiology Department. This units characteristics and components include, 80kW micro-
1. OUTPATIENT CLINIC / 7 - IMAGIN XDUST 1 ULTRASOUND ROOM A5075 Dispenser, Soap, Disposable 1 C C Disposable soap dispenser. One-handed dispensing operation.  A5077 Dispenser, Hand Sanitizer, Hands-Free 1 A5077 Dispenser, Hand Sanitizer, Hands-Free 1 A5077 Dispenser, Glove, Surgical/Examination, Dispenser, Glove, Surgical/Examination, Wall Mind 1 C C Remarked Sanitizer and Sanitizer, Hands-Free 2 C Remarked Sanitizer and Sanitizer, Hands-Free 2 C Remarked Sanitizer and Sanitizer, Hands-Free 3 C C Remarked Sanitizer and Sanitizer and Sanitizer, Hands-Free 3 C C Remarked Sanitizer and Sanitizer, Hands-Free 3 C C Remarked Sanitizer and Sanitizer and Sanitizer, Hands-Free 3 C C Remarked Sanitizer and Sanitizer and Sanitizer, Hands-Free 3 C C Remarked Sanitizer and San					X5900	Radiographic Unit, 80 kW, Non-Tilt Table	2	F	floating table top and a
A5075 Dispenser, Soap, Disposable  1 C Dispenser, Che-handed dispensario, Che-									
A5077 Dispenser, Hand Sanitizer, Hands-Free  1	1 - OUTPATIENT CLINIC / / - IMAGIN	XDUST	1	ULTRASOUND ROOM	A5075	Dispenser, Soap, Disposable	1	С	
Dispenser, Glove, Surgical/Examination, Dispenser, Glove, Glove, Forder, Glove, Glove					A5077		1		throughout a healthcare facility. Unit does not include
Worksurface, w/Overhead Cab, Wall  E0210 Mtd, 48° W  1 C 1 Careleved Work Surface Upholstered side chair, 32° high X 21° wide X 23° deep with arms, padded seats and padded backs. Soat height is a minum of 17°. Available with or without set base.  F0205 Chair, Side With Arms  1 C minum of 17°. Available with or without set base.  Round wastespaper basket, approximately 18° high X 16° diameter. This metal unit sue dat coolect and temporarily store small quantities of paper refuse in patient rooms, and a start strain of 18° paper refuse in patient rooms, and the start strain of 18° paper refuse in patient rooms, and the start strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse in patient rooms, and the strain of 18° paper refuse rooms and speaker with norms finer and foot petital and the strain of 18° paper refuse patient rooms, and the strain of 18° paper refuse patient rooms, and the strain of 18° paper refuse patient rooms, and the strain of 18° paper rooms and speaker strain of 18° paper rooms and 18° paper						Dispenser, Glove, Surgical/Examination,	1	C	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate
Worksurface, Woverhead Cab, Wall Mtd, 48" W  1 C 1 Cantilevered Work Surface  Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without seld base.  F2000 Basket, Wastepaper, Round, Metal  F2010 Basket, Wastepaper, Round, Metal  F2010 Basket, Wastepaper, Step-On  Clock, Battery, 12" Diameter  Computer, Microprocessing, w/Flat  Dask top microprocessing computer. The unit shall consist of a central processing minimum characteristics a 2.8 GHz Pentium processor; 512  M800 Basket, Wastepaper, Step-On, With Basket, Step-On, With Basket, Step-On, Wastepaper, Step-On, Wastepaper, Step-On, Wastepaper, Step-On, Wastepaper, Step-On, Wastepaper, Step-On, Wa								Ĭ	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit
F0205 Chair, Side With Arms 1 C minimum of 17. Available with or without seld base.  F2000 Basket, Wastepaper, Round, Metal 1 C dimensional in superior of the self-self-self-self-self-self-self-self-					E0210		1	С	1 Light 1 Cantilevered Work Surface
Basket, Wastepaper, Round, Metal   1   C   Super- Industry and too collect and temporarily store small quantities of paper refuse in patient rooms, C   administrative areas and nursing stations.					F0205	Chair, Side With Arms	1	С	arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
F2010 Basket, Wastepaper, Step-On 1 C activated flip top.  F3200 Clock, Battery, 12* Diameter 1 C C conclusion immediately specificate in stall at large processing with sweep second hand. Wall mounted unit for use when impracticate in stall at large processing of the processing of					F2000	Basket, Wastepaper, Round, Metal	1	С	diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
with sweep second hand. Wall mounted unit for use when impracticate in install a ruly synchronized clock system. Battery coperated, (batteries not included).  Computer, Microprocessing, w/Flat  M1801 Panel Monitor  Computer, Microprocessing, w/Flat  M3070 Hamper, Linen, Mobile, w/Lid  Container, Biohazard Waste, Step-on,  With sweep second hand. Wall mounted unit for use when impracticate in calculation in control of the container with saltery coperated. Battery coperated, (batteries not included).  Desk top microprocessing minio tower, flat panel monitor, keyboard, mouse and spaakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512. Computer, Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steet with heavy gauge welded steel platform. Holds 25° hamper bags. Mounted on hall bearing casters. For linen transport in hospitals and clinics.  Container, Biohazard Waste, Step-on,  With lave a capacity of approximately 12 galons and be					F2010	Basket, Wastepaper, Step-On	1	С	activated flip top.
Computer, Microprocessing, w/Flat  M1801  Panel Monitor  Danel Monitor  Mobile, w/Lid  And Computer, Microprocessing, w/Flat  M3070  Hamper, Linen, Mobile, w/Lid  Container, Biohazard Waste, Step-on,  Container, Biohazard Waste, Step-on,  A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be					F3200	Clock, Battery, 12* Diameter	1	С	with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
heavy tubular stainless steel with heavy guage welded steel platform. Holds 25 hamper bags. Mounted on hall bearing Container, Biohazard Waste, Step-on, Will heavy descriptions and the step-on lid. The container with a step-on lid. The container with a step-on lid. The container with have a capacity of approximately 12 gallons and be					M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	С	a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512
Container, Biohazard Waste, Step-on, will have a capacity of approximately 12 gallons and be					M3070	Hamper, Linen, Mobile, w/Lid	1	С	heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing
					140070				will have a capacity of approximately 12 gallons and be

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 24 of 25

## SFO No. VA101-17-R-0328 Schedule F Equipment Guide List

			M4655	Stretcher, Mobile, CRS, 9 Position	1	С	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9- position hydraulic base with pneumatic fowler adjustment, and a 2° pad. Unit is mounted on 8° conductive casters. Designed for
			U2234	Dispenser, Cavi-wipe	1		IO
			X2100	Scanner, Ultrasound, General Purpose	1	С	High definition, diagnostic ultrasound system for Radiology, Cardiology, Vascular, ob-gm, Perinatology, and Surgical imaging applications. The unit employe curved, phased and linear array imaging technology. The system supports coloriflow, pulse and con
1 - OUTPATIENT CLINIC / 11 - POLIC XXY		OPERATIONS ROOM					
1 - OUTPATIENT CLINIC / 11 - POLIC XXY	YC 1	OPERATIONS ROOM					
			F0205	Chair, Side With Arms	1	С	Upholstered side chair, 32° high X 21° wide X 23° deep with arms, padded seats and padded backs. Seat height is a minimum of 17°. Available with or without sled base.  Low back contemporary swivel chair, 37° high X 25° wide X 31°
			F0280	Chair, Swivel, Low Back	1	С	deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
			F0420	Cabinet, Filing, Lateral, Half Height	1	С	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materies.
			F2000	Basket, Wastepaper, Round, Metal	1	С	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
			M0435	Monitor, CCTV, Small, 9" (Color)	1	С	Nine (9) inch color CCTV monitor, 9" high X 9" wide X 14" deep with a 9" diagonal picture tube. Convenience outlet required at point of use.
			M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	С	Desk top microprocessing computer. The unit shall consist of a central processing mint lover, if a panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory, 8 MMItfunctional printer, fax scanner and copier (FFC) all-in-one
			M1840	Printer/Copier/Fax Combination	1	С	machine.
			M4125	Radio Communication System	1	С	Radio equipment to support daily administrative, patient transport, emergency, mass casualty, fire protection and security operations. Includes base station(s), handheld portables, vehicle units, antennas, power supplies, controllers, electrical panels.
			U0075	Workstation, L-Shaped, Free Std, 60x54	1		
1 - OUTPATIENT CLINIC / 11 - POLIC XXY	YD 1	HOLDING ROOM					
			A5025	Bench, Locker Room, Portable	1	С	Portable locker room bench. Approximately 1-1/2" thick. Benches shall be laminated hardwood with a moisture resistant sealer or anodized aluminum. Units are mounted on strong pedestals.

Legend (partial): A = Contractor furnished and installed from construction funds. B = VA furnished from service operating funds, contractor installed from construction funds. C = VA furnished and installed. D = Leased or rented equipment. E = VA furnished, contractor installed from Appropriation funds. F = VA furnished and VA vendor installed. G = VA furnished and installed. R = Existing equipment to be transferred and reused.

Initials: \_\_\_\_ (Lessor) / \_\_\_\_ (Gov't) Page 25 of 25