

## CORRECT ELECTRICAL DEFICIENCIES BECKLEY VA MEDICAL CENTER

200 VETERANS AVENUE BECKLEY, WV 25801

PROJECT NO: 517-16-114
FINAL SUBMITTAL





Drawing File: T:\Projects\1621 VA Beck Plotted by: sjeffries Plotted Date: Mar 09, 2017 — 8:25am one eighth inch = one foot



INDEX OF DRAWINGS									
DWG NO.	DRAWING TITLE	DWG NO.	DRAWING TITLE						
	GENERAL								
G001	COVER SHEET								
G002	LEGENDS, ABBREVIATIONS AND NOTES								
	ARCHITECTURAL								
A101	SITE PLAN, FLOOR PLAN AND DETAILS								
	ELECTRICAL								
E101 E102	ONE-LINE DIAGRAM-DEMOLITION & NEW WORK  FLOOR PLAN-DEMOLITION & NEW WORK								
ETUZ	PLOUR PLAN-DEMOLITION & NEW WORK								
		+							

								FINAL SUBMITTAL
	CONSULTANTS:	ALAN J. TOLAND NO. 4071  ARCHITEC	ARCHITECT:  TOLAND  MIZELL  MOLNAR	590 MEANS STREET NW STE. 200 ATLANTA, GA 30318	Drawing Title:  COVER SHEET	Project Title:  CORRECT ELECTRICAL  DEFICIENCIES	Project Number: 517-16-11.  Building Number: 22	4 OFFICE OF
Revisions: Date					Approved: Project Director	Date: Checked: Drawn: 3-10-2017 AT SJ	Drawing Number: G001 Sheet 1	





3

VA FORM 08-6231

Drawing File: T:\Projects\16 Plotted by: sjeffries Plotted Date: Mar 09, 2017

## **GENERAL PROJECT NOTES**

- A. THE CONTRACTOR SHALL NOT ORDER OR INSTALL ANY MATERIALS OR EQUIPMENT UNTIL SUBMITTALS FOR SUCH HAVE BEEN APPROVED.
- . THE CONTRACTOR WILL BE RESPONSIBLE FOR ACQUIRING I.D. BADGES FOR EACH MEMBER OF HIS WORK FORCE. VALID FORMS OF I.D. ARE REQUIRED TO RECEIVE BADGES. COORDINATE WITH COR. THE CONTRACTOR BACKGROUND REQUEST FORM SHALL BE REQUIRED ON ALL WORKER BEFORE WORK CAN BEGIN. CONTRACTOR SHALL ACCESS FORMS FROM COR.
- 2. ANY SMOKE DETECTORS HAVING ANY POTENTIAL FOR EXPOSURE TO CONSTRUCTION SMOKE, DUST, AND DEBRIS SHALL BE SUITABLY PROTECTED TO PREVENT ACCIDENTAL ALARM. ALL SUCH ACTION MUST BE FIRST COORDINATED AND CLEARED WITH COR. ALL FIRE ALARM DEVICES SHALL BE ACTIVE WHENEVER CONTRACTOR'S FORCES ARE NOT PRESENT IN WORK AREA.
- D. THE CONTRACTOR MUST PROVIDE A WRITTEN FIRE SAFETY CHECKLIST AT THE END OF EVERY WORK DAY TO THE COR CERTIFYING THAT ALL WORK AREAS HAVE BEEN SURVEYED AND FOUND TO BE SECURE, SAFE, AND FREE OF ANY FLAMMABLE LIQUIDS.
- CONTRACTOR SHALL COORDINATE ONLY WITH THE COR AND CONTRACTING OFFICER.
- 5. SEE SPECIFICATION SECTION 01 00 00 FOR INTERIM LIFE SAFETY MEASURES.
- THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS, WALL LAYOUTS, ETC. CONTRACTOR SHALL FIELD VERIFY EVERY ASPECT THAT RELATES TO THE PROJECT.
- H. ALL FINISH COLORS TO BE SELECTED BY COR WHERE NOT OTHERWISE INDICATED.
- ARCHITECTURAL AND SITE WORK SHALL BE PHASED AS REQUIRED. SEE SHEET E102 FOR ADDITIONAL ELECTRICAL PHASING NOTES.

## ARCHITECTURAL GENERAL NOTES

- A. DIMENSIONS, UNLESS OTHERWISE INDICATED, ARE TO:
  FACE OF EXISTING WALL SURFACE
  FACE OF NEW MASONRY
  FACE OF NEW WALL STUDS
  TOP OF SLAB
- TOP OF SLAB
  TOP OF MASONRY
  ALIGN NEW WALLS WITH EXISTING WHERE NOT
  OTHERWISE INDICATED.
- B. COORDINATE WITH ELECTRICAL DRAWINGS FOR ADDITIONAL REQUIREMENTS. COORDINATE CONDUIT OPENINGS IN SLABS, ROOF, AND WALLS. COORDINATE CONDUIT ROUTING ABOVE CEILINGS. WHERE NEW HOLES IN EXISTING WALLS AND SLABS ARE CREATED FOR CONDUIT PENETRATIONS, COORDINATE SIZE AND LOCATION WITH INSTALLERS AND PATCH HOLES WITH MATERIALS MATCHING EXISTING SLAB OR WALL IN STRUCTURE, MATERIAL, THICKNESS, ALIGNMENT, GRADES, AND QUALITY.
- C. 'PROVIDE' IS DEFINED AS PROVIDING MATERIALS, DELIVERY, STORAGE, HANDLING, INSTALLATION, ADJUSTMENT, AND CLEANING FOR THE ITEM INDICATED.
- D. COORDINATE DEMOLITION AND NEW WORK AMONG DISCIPLINES.
- E. REMOVED MATERIALS WHICH ARE INDICATED TO BE TURNED OVER TO THE COR SHALL BE DELIVERED BY THE CONTRACTOR TO A PLACE INDICATED BY THE COR IF APPLICABLE.
- F. REMOVE COMPLETELY ALL MATERIALS AS INDICATED ON THE DRAWINGS AND AS REQUIRED FOR NEW CONSTRUCTION. EDGES AND FACES OF DEMOLISHED AREAS SHALL BE REPAIRED TO ACCEPT NEAT INSTALLATION OF NEW CONSTRUCTION OR FINISHES. WHERE EXISTING MATERIALS ARE TO BE REPLACED, EXISTING MATERIALS, ADHESIVES, ETC. SHALL BE REMOVED AND EXPOSED SURFACES SHALL BE PREPARED AS RECOMMENDED BY MANUFACTURER PRIOR TO INSTALLATION OF NEW MATERIALS.
- PREVENT DAMAGE TO MATERIALS AND FINISHES TO REMAIN (PAINT, BASE, CEILINGS, ETC.). REPAIR DAMAGES FROM CONSTRUCTION ACTIVITIES TO EXISTING ITEMS TO REMAIN AT NO ADDITIONAL COST TO THE COR. WHERE SUCH EXPOSED MATERIALS OR FINISHES TO REMAIN ARE DAMAGED OR LEFT WITH HOLES BY CONSTRUCTION ACTIVITIES, REPAIR, REPLACE, OR INFILL SUCH MATERIALS AND FINISHES TO MATCH EXISTING IN MATERIAL, SIZE, ALIGNMENT, FINISH, COLOR, TEXTURE, AND QUALITY. EXTEND NEW FINISHES TO LOGICAL EDGES (CHANGE OF MATERIAL OR CORNERS). ALL SHALL BE REPLACED OR REPAIRED TO MATCH OR EXCEED THE QUALITY THAT EXISTED BEFORE DAMAGE.

ARCHITECTURAL ABBREVIATIONS AIR CONDITIONING ACOUSTICAL CEILING TILE ABOVE FINISH FLOOR LALUMINUM BATT BATT INSULATION BOTTOM OF CEMENTITIOUS BACKER BOARD CCW CEMENTITIOUS CRYSTALLINE WATERPROOFING CFMF COLD-FORMED METAL FRAMING CORNER GUARD CONTROL JOINT CENTERLINE CMT CERAMIC MOSAIC TILE CMU CO CONCRETE MASONRY UNIT CASED OPENING COMM COMMUNICATION CONC CONCRETE CONT CONTINUOUS COR CONTRACTING OFFICER'S REPRESENTATIVE CERAMIC TILE CERAMIC TILE BASE CARPET DIAMETER ELECTRIC DRINKING FOUNTAIN **EFTR** EXISTING FINISH TO REMAIN ELECTRICAL FXPOSED STRUCTURE ET CETERA EXISTING EXP EXPOSED FACTORY FINISH FLOOR DRAIN FIRE EXTINGUISHER CABINET FINISHED FLOOR FIRE HOSE CABINET FACE OF FIELD VERIFY (PRIOR TO ORDERING OR CUTTING) FABRIC WALLCÒVERING FWC GRA GRANITE GWB GYPSUM WALL BOARD HANDICAPPED HOLLOW METAL HIGH-PRESSURE DECORATIVE LAMINATE HPDL HVAC HEATING VENTILATION AND AIR—CONDITIONING MATL l MATERIAL MAXIMUM MECH MECHANICAL MFR MANUFACTURER MIN l minimum MASONRY OPENING INOT IN CONTRACT NOT TO SCALE ON CENTER OPPOSITE HAND PORCELAIN BASE PLASTIC LAMINATE PLAM PLASTER PORCELAIN TILE PROFILE BASE PRESSURE TREATED QUARRY TILE RESILIENT BASE REFRIGERATOR REQUIRED | RESINOUS FLOORING RES-W | RESINOUS EPOXY WALL - CEILING TRUBBER FLOORING ROUGH OPENING TRECESSED PAPER HOLDER RESILIENT SHEET FLOORING SEALED HIGH BUILD GLAZED COATING SCONC SEALED CONCRETE SOLID CORE WOOD SOAP DISPENSER ISIMILAR SANITARY NAPKIN DISPENSER SPECIAL FACED STAINLESS STEEL/SOLID SURFACE SUBSTRATE SUBS SHEET VINYL SOLID VINYL TILE TACK BOARD TELEPHONE TOP OF TOILET PAPER TYPICAL UNLESS NOTED OTHERWISE VINYL COMPOSITION TILE

VINYL WALL COVERING

WELDED SEAM SHEET FLOORING (HEAT WELDED WITH ROD)

| WALL COVERING

WATER RESISTANT

lwood

FINAL SUBMITTAL rawing Title: ARCHITECT: CONSULTANTS: 517-16-114 OFFICE OF CORRECT ELECTRICAL LEGENDS, ABBREVIATIONS AND NOTES CONSTRUCTION uilding Number: **DEFICIENCIES** TOLAND 22 AND FACILITIES 590 MEANS STREET NW **MANAGEMENT** Approved: Project Director NO. 4071 STE. 200 rawing Number: BECKLEY, WV MOLNAR ATLANTA, GA 30318 Department of Veterans Affairs 3-10-2017

5

