

Electronic sign at Freedom Way  
(general location, NTS)

IT Closet

WALL PARTITIONS

- UNRATED WALL  
SMOKE PARTITION  
1-HR OCCUPANCY SEPERATION  
1-HR FIRE BARRIER

- 2-HR FIRE BARRIER  
2-HR FIRE WALL  
DEMOLITION BUILDING WALL  
CLERESTORY WINDOW ABOVE

NOTES:

- NOT USED.
- LAYOUT CEILING TILE FROM CENTER OF ROOMS, AND/OR AREAS IN BOTH DIRECTIONS, U.O.N. AN AREA IS DEFINED AS A GROUP OF ROOMS WITH PARTITIONS EXTENDING ONLY TO THE UNDERSIDE OF CEILING AND BORDERED BY PARTITIONS EXTENDING TO THE UNDERSIDE OF STRUCTURAL SLAB ABOVE.
- COORDINATE LAYOUT OF CEILING FRAMING TO ACHIEVE LOCATIONS, AS SHOWN FOR MECHANICAL, ELECTRICAL, PLUMBING AND SECURITY ITEMS EXPOSED TO VIEW, INCLUDING BUT NOT LIMITED TO LIGHT FIXTURES, AIR SUPPLY AND RETURN DIFFUSERS, SPRINKLER HEADS, SPEAKERS, SMOKE DETECTORS, ETC.
- LOCATE ALL SPRINKLER HEADS, SMOKE DETECTORS, SPEAKERS AND OTHER CEILING MOUNTED MECHANICAL, ELECTRICAL, PLUMBING AND SECURITY ITEMS IN THE CENTER OF ACOUSTICAL CEILING PANELS, U.O.N.
- WHERE SPRINKLER HEADS ARE NOT SHOWN, ADJUST SPRINKLER HEAD LOCATIONS TO CLEAR OTHER CEILING FIXTURES AND ELEMENTS AS REQUIRED.
- WHERE LIGHTING FIXTURE, AIR DIFFUSERS, SMOKE DETECTORS, SPRINKLER HEADS, EXIT SIGNS AND OTHER OVERHEAD AND WALL MOUNTED FIXTURE/ACCESSORIES ARE NOT SHOWN, REFER TO MECHANICAL AND ELECTRICAL DRAWINGS.
- REFLECTED CEILING PLANS MAY INCLUDE DESIGNATIONS OF TYPICAL PATIENT ROOM. ALL DIMENSIONS, SYMBOLS AND NOTES SHOWN IN SUCH ROOMS ARE TYPICAL FOR SIMILARLY DESIGNATED ROOMS, U.O.N.
- CURTAIN TRACK RADIUS = 1'-6" TYPICAL, U.O.N.

LEGEND:

- SMOKE PARTITION CEILING  
SUSPENDED CEILING 2'x2', 2'x4' OR 4'x4' AS INDICATED.  
PAINTED GYPSUM BOARD  
OPEN TO STRUCTURE ABOVE (NO CEILING)  
FOR LIGHTING AND DIFFUSER REFER TO ELECTRICAL AND MECHANICAL DRAWINGS

- 2 X 4 RECESSED FLUORESCENT LIGHT FIXTURE (SEE ELECTRICAL DRAWINGS)  
2 X 2 RECESSED FLUORESCENT LIGHT FIXTURE (SEE ELECTRICAL DRAWINGS)  
1 X 4 SUSPENDED FLUORESCENT LIGHT FIXTURE (SEE ELECTRICAL DRAWINGS)  
RECESSED LIGHT FIXTURE (SEE ELECTRICAL DRAWINGS)  
LINEAR LIGHT FIXTURE (SEE ELECTRICAL DRAWINGS)

- AIR DIFFUSER (SEE MECHANICAL DWGS)  
AIR DIFFUSER (SEE MECHANICAL DWGS)

CONSTRUCTION DOCUMENTS  
FULLY SPRINKLERED

CONSULTANTS:

ARCHITECT/ENGINEERS:

Lee, Burkhardt, Liu, Inc.  
Architecture, Planning, Interiors  
149 New Montgomery Street, 5th Floor  
San Francisco, California 94105  
Phone (415) 671-4342 Fax (415) 671-4610

Drawing Title  
REFLECTED CEILING PLAN - NORTH WING

1/4" = 1'-0"

Approved Project Director

Date:

Project Title  
VA Palo Alto Healthcare System  
Spinal Cord Injury Replacement  
Unit

Location  
3801 Miranda Avenue, Palo Alto

Date  
07-10-2015

Checked  
MB

Drawn  
LBL TEAM

Project Number  
640-380

Building Number  
007

Drawing Number  
007 AS 6.01

Dwg. of

Office of  
Facilities  
Managment

Department of  
Veterans Affairs