



Card Access Reader  
Install New Lenel Controller and Network Equipment in IRM Closet Room 001B

NOTES

- NOTE 1: CONTRACTOR WILL USE PANASONIC NETWORK CAMERAS MODEL WV-NW 502S WHEN REPLACING EXISTING CAMERAS AND INSTALLING NEW CAMERAS.
- NOTE 2: CONTRACTOR WILL USE PANASONIC NETWORK PTZ MODEL WV-NW964 WHEN INSTALLING OUTDOOR CAMERAS.
- NOTE 3: CONTRACTOR WILL USE PANASONIC NDR MODEL WJ-ND400K/8000T2 (8 TERABYTE NETWORK RECORDER).
- NOTE 4: CONTRACTOR WILL USE CAT6 NETWORK CABLE.
- NOTE 5: DO NOT USE THE STAIRWELL TO RUN VERTICAL CONDUIT FROM FLOOR TO FLOOR.
- NOTE 6: ALL WIRING INSIDE STAIRWELLS MUST BE INSTALLED IN CONDUIT.
- NOTE 7: ALL WALL PENETRATIONS THROUGH FIRE RATED BARRIERS WILL BE FIRE STOPPED.
- NOTE 8: VERTICAL CONDUIT RISER MUST BE RUN IN MECHANICAL ROOMS.
- NOTE 9: ALL CAT6 CABLE RUNS WILL BE INSIDE THE CABLE TRAY.
- NOTE 10: CONTRACTOR WILL USE PANASONIC COMPACT NETWORK CAMERA (WV-SW155) FOR ELEVATOR.
- NOTE 11: COORDINATE LOCATION OF ALL CAMERAS WITH COTR PRIOR TO INSTALLATION.
- NOTE 12: CONTRACTOR IS RESPONSIBLE FOR DEMO OF EXISTING CAMERAS AND ANY ASSOCIATED PATCHING, REPAIR, CEILING TILE REPLACEMENT AND ASSOCIATED ANCILLARY WORK.
- NOTE 13: CONTRACTOR WILL INSTALL NEW ACCESS CARD READERS, KEY LOCKBOXES, AND SAFES THAT WILL COMMUNICATE VIA THE EXISTING LENEL NETWORK.

SYMBOLS

- PANASONIC NETWORK CAMERA (WV-NW 502S)
- PANASONIC PTZ NETWORK CAMERA (WV-NW964)
- Access Card Reader W/Keypad
- Gun Safe
- Key Lockbox
- 1 HR FIRE RATED BARRIER
- 2 HR FIRE RATED BARRIER

		CONSULTANTS:		ARCHITECT/ENGINEERS:		NORTH: 		Drawing Title ARCHITECTURAL PLAN SECOND FLOOR NTS		Project Title Card Access, Safe, Keylock Box, and Cameras		Project Number 620-11-242		<div>Office of Facilities Management</div> <div> Department of Veterans Affairs</div>
								Approved Director , VA/HVCS:		Location Montrose, New York		Building(s) Number 04		
								Approved Chief of Engineering		Date 03/15/2012		Drawing Number TY-15		
										Checked		Drawn JP		
Revisions		Date										SHEET 16 OF 16		