

NOTES

NOTE 1: CONTRACTOR WILL USE PANASONIC NETWORK CAMERAS MODEL WV-NW 502S WHEN REPLACING EXISTING CAMERAS AND INSTALLING NEW CAMERAS.

NOTE 2: CONTRACTOR WILL USE PANASONIC NETWORK PTZ MODEL WV-NW964 WHEN INSTALLING OUTDOOR CAMERAS.

NOTE 3: CONTRACTOR WILL USE PANASONIC NDR MODEL WJ-ND400K/8000T2 (8 TERABYTE NETWORK RECORDER.

NOTE 4: CONTRACTOR WILL USE CAT6 NETWORK CABLE.

NOTE 5: DO NOT USE THE STAIRWELL TO RUN VERTICAL CONDUIT FROM FLOOR TO FLOOR.

NOTE 6: ALL WIRING INSIDE STAIRWELLS MUST BE INSTALLED IN CONDUIT.

NOTE 7: ALL WALL PENETRATIONS THROUGH FIRE RATED BARRIERS WILL BE FIRE STOPPED.

NOTE 8: VERTICAL CONDUIT RISER MUST BE RUN IN MECHANICAL ROOMS.

NOTE 9: ALL CAT6 CABLE RUNS WILL BE INSIDE THE CABLE TRAY.

NOTE 10: CONTRACTOR WILL USE PANASONIC COMPACT NETWORK CAMERA (WV-SW155) FOR ELEVATOR.

NOTE 11: COORDINATE LOCATION OF ALL CAMERAS WITH COTR PRIOR TO INSTALLATION.

NOTE 12: CONTRACTOR IS RESPONSIBLE FOR DEMO OF EXISTING CAMERAS AND ANY ASSOCIATED PATCHING, REPAIR, CEILING TILE REPLACEMENT AND ASSOCIATED ANCILLARY WORK.

NOTE 13: CONTRACTOR WILL INSTALL NEW ACCESS CARD READERS, KEY LOCKBOXES, AND SAFES THAT WILL COMMUNICATE VIA THE EXISTING LENEL NETWORK.

SYMBOLS

PANASONIC NETWORK CAMERA (WV-NW 502S)

PANASONIC PTZ NETWORK CAMERA (WV-NW964)

Access Card Reader W/Keypad

Gun Safe

Key Lockbox

1 HR FIRE RATED BARRIER

2 HR FIRE RATED BARRIER

Revisions:	Date:

CONSULTANTS:

Date

ARCHITECT/ENGINEERS:

NORTH:

APPROVED:	APPROVED:
APPROVED:	APPROVED:
APPROVED:	APPROVED:
APPROVED:	APPROVED:

Drawing Title: Architectural Plan — BASEMENT — NTS

Approved: Director , VAHVHCS:

Approved: Chief of Engineering

Project Title: Card Access, Safe, Keylock Box, and Cameras

Location: Montrose, New York

Date: 03/15/2012 | Checked: JP | Drawn: JP

Project Number: 620-11-242

Building(s) Number: 53

Drawing Number: TY-14

Sheet 14 of 15

Engineering Service

Department of Veterans Affairs

VA FORM 08-6231, OCT 1978