

1	1	<p>NextGen LOGIQ* e R7 Compact Digital Ultrasound Console USA Government</p> <p>NextGen LOGIQ* e portable high performance digital laptop ultrasound system. Standard package includes LOGIQ e Needle Recognition Software Option which helps provide precise and accurate display of the needle, anatomy and motion even in Color and Power Doppler. This feature harnesses pattern recognition technology that recognizes and accurately reveals the structure of a needle within the anatomy, without distortion of the needle and compromising the target. Also includes the ability to adjust needle gain and angle. Standard package includes AC power cord (USA), internet cord 3 meter in length CAT-5 type, PC to HUB structure, system software on USB, Optional Function Key Label, Ultrasound Transmission Gel .25L, English Basic Service Manual CD, English User Guide and AIUM booklet. The following scanning modes are included: B-mode, M-mode, anatomical M-mode, color flow mode, power Doppler imaging, pulsed wave Doppler and Ophthalmic. USA version includes; 5 year standard warranty and one day of On-site Applications Training. Additional On-site Applications Training days are available for purchase.*LOGIQ e is a trademark of the General Electric Company or one of its subsidiaries.</p>
2	1	<p>ComfortScan 3Sc-RS (Sector Probe 3Sc-RS)</p> <p>This wide-band multi-frequency Phased Array probe with bandwidth between 1.3 and 4.0 MHz supports the following main applications: cardiac, pediatric heart, coronary, fetal heart, adult cephalic, abdominal and renal. It provides a 18*24 mm footprint and a 90-degree field.</p>
3	1	<p>L4-12t-RS Probe</p>

		L4-12t-RS Wide Band Linear transducer has configurable button functions which can enable single person control and simplifying interventional procedures. Applications include: Vascular, Pediatric/Neonatal, Small Parts, Nerve Block, MSK, Rhuema, ER (Pleural, Ophthalmic).
4	1	<p>C1-5-RS Transducer (USA PoC Only)</p> <p>C1-5-RS Wide Band Convex. Applications include: Abdomen, Obstetrics, Gynecology, Urology, Pediatric/Neonatal, Nerve Block, MSK, ER (FAST Pleural). Only for sale in USA PoC.</p>
5	1	<p>SONY UP-D898MD B/W Printer USA Kit</p> <p>Sony UP-D898MD black & white paper printer kit for USA, including BW printer Up-D898MD, power cable USB signal cable and one roll paper.</p>
6	1	<p>Power cord</p> <p>AC Power cord USA</p>
7	1	<p>Advanced Isolation Cart with 3 Probe Port</p> <p>LOGIQ* e Isolation cart with 3 probe port and ergonomic features including: 110V Transformer, probe and gel holders, shelf for DVD-RW , shelf for B and W printer and clipboard holder.</p> <p>*Trademark of General Electric Company</p>
	1	Vscan with Dual Probe
8	1	<p>Vscan with Dual Probe</p> <p>Vscan* with Dual Probe is general purpose diagnostic ultrasound imaging system for use by qualified and trained health care professionals enabling visualization and measurement of anatomical structures and fluid. The commercially first of its kind dual headed probe integrates both linear and phased array transducers that allows for a wide range of clinical applications.</p>

Its pocket-sized robust portability and intuitive user interface enables integration into examination and training sessions. The information can be used for basic/focused assessments and adjunctively with other medical data for clinical diagnosis purposes during routine, periodic monitoring, and triage assessments for adults and pediatrics. Vscan with Dual Probe can be useful for procedural guidance.

Vscan with Dual Probe is cleared for cardiac, abdominal, OB/GYN, urology, fetal, evaluation of presence of fluid, peripheral vascular imaging, procedure guidance for arterial or venous vessels, or to support para-, thora- and amniocentesis, thoracic/lung, thyroid and other small organs, long bone, hip and knee joints, and pediatrics.

The product is complemented with gateway software enabling image management at customers' PC, a Vscan web portal, including online access to product and clinical information.

The following components are included in the standard configuration of Vscan with Dual Probe: control unit and probe, docking station including global AC adapter with interchangeable plugs (USA and China, EU, UK, Australia) and USB cable, Vscan gateway software, one rechargeable battery, 4 GB Micro-SD memory card, and soft case. In some countries gel (60 g bottle) may also be included in the standard configuration.