



GENERAL FLOOR PLAN NOTES

1. REFER TO SHEET 8A1002 FOR PARTITION SCHEDULE AND GENERAL PARTITION TYPE NOTES AND 8A400 FOR FLOOR PLAN LEGEND.
2. REFER TO A1400 SERIES FOR ENLARGED FLOOR PLAN VIEWS INCLUDING MEDICAL EQUIPMENT NOT SHOWN IN A1100 SERIES PLANS.
3. REFER TO LIFESAFETY DRAWINGS (0AS108 AND 0AS109.1) FOR SCOPE OF RATED WALL CONSTRUCTION AND EXIT DISCHARGE INFORMATION.
4. PARTITION TYPES AS NOTED BY THE SYMBOL CONTINUE BETWEEN ROOM/SPACE CORNERS OR ANY INTERSECTING PARTITION.
5. DIFFERING PARTITION TYPES SHALL ALIGN SO THAT WALL PLANES CONTINUE UNBROKEN WITHIN ACROSS ROOMS AND/OR SPACES.
6. LABS AND CLINICAL ROOMS ARE TYPICALLY DIMENSIONED TO CENTER OF STUD. OTHER SPACES ARE TYPICALLY DIMENSIONED TO FACE OF WALL. REFER TO 8A800 SERIES DRAWINGS FOR DOOR & RELITE SCHEDULES.
7. DISTANCE FROM HINGE SIDE OF DOOR TO INTERSECTING STUD WALL SHALL BE 4" UNLESS NOTED OR DETAIL OTHERWISE (MEASURED FROM OUTSIDE OF FRAME).
8. CONTRACTOR SHALL VERIFY ALL DIMENSIONS NOTED AS "CLEAR" OR "MIN". DIMENSIONS NOTED AS "HOLD" ARE CRITICAL TO COORDINATE OTHER WORK (E.G. CEILING GRIDS, LIGHTING, FINISHES).
9. CONTRACTOR SHALL VERIFY ALL DIMENSIONS PRIOR TO INITIATING CONSTRUCTION AND REPORT DISCREPANCIES TO ARCHITECT PRIOR TO COMMENCING WORK. NEW FLOOR SLAB ELEVATIONS THAT ALIGN WITH EXISTING ARE TO BE CONFIRMED, BASED ON FIELD VERIFIED ELEVATIONS OF EXISTING DIXIE FLOOR SLAB. INCLUDE ADDITIONAL DEPTH FOR CAST UNDERLAYMENT LEVELING TOPPING ON DIXIE SLABS.
10. CONTRACTOR SHALL PROVIDE ALL BLOCKING REQUIRED TO ANCHOR ALL WALL AND CLG MOUNTED ITEMS, INCLUDING BUT NOT LIMITED TO TOILET ROOM ACCESSORIES, MILLED WORK, CASEWORK, HANDRAILS, DOOR STOPS ETC.
11. FIRE STOPPING SYSTEMS - REFER TO SPEC SECTION 07 84 00 FOR INFO REGARDING PENETRATIONS OF ALL RATED ASSEMBLIES (BOTH SINGLE AND DOUBLE MEMBRANE PENETRATIONS) INCLUDING BUT NOT LIMITED TO PENETRATIONS FOR DUCTWORK, CONDUIT, PIPING AND SUPPORT FOR WALL MOUNTED EQUIPMENT, CABINETS AND COUNTERTOPS.
12. HOUSEKEEPING AND COPY ROOMS - ALL PARTITIONS TO BE FULL HEIGHT TO UNDERSIDE OF DECK/INTERSTITIAL ABOVE. SEE PARTITION TYPE NOTES SHEET 0A1002.
13. SEE DETAIL A3/0A1516 FOR COLUMN BASE WATERPROOFING AT EXPOSED CONDITIONS IN SERVICE BAYS & MECHANICAL ROOMS.
14. SHIELDING REQUIREMENTS - VERIFY ALL SHIELDING REQUIREMENTS WITH FINAL EQUIPMENT SELECTIONS AND A VA APPROVED REGISTERED PHYSICIST PRIOR TO COMMENCING WORK IN SHIELDED-ROOM AREAS.
15. PROVIDE HOISTWAY PER EWP-2 DRAWING 8AS701.
16. RFI 7129 BLACK MATERIAL ON EXISTING BRICK WALLS IS TO BE REMOVED WHERE EXPOSED TO VIEW. TYPICAL AT ALL LOCATIONS.

FLOOR PLAN SHEET NOTES


- FLOOR PLAN SHEET NOTE SERIES BEGINS WITH NOTE 100. NOT ALL SHEET NOTES APPEAR ON EVERY SHEET.
100. SLAB OPENING - REF STRUCTURAL DWGS
 101. ALIGN PARTITIONS
 102. CENTER PARTITION ON GRID LINE
 103. SLAB DEPRESSION - SLOPE FINISH FLOORING TO FLOOR DRAIN
 104. SLAB RECESS FOR WALK-OFF GRILLE - VERIFY RECESS DIMENSION W/ GRILLE MANUFACTURER. SEE FLOOR FINISH PLANS FOR EXTENTS.
 105. ROOF/OVERFLOW DRAIN LEADER - REF PLUMBING DWGS
 106. ELECTRICAL PANEL - REF ELECTRICAL DWGS
 107. EMERGENCY GAS SHUT-OFF VALVE BOX - REF MED GAS DWGS
 108. CONCRETE HOUSEKEEPING PAD - REF STRUCTURAL DWGS
 109. RECESSED EMERG EYE/FACE WASH AND SHOWER SAFETY STATION WITH DRAIN PAN AND CLG MTD EXPOSED SST SHOWER HEAD - REF PLUMBING DWGS
 110. BOLD DASHED LINE INDICATES STRUC EXPANSION JOINT - REF STRUC DWGS
 111. BOLD DASHED LINE INDICATES STRUC INT JNT EXP JT CVR ASMBLY INFO.
 112. 05 05 00 ACCESS LADDER
 113. 05 50 00 METAL GRATE CATWALK - REF DWGS 8SF105 & 48SF504
 114. 05 52 13 PIPE AND TUBE RAILING - SEE E818AS700
 115. ELEC RISERS - SEE PLAN DETS ON C3/0A1505 - REF ELEC DWGS
 116. 08 31 13 3-HOUR FIRE-RATED 24" X 48" ACCESS PANEL WHERE COVERED BY FURG. FURNISH & INSTALL FINISH ACCESS PANEL LARGE ENOUGH TO ALLOW FULL OPENING OF FIRE-RATED ACCESS PANEL. NOT USED
 117. 10 11 00 MARKER BOARD REF INTERIOR ELEV SHEET NOTES.
 118. 10 11 00 TACK BOARD REF INTERIOR ELEV SHEET NOTES.
 119. 10 21 13 TOILET PARTITIONS
 120. 10 22 13 WIRE MESH STOR LKR PTNS. SINGLE/DOUBLE TIER AS NOTED
 121. 11 13 00 FACE MOUNTED MANUAL DOCK LEVELER AND BUMPERS
 122. CONC ELEV SHAFTS - REF STRUC DWGS
 123. WALL MOUNTED HAND SINK - REF PLUMBING DWGS
 124. LINE OF 2-HR RATED SHAFT ABOVE - REF DET D18A1503
 125. LINE OF HOISTWAY BELOW
 126. TOP OF SHAFT LID ASSEMBLY - REF DETAIL E4/0A1516
 127. PLENUM SYSTEM - SEE MECHANICAL DRAWINGS
 128. AIR HANDLER UNIT - REF MECHANICAL DWGS
 129. BENT PLATE W/ TRAFFIC COATING WRAP @ WALL BASE - REF B3/0A1516
 130. BENT PLATE W/ PEDESTRIAN TRAFFIC COATING WRAP - REF C3/0A1516
 131. CONC CURB W/ PEDESTRIAN TRAFFIC COATING WRAP - REF D3/0A1516
 132. NOT USED
 133. NOT USED
 134. 11 71 02 STERILIZER/WASHER ENCLOSURE PANELS (MODULAR WALLS)
 135. CHECKER PLATE RAM
 136. DRIP PIT WITH REMOVABLE SS DRAINAGE GRATE. EXTEND EPOXY RESIN FLOOR FINISH TO DRAIN
 137. DEPRESS SLAB ENTIRE ROOM
 138. LOCATION FOR FUTURE REFRIGERATOR/FREEZER IF REQUIRED.
 139. ALIGN FACE OF PARTITION WITH GRIDLINE
 140. FURRING TO BE FLUSH WITH COLUMN.
 141. PROVIDE CAST UNDERLAYMENT NOT TO EXCEED 1/8" RISE IN 1'-0" RUN MAXIMUM ON EITHER SIDE OF OPENING AS REQUIRED FOR ALIGNMENT OF SLAB ELEVATION AT OPENING AS VERIFIED BY CONTRACTOR IN FIELD. MAXIMUM THICKNESS OF CAST UNDERLAYMENT NOT TO EXCEED 2 1/2".

KEY PLAN



CONSTRUCTION DOCUMENTS 1
FULLY SPRINKLERED

OFFICE OF
CONSTRUCTION
AND FACILITIES
MANAGEMENT




CONSULTANTS:

DESMAN ASSOCIATES / PARKING
CODE CONSULTANTS, INC. / CODE CONSULTANT
THE SEXTANT GROUP / AV & ACOUSTICAL
HAMMER DESIGN ASSOCIATES / FOOD SERVICE
PYBURN & ODOM / ABATEMENT
TATA & HOWARD / TANK CONSULTANT
I.S.C. GROUP, INC. / IRRIGATION
DAN EUSER WATER ARCHITECTURE, INC. / WATER FEATURE

ARCHITECT/ENGINEERS:

studio **NOVA**
SCHRENK & PETERSON CONSULTING ENGINEERS / CIVIL
KORDA/NEMETH ENGINEERING / STRUCTURAL
BR+A CONSULTING ENGINEERS / MECH, ELECT, PLUMBING, LOW VOLTAGE
ARCHITECTURAL ENGINEERING / PLUMBING
SCALES ASSOCIATES / FIRE PROTECTION



DRAWING TITLE
BLDG 8 LEVEL 2 FLOOR PLAN

APPROVED: PROJECT DIRECTOR

PROJECT TITLE
SLV/HCS REPLACEMENT MEDICAL
CENTER PROJECT

LOCATION
NEW ORLEANS, LOUISIANA

DATE
July 16, 2012

CHECKED
JR

DRAWN
KS/DMK

PROJECT NUMBER
100342.00

BUILDING NUMBER
08

DOCUMENT SET PACKAGE
WP_09B

DRAWING NUMBER

8AS102

REVISIONS:	DATE
8 Bulletin 046	10/12/2015
RFI 4197.1	
5 Bulletin 19-VE	2/28/2014
4 Bulletin 19-PRE-AWARD	2/28/2014
3 Addendum #3 - Post-Bid	7/3/2013

VA FORM 08-6231