


GENERAL FLOOR PLAN NOTES

- REFER TO SHEET 8A1002 FOR PARTITION SCHEDULE AND GENERAL PARTITION TYPE NOTES AND 8A400 FOR FLOOR PLAN LEGEND.
- REFER TO A1400 SERIES FOR ENLARGED FLOOR PLAN VIEWS INCLUDING MEDICAL EQUIPMENT NOT SHOWN IN A1100 SERIES PLANS.
- REFER TO LIFESAFETY DRAWINGS (0AS108 and 0AS109.1) FOR SCOPE OF RATED WALL CONSTRUCTION AND EXIT DISCHARGE INFORMATION.
- PARTITION TYPES AS NOTED BY THE SYMBOL CONTINUE BETWEEN ROOM/SPACE CORNERS OR ANY INTERSECTING PARTITION.
- DIFFERING PARTITION TYPES SHALL ALIGN SO THAT WALL PLANES CONTINUE UNBROKEN WITHIN/ACROSS ROOMS AND/OR CORNERS.
- LABS AND CLINICAL ROOMS ARE TYPICALLY DIMENSIONED TO CENTER OF STUD. OTHER SPACES ARE TYPICALLY DIMENSIONED TO FACE OF WALL. REFER TO 8A600 SERIES DRAWINGS FOR DOOR & RELITE SCHEDULES.
- DISTANCE FROM HINGE SIDE OF DOOR TO INTERSECTING STUD WALL SHALL BE 4" UNLESS NOTED OR DETAILED OTHERWISE (MEASURED FROM OUTSIDE OF FRAME).
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS NOTED AS "CLEAR" OR "MIN". DIMENSIONS NOTED AS "HOLD" ARE CRITICAL TO COORDINATE OTHER WORK (E.G. CEILING GRIDS, LIGHTING, FINISHES).
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS PRIOR TO INITIATING CONSTRUCTION AND REPORT DISCREPANCIES TO ARCHITECT PRIOR TO COMMENCING WORK. NEW FLOOR SLAB ELEVATIONS THAT ALIGN WITH EXISTING ARE TO BE CONFIRMED, BASED ON FIELD VERIFIED ELEVATIONS OF EXISTING DIXIE FLOOR SLAB. INCLUDE ADDITIONAL DEPTH FOR CAST UNDERLAYMENT LEVELING TOPPING ON DIXIE SLABS.
- CONTRACTOR SHALL PROVIDE ALL BLOCKING REQUIRED TO ANCHOR ALL WALL AND CLG MOUNTED ITEMS, INCLUDING BUT NOT LIMITED TO TOILET ROOM ACCESSORIES, MILLWORK, CASEWORK, HANDRAILS, DOOR STOPS ETC.
- FIRE STOPPING SYSTEMS - REFER TO SPEC SECTION 07 84 00 FOR INFO REGARDING PENETRATIONS OF ALL RATED ASSEMBLIES (BOTH SINGLE AND DOUBLE MEMBRANE PENETRATIONS) INCLUDING BUT NOT LIMITED TO PENETRATIONS FOR DUCTWORK, CONDUIT, PIPING AND SUPPORT FOR WALL MOUNTED EQUIPMENT, CABINETS AND COUNTERTOPS.
- HOUSEKEEPING AND COPY ROOMS - ALL PARTITIONS TO BE FULL HEIGHT TO UNDERSIDE OF DECK/INTERSTITIAL ABOVE. SEE PARTITION TYPE NOTES SHEET 0A1002.
- SEE DETAIL A3/0A1516 FOR COLUMN BASE WATERPROOFING AT EXPOSED COLUMNS IN SERVICE BAYS & MECHANICAL ROOMS.
- SHIELDING REQUIREMENTS - VERIFY ALL SHIELDING REQUIREMENTS WITH FINAL EQUIPMENT SELECTIONS AND A VA APPROVED REGISTERED PHYSICIST PRIOR TO COMMENCING WORK IN SHIELDED-ROOM AREAS. PROVIDE HOISTWAY PER EWP-2 DRAWING 8AS701.

FLOOR PLAN SHEET NOTES


- FLOOR PLAN SHEET NOTE SERIES BEGINS WITH NOTE 100 NOT ALL SHEET NOTES APPEAR ON EVERY SHEET
- SLAB OPENING - REF STRUCTURAL DWGS
 - ALIGN PARTITIONS
 - CENTER PARTITION ON GRID LINE
 - SLAB DEPRESSION, SLOPE FINISH FLOORING TO FLOOR DRAIN
 - SLAB RECESS FOR WALK-OFF GRILLE. VERIFY RECESS DIMENSION W/ GRILLE MANUFACTURER. SEE FLOOR FINISH PLANS FOR EXTENTS.
 - ROOF/OVERFLOW DRAIN LEADER - REF PLUMBING DWGS
 - ELECTRICAL PANEL - REF ELECTRICAL DWGS
 - EMERGENCY GAS SHUT-OFF VALVE BOX - REF MED GAS DWGS
 - CONCRETE HOUSEKEEPING PAD - REF STRUCTURAL DWGS
 - RECESSED EMERG EYE/FACE WASH AND SHOWER SAFETY STATION WITH DRAIN PAN AND CLG MTD EXPOSED SST SHOWER HEAD - REF PLUMBING DWGS
 - BOLD DASHED LINE INDICATES STRUC EXPANSION JOINT - REF STRUC DWGS. REF FLOOR PLAN LEGEND FOR INT EXP JT CVR ASMBLY INFO.
 - 05 05 00 ACCESS LADDER
 - 05 50 00 METAL GRATE CATWALK - REF DWGS 8SF105 & 48SF504
 - 05 52 13 PIPE AND TUBE RAILING - SEE E8/8AS700
 - ELEC RISERS - SEE PLAN DETS ON C3/0A1505 - REF ELEC DWGS
 - 08 31 13 3-HOUR FIRE-RATED 24" X 48" ACCESS PANEL WHERE COVERED BY FURG. FURNISH & INSTALL FINISH ACCESS PANEL LARGE ENOUGH TO ALLOW FULL OPENING OF FIRE-RATED ACCESS PANEL. NOT USED
 - 10 11 00 MARKER BOARD REF INTERIOR ELEV SHEET NOTES.
 - 10 11 00 TACK BOARD REF INTERIOR ELEV SHEET NOTES.
 - 10 22 13 WIRE MESH STORAGE KR PTNS. SINGLE/DOUBLE TIER AS NOTED
 - 11 13 00 FACE MOUNTED MANUAL DOCK LEVELER AND BUMPERS
 - CONC ELEV SHAFTS - REF STRUC DWGS
 - WALL MOUNTED HAND SINK - REF PLUMBING DWGS
 - LINE OF 2-HR RATED SHAFT ABOVE - REF DET D1/8A1503
 - LINE OF HOISTWAY BELOW
 - TOP OF SHAFT LID ASSEMBLY - REF DETAIL E4/8A1516
 - PLENUM SYSTEM - SEE MECHANICAL DRAWINGS
 - AIR HANDLER UNIT - REF MECHANICAL DWGS
 - BENT PLATE W/ TRAFFIC COATING WRAP @ WALL BASE - REF B3/0A1516
 - BENT PLATE W/ PEDESTRIAN TRAFFIC COATING WRAP - REF C3/0A1516
 - CONC CURB W/ PEDESTRIAN TRAFFIC COATING WRAP - REF D3/0A1516
 - NOT USED
 - NOT USED
 - 11 71 02 STERILIZER/WASHER ENCLOSURE PANELS (MODULAR WALLS)
 - CHECKER PLATE RAM
 - DRAIN PIT WITH REMOVABLE SS DRAINAGE GRATE. EXTEND EPOXY RESIN FLOOR FINISH TO DRAIN
 - DEPRESS SLAB ENTIRE ROOM
 - LOCATION FOR FUTURE REFRIGERATOR/FREEZER IF REQUIRED.
 - ALIGN FACE OF PARTITION WITH GRIDLINE
 - FURRING TO BE FLUSH WITH COLUMN.
 - PROVIDE CAST UNDERLAYMENT NOT TO EXCEED 1/8" RISE IN 1'-0" RUN MAXIMUM ON EITHER SIDE OF OPENING AS REQUIRED FOR ALIGNMENT OF SLAB ELEVATION AT OPENING AS VERIFIED BY CONTRACTOR IN FIELD. MAXIMUM THICKNESS OF CAST UNDERLAYMENT NOT TO EXCEED 2 1/2".

KEY PLAN



CONSTRUCTION DOCUMENTS 1
FULLY SPRINKLERED

OFFICE OF
CONSTRUCTION
AND FACILITIES
MANAGEMENT



CONSULTANTS:

DESMAN ASSOCIATES / PARKING
CODE CONSULTANTS, INC. / CODE CONSULTANT
THE SEXTANT GROUP / AV & ACOUSTICAL
HAMMER DESIGN ASSOCIATES / FOOD SERVICE
PYBURN & ODOM / ABATEMENT
TATA & HOWARD / TANK CONSULTANT
I.S.C. GROUP, INC. / IRRIGATION
DAN EUSER WATER ARCHITECTURE, INC. / WATER FEATURE

ARCHITECT/ENGINEERS:

studio **NOVA**
SCHRENK & PETERSON CONSULTING ENGINEERS / CIVIL
KORDA/NEMETH ENGINEERING / STRUCTURAL
BR+A CONSULTING ENGINEERS / MECH, ELECT, PLUMBING, LOW VOLTAGE
ARCHITECTURAL ENGINEERING / PLUMBING
SCALES ASSOCIATES / FIRE PROTECTION

DRAWING TITLE
BLDG 8 LEVEL 5 FLOOR PLAN

APPROVED: PROJECT DIRECTOR

Yadda Jandera

PROJECT TITLE
SLVHCS REPLACEMENT MEDICAL
CENTER PROJECT

LOCATION
NEW ORLEANS, LOUISIANA

DATE
July 16, 2012

CHECKED
JR

DRAWN
KS/DMK

PROJECT NUMBER
100342.00

BUILDING NUMBER
08

DOCUMENT SET PACKAGE
WP_09B

DRAWING NUMBER

8AS105

REVISIONS:	DATE
1 Addendum #1	9/21/12