



DRAWING TITLE

BLDG 8 LEVEL 5.5 FLOOR PLAN

APPROVED: PROJECT DIRECTOR

Todd Sanders

PROJECT NUMBER	BUILDING NUMBER
100342.00	08
DOCUMENT SET PACKAGE	
WP_09B	
DRAWING NUMBER	
8AS105.5	

OFFICE OF
CONSTRUCTION
AND FACILITIES
MANAGEMENT

 Department of
Veterans Affairs

1. REFER TO SHEET BA002 FOR PARTITION SCHEDULING AND GENERAL PARTITION TYPE NOTATION AND FLOOR PLAN AND LEGEND.
2. REFER TO AA100 SERIES FOR ENLARGED FLOOR PLAN VIEWS INCLUDING MEDICAL EQUIPMENT NOT SHOWN IN A100 SERIES PLANS.
3. REFER TO LIFESAFETY DRAWINGS (0A5100 AND 0A5101.1) FOR SCOPE OF RATED WALL CONSTRUCTION AND EJECT DISCHARGE INFORMATION.
4. PARTITION TYPES ARE TO BE CONTIGUOUS TO THE FACE OF WALL, ROOMSPACE CORNERS OR ANY INTERSECTING PARTITION.
5. DIFFERING PARTITION TYPES SHALL ALIGN SO THAT WALL PLANES CONTINUE UNBROKEN WITHIN CORNERS AND ROOMS AND/OR SPACES.
6. LABS AND CLINICAL ROOMS ARE TYPICALLY DIMENSIONED TO CENTER OF STUD. OTHER SPACES ARE TO BE DIMENSIONED TO FACE OF WALL.
7. REFER TO BA600 SERIES DRAWINGS FOR DOOR AND RELETTE SCHEDULES.
8. DISTANCE FROM HINGE SIDE OF DOOR TO INTERSECTING STUD WALL SHALL BE 4" UNLESS NOTED OR DETAILED OTHERWISE (MEASURED FROM OUTSIDE OF FRAME).
9. "HOLD" OR "SLAB" SHALL VERIFY ALL DIMENSIONS NOTED AS "CLEAR" OR "MIN" DIMENSIONS NOTED AS "HOLD" ARE CRITICAL TO COORDINATE OTHER E.G. CEILING GRID, LIGHTING, FINISHES).
10. CONTRACTOR SHALL VERIFY ALL DIMENSIONS PRIOR TO INITIATING CONSTRUCTION AND REPORT DISCREPANCIES TO ARCHITECT PRIOR TO COMMENCING WORK. NEW FLOOR SLAB ELEVATIONS THAT ALIGN WITH EXISTING ARE TO BE CONFIRMED. BASED ON FIELD VERIFIED ELEVATIONS OF EXISTING DIXIE FLOOR SLAB. INCLUDE ADDITIONAL DEPTH FOR CAST UNDERLAYMENT LEVELING TOPPING ON DIXIE SLABS
11. CONTRACTOR SHALL PROVIDE ALL BLOCKING REQUIRED TO ANCHOR ALL WALL AND CLG MOUNTED ITEMS, INCLUDING BUT NOT LIMITED TO TOILET ROOM ACCESSORIES, MILL/WORK, CASEWORK, HANDRAILS, DOOR STOPS, ETC.
12. FIRE STOPPING SYSTEMS - REFER TO SPEC SECTION 07 84 00 FOR INFO REGARDING PENETRATIONS OF ALL RATED ASSEMBLIES (BOTH SINGLE AND DOUBLE MEMBRANE PENETRATIONS) INCLUDING BUT NOT LIMITED TO PENETRATIONS FOR ELECTRICAL, PLUMBING, AND SUPPORT FOR WALL MOUNTED EQUIPMENT, CABINETS AND COUNTERTOPS.
13. HOUSEKEEPING AND COPY ROOMS - ALL PARTITIONS TO BE FULL HEIGHT TO UNDERSIDE OF DECK/INTERSTITIAL ABOVE. USE PARTITION TYPE NOTES SHEET 04002
14. SEE DIL_A304516 FOR COLUMN BASE WATERPROOFING AT EXPOSED COLUMNS IN SERVICE BASES & MECHANICAL ROOMS.
15. SHIELDING REQUIREMENTS - VERIFY ALL SHIELDING REQUIREMENTS WITH FINAL EQUIPMENT SELECTIONS AND A VA APPROVED REGISTERED PHYSICIST PRIOR TO COMMENCING WORK IN SHIELDED-ROOM AREAS.
16. PROVIDE HOISTWAY PER EWP-2 DRAWING BA5701

1. FLOOR PLAN SHEET NOTE SERIES BEGINS WITH NOTE 100
NOT ALL SHEET NOTES APPEAR ON EVERY SHEET
100. SLAB OPENING - REF. STRUCTURAL DWGS
101. ALIGN PARTITIONS
102. CENTER PARTITION ON GRID LINE
103. SLAB DEPRESSION, SLOPE FINISH FLOORING TO FLOOR DRAIN
SLAB MANUFACTURER FOR WALK-OFF GRILLE. VERIFY RECESS DIMENSION W/
GRILLE MANUFACTURER. SEE FLOOR FINISH PLANS FOR EXTENTS.
104. ROOF/CEILING DRAIN LEADER - REF. PLUMBING DWGS
105. ELECTRICAL PANEL - REF. ELECTRICAL DWGS
107. EMERGENCY GAS SHUT-OFF VALVE BOX - REF. MED GAS DWGS
108. CONCRETE HOUSEKEEPING PAD - REF. STRUCTURAL DWGS
109. RECESSED EMERG EYEFACE WASH AND SHOWER SAFETY STATION
WITH DRAIN PAN AND CLG MTD EXPOSED STN SHOWER HEAD -
REF. PLUMBING DWG.
110. BOLD SHADING LINE INDICATES STRUC EXPANSION JOINT - REF. STRUC
DWGS. REF. FLOOR PLAN AN LEGEND FOR INT EXP JCT CVR ASBLY METHOD.
111. 05 00 00 ACCESS LADDER
112. 05 00 00 METAL GRATE CATAWK - REF. DWGS 85F105 & 48SF504
113. 05 52 13 PIPE AND TUBE RAILING - REF. E68AS700
114. ELEC RISERS - REF. PLANS IN CHAS/BOSS - REF. ELEC DWGS
115. 08 31 13 3-HOUR FIRE-RATED 2" X 4" ARCH ACCESS PANEL, WHERE
COVERED BY FURLO, FURNISH & INSTALL FINISH ACCESS PANEL AREA
ENOUGH TO ALLOW FULL OPENING OF FIRE-RATED ACCESS PANEL.
NOT USED
116. NOT USED
117. 10 11 00 MARKER BOARD REF. INTERIOR ELEV SHEET NOTES.
118. 10 11 00 TACK BOARD REF. INTERIOR ELEV SHEET NOTES.
119. 10 21 13 TOILET PARTITIONS
120. 12 21 13 WIRE RACK FOR CRT PTNS. SINGLE/DOUBLE TIE AS NOTED
121. 11 13 00 FACE MOUNTED MANHOLE COVER AND BUMPERS
122. CONC ELEV SHAFTS - REF. STRUC DWGS
123. WALL MOUNTED HAND SINK - REF. PLUMBING DWGS
124. LINE OF 2HR RATED SHA - ABOVE, REF. DET D18A1503
125. LINE OF HOISTWAY BELOW
126. TOP OF SHAFT LID ASSEMBLY - REF. DET. E4A81516
127. PLENUM SYSTEM - SEE MECHANICAL DRAWINGS
128. AIR HANDLER UNIT - SEE MECHANICAL DWGS
129. BENT PLATE W/ TRAFFIC COATING WRAP & WALL BASE - REF. B30A1516
130. BENT PLATE W/ PEDESTRIAN TRAFFIC COATING WRAP -
REF. C30A1516
131. CONC BENT W/ PEDESTRIAN TRAFFIC COATING WRAP - REF. D30A1516
132. NOT USED
133. NOT USED
134. 11 71 02 STERILIZER/WASH/ENCLOSURE PANELS (MODULAR WALLS)
CHECKED PLATE RAIL
135. DRIP PIT WITH REMOVABLE SS DRAINAGE GRATE. EXTEND EPOXY
RESIN FLOOR FINISH TO DRAIN
137. DEPRESS SLAB ENTIRE ROOM
138. LOCATION FOR FUTURE REFRIGERATOR/FREEZER IF REQUIRED.
139. ALIGN FACE OF PARTITION WITH GRIDLINE.
140. FURRING TO BE FLUSH WITH COLUMN.
141. PROVIDE CAST UNDERLAYMENT NOT TO EXCEED 1/8" RISE IN 1'-0" RUN
MEASURED ON EITHER SIDE OF OPENING. REQUIRED FOR ALIGNMENT
OF SLAB ELEVATION AT OPENING AS VERIFIED BY CONTRACTOR IN
FIELD. MAXIMUM THICKNESS OF CAST UNDERLAYMENT NOT TO EXCEED
2 1/2".

CONSTRUCTION DOCUMENTS 1
FULLY SPRINKLERED