


## GENERAL RCP NOTES

1. **RATED WALLS:** ARE INDICATED IN PLAN AND RCP WITH GRAPHIC DENOTING HOURLY RATING AND/OR RESISTANT TO PASSAGE OF SMOKE.
2. **REFER TO SECTION 050500 FOR RATED WALLS.**
3. **CEILING MATERIALS:** DMS ARE TO FINISH FACE OF WALL OR SOFFIT UNLESS OTHERWISE NOTED.
4. **CEILING MATERIAL TRANSITIONS, FLUSH CONDITIONS:** REFER TO STD DETAILS B4.
5. **WALLS AND/OR CEILING HEIGHT:** VARIATION IN A ROOM, THE CEILING HT SHOWN IS ABOVE FLOOR AT ENTRY.
6. **ACOUSTIC TILE CLGS TO BE CENTERED** IN BOTH DIRECTIONS IN ROOM TYPE, UNLESS OTHERWISE NOTED OTHERWISE. IF DIMENSION IS PROVIDED IN PLAN, CENTER ON ONLY ONE DIRECTION. IF DIMENSION IS NOT PROVIDED, TILE CUT LINES SHALL BE NO SMALLER THAN 4 INCHES IN ANY DIRECTION.
7. **CEILING FINISHES/MATERIALS** NOTED ON TYPICALS FINISH SCHEDULE.
8. **TASK LGTS** UNDER WALL CABS INDICATED. (SEE REFERENCE TO REFER TO ELEVATIONS FOR EMERGENCY EXIT, WALL, CABINET, AND MILKWORK LIGHTING NOT SHOWN ON RCPs (XA200 AND XA400 SERIES).
9. **NOT ALL SHEET TYPES APPLY TO SHEET.**
10. **CEILING LIGHT FIXTURES:** AND OTHER CEILING DEVICES WITH ACOUSTIC TILE UON. IF ONLY DIMENSIONED IN ONE DIRECTION, ASSUME DEVICE IS CENTERED IN THE OTHER DIRECTION.
11. **DIMS TO CENTERLINE** OF LIGHT FIXTURE UON.
12. **PROPOSED TO VIEW POINTS:** CEILING DEVICES SUPPLIED BY OTHER TRADES TO MATCH LINEAR MTL CLG. DEVICES IN MTL CLG TO MATCH MTL CLG FIN COLOR.
13. **SEE SIGNALING SHOWS DRAWING ON ELECTRICAL LIGHTING DRAWINGS.** REFER TO XEL-100 SERIES DRAWINGS.
14. **LIGHT FIXTURE SCHEDULE & XEL SERIES DWGS** GOVERN FOR FIXTURE SPECIFICATION. ARCHITECTURAL RCPs GOVERN FOR FIXTURE LOCATION.
15. **SPRINKLER HEADS, SMOKE DETECTORS, OTHER MISC ELECTRICAL DEVICES** NOT SHOWN. ORANGE DEVICES IN CENTER OF TILE OF SUSPENDED CEILINGS & ALUM. MULTIPLE DEVICES DOWN CORRIDORS AND THROUGHOUT LARGE ROOMS. COORD WITH OTHER TRADE'S DEVICES.

## RCP SHEET NOTES

301. 6" TILE ALONG EDGE UON. TRIM ADJACENT TILE. SEE DETAIL C4 SHEET BA5/20.
302. 12.34 UO. CLOSURE PANEL ABOVE CASEWORK. SEE DETAIL C1 SHEET BA5/21.
303. GYP BD SHADE POCKET FOR MANUAL SINGLE ROLLER SHADE (SECTION 12 24 00). SEE DETAIL D1 ON SHEET BA5/21.
304. GYP BD SHADE POCKET FOR MANUAL DOUBLE SHADES (SECTION 12 24 00). SEE DETAIL D2 ON SHEET BA5/21.
305. GYP BD SHADE POCKET FOR MANUAL SINGLE ROLLER SHADE(S) (SECTION 12 24 00). SEE DETAIL A1 & B1 ON SHEET BA5/21.
306. CONTINUOUS GYP BD POCKET FOR RECESSED LIGHT FIXTURE.
307. 07.01.03.03 SHEET BA5/21.
308. 07.95.13. EXPANSION JT COVER IN CLG. - SEE DETAIL B4 SHT BA5/17. NOT USED.
309. 09.54.23. METAL CEILING.
310. 09.54.23. EXPANSION JT COVER IN CLG. - SEE DETAIL C4 SHT BA5/17.
311. EXHAUST DUCT. - SEE EQUIPMENT CUTSHEET FOR REQUIREMENTS.
312. HOOD EXHAUST. - SEE HVAC DWGS.
313. SURGICAL LIGHT. - PROVIDE ABOVE CEILING SUPPORT. SEE S2 SHEET BA5/22.
314. EXAM LIGHT. - PROVIDE ABOVE CEILING SUPPORT. SEE C2 SHEET BA5/22.
315. EXPOSED STRUCTURE. - REFER TO FINISH SCHEDULE AND SPECS FOR ANY APPLIED FINISH OR FIREPROOFING NOT NOTED ON RCPs. NOT USED.
316. RE AND/OR EMI SHIELDING REQUIRED ABOVE CEILING FOR ROOM.
317. CEILING LIGHTING. - REFER TO MECHANICAL AND ELECTRICAL DWGS FOR CP, DT AND LIGHTING LAYOUT THIS AREA.
318. ALIGN ELEMENTS.
319. SNORKEL DROP.
320. FRAME FOR LAB BENCH STRAPPING - EXTENDS TO DECK TOP.
321. SLOTTED CHANNEL FRAMING FOR LIGHT FIXTURE SUPPORT FOR MULTIPLE LIGHTS SUPPORTED BY A SINGLE CHANNEL. SPACE LIGHTS EQUALLY CENTERED SINGLE OR MULT SUPPORTS IN ROOM OR AREA UON OR DIMENSIONED. IF DIMENSIONED IN ONE DIRECTION UON ONLY ASSUME CENTERED IN OTHER DIRECTION.
322. MOUNT TOP OF LIGHT AT 15'-0" A.F.F.
323. SLOTTED CHANNEL FRAMING - FOR LIGHT FIXTURE SUPPORT. FOR MULTIPLE LIGHTS SUPPORTED BY A SINGLE CHANNEL. SPACE LIGHTS EQUALLY CENTERED SINGLE OR MULT SUPPORTS IN ROOM OR AREA UON OR DIMENSIONED. IF DIMENSIONED IN ONE DIRECTION ONLY ASSUME CENTERED IN OTHER DIRECTION.
324. MOUNT TOP OF LIGHT AT 17'-6" A.F.F. NOT USED.
325. CUT TILE SEE DETAIL E3 SHEET BA5/22.
326. CUT TILE SEE DETAIL D3 SHEET BA5/22.
327. CUT TILE SEE DETAIL F3 SHEET BA5/22.
328. SEE SEE ELECTRICAL PLAN FOR SUSPENDED LIGHTING LOCATION.
329. WATER LINE CONNECTION FOR EQUIPMENT. NOT USED.
330. 05.01.00 OVERSICKE CEILING TILE.
331. 10.11.18 SLIDING GLASS & TRACK
332. 08.80.10 FIXED PANEL PANEL.

REFER TO 00AI400 FOR REFLECTED CEILING PLAN SYMBOLS LEGEND



CONSTRUCTION DOCUMENTS 1  
FULLY SPRINKLERED

OFFICE OF  
CONSTRUCTION  
AND FACILITIES  
MANAGEMENT



8AS144

PROJECT NUMBER	BUILDING NUMBER
100342.00	08

DOCUMENT SET PACKAGE  
WP\_09B

DRAWING NUMBER

PROJECT TITLE	SLVHCS REPLACEMENT MEDICAL CENTER PROJECT
---------------	---

LOCATION  
NEW ORLEANS, LOUISIANA

DATE  
July 16, 2012

CHECKED  
JR

DRAWN  
JK


DRAWING TITLE  
BLDG 8 LEVEL 4 RCP

APPROVED: PROJECT DIRECTOR

ARCHITECT/ENGINEERS:

studio **NOVA**

SCHRENK & PETERSON CONSULTING ENGINEERS / CIVIL  
KORDA/NEMETH ENGINEERING / STRUCTURAL  
BR+A CONSULTING ENGINEERS / MECH, ELECT, PLUMBING, LOW VOLTAGE  
ARCHITECTURAL ENGINEERING / PLUMBING  
SCALES ASSOCIATES / FIRE PROTECTION



CONSULTANTS:

DESMAN ASSOCIATES / PARKING  
CODE CONSULTANTS, INC. / CODE CONSULTANT  
THE SEXTANT GROUP / AV & ACUSTICAL  
HAMMER DESIGN ASSOCIATES / FOOD SERVICE  
PUBURN & ODOM / ABATEMENT  
TATA & HOWARD / TANK CONSULTANT  
I.S.C. GROUP, INC. / IRRIGATION  
DAN EUSER WATER ARCHITECTURE, INC. / WATER FEATURE

**F6** **B8 Level 4**  
SCALE: 1/8" = 1'-0"

8	Bulletin 046	10/12/2015
REVISIONS:		DATE

VA FORM 08-6231

6

5

4

3

2

1