

Bath VA Medical Center,  
76 Veterans Avenue  
Bath, NY 14810  
POC: Julie Monagan Barnard, Interior Designer

## **Statement of Work Building 78, CLC2 Great Room and Family Room Furniture**

### **I. INTENT**

This is a Statement of Work for the acquisition of Great Room and Family Room furniture for Building 78 Community Living Center 2<sup>nd</sup> Floor (CLC2). This will accomplish the facilities continuing effort to provide an aesthetically pleasing and therapeutic environment, while providing safe and durable seating and side tables.

### **II. PROJECT SCOPE AND DESCRIPTION**

#### **A. Overview**

This project will consist primarily of delivery and installation of freestanding recliners, lounge chairs, benches, settees, side tables, and stacking chairs for the 2<sup>nd</sup> floor of Building 78.

All work is to be completed during business hours.

The Contractor shall submit an estimated schedule for delivery and installation.

The Contractor shall be responsible for any damage to the furniture that occurs due to Contractor/freight error or neglect. The Contractor will be responsible for the coordination for delivery, receiving and installation to the VAMC.

#### **B. Scope**

The project consists of purchase, receiving, delivery and installation of:

- 7 Nemschoff Marco Grande II 53" Settee 736-2S or equal
- 4 Nemschoff Marco Grande II 28.75" chairs 736-1S or equal
- 4 Nemschoff Marco Patient Chairs 735-51S or equal
- 10 Nemschoff Marco Round End Tables 732-7V or equal
- 10 Nemschoff Culla recliners 287-68S or equal
- 2 Nemschoff Brava Platform Benches 52.5" 860-B2S or equal
- 2 Nemschoff Brava Platform Benches 78.5" 860-B3S or equal
- 22 Nemschoff Monarch Stack Chairs 893-92S or equal



Nemchoff Marco Grande II 53" Settee or Equal:

1. Shall have back cleanout and open arms with no divider arm
2. Shall have two-vinyl combinations available per chair
3. Shall have solid maple frame
4. Shall have wood arms
5. Shall have wood finish engineered for heavy use and frequent cleaning using hospital-grade cleaning substances. Wood finish shall be smooth, durable, scratch-resistant, and non-yellowing that protects the wood from cracks.
6. Shall have spring seat construction to preserve comfort and shape over time
7. Shall have non-marring 7/8" or more rubber-cushioned glides
8. Shall have field replaceable components
9. Shall have a minimum static weight capacity of 700 lbs.
10. Shall be tested to ANSI/BIFMA weight standards
11. Shall be GREENGUARD Gold Certified
12. Shall have Limited Lifetime Warranty
13. Shall coordinate with lounge chairs, patient chairs and end tables



Nemchoff Marco Grande II 28.75" chairs or equal

1. Shall have back cleanout and open arms
2. Shall have two-vinyl combinations available per chair
3. Shall have solid maple frame
4. Shall have wood arms
5. Shall have wood finish engineered for heavy use and frequent cleaning using hospital-grade cleaning substances. Wood finish shall be smooth, durable, scratch-resistant, and non-yellowing that protects the wood from cracks.
6. Shall have spring seat construction to preserve comfort and shape over time
7. Shall have non-marring 7/8" or more rubber-cushioned glides
8. Shall have field replaceable components
9. Shall have a minimum static weight capacity of 350 lbs.
10. Shall be tested to ANSI/BIFMA weight standards

11. Shall be GREENGUARD Gold Certified
12. Shall have Limited Lifetime Warranty
13. Shall coordinate with Settee, Patient chairs and end table



Nemschoff Marco Patient Chairs or equal

1. Shall have back cleanout and open arms
2. Shall have two-vinyl combinations available per chair
3. Shall have solid maple frame
4. Shall have mortise and tenon joinery
5. Shall have wood arms
6. Shall have wall saver legs
7. Shall have wood finish engineered for heavy use and frequent cleaning using hospital-grade cleaning substances. Wood finish shall be smooth, durable, scratch-resistant, and non-yellowing that protects the wood from cracks.
8. Shall have spring seat construction to preserve comfort and shape over time
9. Shall have non-marring 7/8" or more rubber-cushioned glides
10. Shall have field replaceable components
11. Shall have a minimum static weight capacity of 350 lbs.
12. Shall be tested to ANSI/BIFMA weight standards
13. Shall be GREENGUARD Gold Certified
14. Shall have Limited Lifetime Warranty
15. Shall coordinate with settee, lounge chair and end table



Nemschoff Marco Round End Tables or equal

1. Shall have steel-to-steel fasteners for added strength
2. Shall have dry construction to allow for all components to be field replaceable
3. Shall offer veneer top finishes with a wood edge
4. Shall be available in 19" diameter round table.

5. Shall have wood finish engineered for heavy use and frequent cleaning using hospital-grade cleaning substances. Wood finish shall be smooth, durable, scratch-resistant, and non-yellowing that protects the wood from cracks.
6. Shall be GREENGUARD Gold Certified
7. Shall have Limited Lifetime Warranty
8. Shall coordinate with the patient chair, lounge chair and settee



Nemschoff Culla Recliner or Equal:

1. Shall have the glide function permanently disabled
2. Shall have seat cleanouts on all three sides
3. Shall have two vinyl combinations available per chair
4. Shall have a lever-operated footrest that raises independent of the back
5. Shall have wood or black urethane arm caps available
6. Shall have wall saver edge
7. Shall have field replaceable components
8. Shall have spring seat construction to preserve comfort and shape over time
9. Shall have solid maple frame
10. Shall have mortise and tenon joinery
11. Shall have non-marring 2.25" or more rubber or plastic glides
12. Shall have a minimum static weight capacity of 350 lbs.
13. Shall be tested to ANSI/BIFMA weight standards
14. Shall have GREENGUARD Gold Certification
15. Shall have Limited Lifetime Warranty; 5 years on mechanism



Nemschoff Brava Platform Benches 52.5" AND Nemschoff Brava Platform Bench 78.5" or equal

1. Shall have solid maple frame
2. Shall have mortise and tenon joinery
3. 78.5" Shall have additional middle leg for added structural support

4. Shall have wood finish engineered for heavy use and frequent cleaning using hospital-grade cleaning substances. Wood finish shall be smooth, durable, scratch-resistant, and non-yellowing that protects the wood from cracks.
5. Shall have spring seat construction to preserve comfort and shape over time
6. Shall have non-marring 7/8" or more rubber-cushioned glides
7. Shall have field replaceable components
8. Shall have a minimum static weight capacity of 350 lbs. for 52.5" and 350 lbs. for 78.5"
9. Shall be GREENGUARD Gold Certified
10. Shall have Limited Lifetime Warranty



Nemschoff Monarch Stack Chairs or equal

1. Shall have back wipe-out and open arms
2. Shall have two-vinyl combinations available per chair
3. Shall have solid hardwood frame
4. Shall have mortise and tenon joinery
5. Shall have optional wood arms
6. Shall have optional black urethane arm caps
7. Shall have wall saver legs
8. Shall have wood finish engineered for heavy use and frequent cleaning using hospital-grade cleaning substances. Wood finish shall be smooth, durable, scratch-resistant, and non-yellowing that protects the wood from cracks.
9. Shall have memory foam seat
10. Shall have non-marring 7/8" or more rubber-cushioned glides
11. Shall have field replaceable components
12. Shall be stackable up to three high
13. Shall have a minimum static weight capacity of 350 lbs.
14. Shall be tested to ANSI/BIFMA weight standards
15. Shall be GREENGUARD Gold Certified
16. Shall have Limited Lifetime Warranty

**\*\*\*Manufacturer is Nemschoff or Equal- FAR 52.211-6 Brand Name or Equal\*\*\***

**FOR ALL PRODUCTS: Must meet salient characteristics outlined above when quoting an "or equal" item – FAR 52.211-6 Brand Name or Equal. "Or equal" items quoted should be similar to the requested dimensions, color scheme, function, and quality. "Or equal" products must include manufacturer's product brochure including specification information and all proposed finish selections. Actual finish samples if quoting an "or equal" item must be submitted for review by VA Interior Design for technical**

and aesthetic review. **FAILURE TO CLEARLY NOTE THAT THE PRODUCTS BEING QUOTED ARE THE REQUESTED BRAND NAME, OR FAILURE TO SUPPLY "OR EQUAL" PRODUCTS' SPECIFICATIONS AND INFORMATIONAL LITERATURE SHALL CONSTITUTE A "NON-RESPONSIVE" BID AND WILL NOT BE FURTHER EVALUATED FOR AWARD.**

### **III DELIVERY/INSTALLATION**

#### **A. Project installation**

1. The Contractor shall submit an installation schedule for approval.
2. The Contractor shall coordinate with facility on staging needs and parking prior to installation dates.
3. Protect adjacent existing and newly placed construction, equipment and finishes as much as possible during installation to limit damage. The Contractor shall be responsible for any damage to the building that occurs due to contractor error or neglect.
4. The Contractor is responsible for the clean-up of each work area and for proper disposal of all packing/crating materials and will have limited access to cardboard recycling, metal recycling and garbage dumpsters.
5. The Contractor shall furnish all supplies, equipment, facilities and services required to perform the service under this contract.
6. Any painting and patching, if required, will be performed by the Bath VAMC paint department.

#### **B. Delivery.**

1. The Vendor shall provide up to 45 days free storage if needed.
2. Deliver materials to job in manufacturer's original sealed containers with brand name marked thereon. Protect materials from damage.
3. Package to prevent damage or deterioration during shipment, handling, storage and installation. Maintain protective covering in place and in good repair until removal is necessary.
4. Deliver only when the site is ready for installation work to proceed.
5. Store products in dry condition inside enclosed facilities.
6. Preferred delivery of product to be coordinated with Interior Designer.

#### **C. Period of Performance.**

Contract shall be completed as corresponding renovation of CLC2 is completed, projected for Summer/Fall 2017. Product shall not be put into production without the approval to do so from the P.O.C. Interior Designer.

#### **D. Place of Performance.**

Bath VAMC  
76 Veterans Avenue  
Bath, NY 14810

- E. **Operational Hours.** Facility will be available for deliveries and installation between the hours of 0830 and 1600 M-F, excluding Federal Holidays.

- F. **GOVERNMENT-FURNISHED EQUIPMENT, BADGE, KEYS AND/OR FACILITIES PROVIDED.** N/A

G. **CONTRACTOR FURNISHED ITEMS AND RESPONSIBILITIES.** The Contractor shall furnish all supplies, equipment, facilities and services required to perform the service under this contract. The Contractor shall perform all work in accordance with this Performance Work Statement to include the additional new/ refurbished furniture.

H. **SECURITY REQUIREMENTS.**

a. Installation passes. The contractor will coordinate for the issuance of required installation passes to contractor personnel. Contract personnel shall wear a badge that clearly identifies them as a contract employee. The badge will contain a picture, name of employee, and Contractor's name. Badges shall be worn on the outer garment in full view at all times, attached to the outer shirt or jacket pocket by a button or clip or worn around the neck secured by an appropriate identification card lanyard.

b. The Contractor shall not disclose and must safeguard procurement sensitive information, computer systems and data, Privacy Act data, and Government personnel work products that are obtained or generated in the performance of this contract. This includes dissemination of protocols and papers not generally available through the public literature.

c. Company will return all issued US Government installation badges and passes when the contract is completed.

d. In addition to the changes otherwise authorized by the changes clause of this contract, should the security condition change at any facility, the Government may require changes in contractor security requirements.

I. **NON-PERSONAL SERVICE STATEMENT.** Contractor employees performing services under this order will be controlled, directed and supervised at all times by management personnel of the contractor. Contractor employees will perform independent of and without the supervision of any Government official. Actions of contractor employees may not be interpreted or implemented in any manner that results in any contractor employee creating or modifying Federal policy, obligating the appropriated funds of the U.S. Government, overseeing the work of Federal employees, providing direct personal services to any Federal employee or otherwise violating the prohibitions set forth in Parts 7.5 and 37.1 of the Federal Acquisition Regulation (FAR). The Government will control access to the facility and perform the inspection and acceptance of the completed work.

J. **Contract Officer Representative (COR).** The COR monitors all technical aspects of the contract and assists in contract administration. The COR is authorized to perform the following functions: assure that the Contractor performs the technical requirements of the contract: perform inspections necessary in connection with contract performance: maintain written and oral communications with the Contractor concerning technical aspects of the contract: issue written interpretations of technical requirements, including Government drawings, designs, specifications: monitor Contractor's performance and notifies both the Contracting Officer and Contractor of any deficiencies; coordinate availability of government furnished property, and provide site entry of Contractor personnel. **The COR is not authorized to change any of the terms and conditions of the resulting order.**