RLP OFFER ATTACHMENT - SEISMIC OFFER FORMS

Instructions for Offeror:

Forms A through D are pre-award submittals. Depending upon the form, either the Offeror or the Offeror's engineer shall complete and sign the form to confirm seismic compliance with RP 8. When the engineer fills out a form, he or she is also required to stamp it. The Offeror's engineer shall represent whether the Building meets RP 8 standards, using Form A for Benchmark Buildings or Form B for other existing buildings. If the engineer's certification indicates that the Building does not meet RP 8 standards, the Offeror shall agree to retrofit the building to meet the standards, using Form C, Part 1. Offerors providing new construction shall commit to a design code, using Form C, Part 2. Offerors may represent that their building meets an exemption criteria, using Form D.

Forms E and F are post-award submittals. They only apply when the Offeror has agreed to either retrofit an existing building (use Form E) or is constructing a new building (use Form F). Prior to the Government accepting leased space, the Lessor's engineer shall complete, stamp, and sign the appropriate representation.

The forms must include the supporting documentation stated in the RLP and Lease.

Below is a detailed explanation of each of the forms.

SEISMIC FORM A - CERTIFICATE OF SEISMIC COMPLIANCE BENCHMARK BUILDING

A benchmark building is one that was designed and built or retrofitted in accordance with structural provisions that are considered to provide acceptable life-safety protection. RP 8, Section 1.3, Table 1-1 shows the construction codes that qualify a building as a Benchmark Building. If a building qualifies, no additional hazards need be considered. If the seismicity of a region has changed since the benchmark dates listed in the table, the building must be evaluated in accordance with the now current or greater seismicity of the region to be compliant with the RP 8 Standards.

SEISMIC FORM B - CERTIFICATE OF SEISMIC COMPLIANCE EXISTING BUILDING

The engineer shall evaluate the building to determine compliance with the Life Safety Performance Level. He or she shall use RP 8 Chapter 3 and ASCE/SEI 31 to determine compliance. The evaluation must include the appropriate Structural, Nonstructural, and Geologic Site Hazard and Foundation Checklists with backup calculations.

SEISMIC FORM C – BUILDING RETROFIT OR NEW CONSTRUCTION PRE-AWARD COMMITMENT

Part 1 only applies to planned retrofit of an existing building. The Offeror shall identify the engineer in charge of the seismic retrofit and commit that the retrofit's design and construction will conform to the requirements of ASCE/SEI 41, Basic Safety Objective. The commitment must also include a Tier 1 report with supporting documentation, a narrative, scope, and schedule of the proposed renovations.

Part 2 only applies to new construction. The Offeror shall identify the engineer in charge of the design of the building and specify which building code he or she is using to design and construct.

SEISMIC FORM D – OFFEROR'S REPRESENTATION OF EXEMPTION FROM SEISMIC STANDARDS

The Offeror may claim an exemption from seismic compliance if representing that the offered building meets either of the following exemptions:

- In an area of moderate seismicity, the total space leased in the building by the Federal government, including the offered space, will be less than 10,000 ABOA SF upon commencement of the lease term.
- In an area of high to very high seismicity, the offered building is a one-story building of steel light frame or wood construction with less than 280 m² (3,000 ABOA SF).

SEISMIC FORM E - CERTIFICATE OF SEISMIC COMPLIANCE RETROFITTED BUILDING

The engineer in charge of the building's structural retrofit of the leased building shall certify that the design standard was the Basic Safety Objective as set forth in ASCE/SEI 41, Seismic Rehabilitation of Existing Buildings, and that the building was retrofitted to that standard.

SEISMIC FORM F - CERTIFICATE OF SEISMIC COMPLIANCE NEW BUILDING

The engineer shall certify that the design and construction of new buildings or additions to existing buildings conforms to the seismic provisions of the latest edition of the applicable State or local government codes under which it was built.

DEFINITIONS - The following definitions apply to the completion of the above-referenced forms:

- 1. **Engineer** means a professional engineer who is licensed in Civil or Structural Engineering and qualified in the structural design of buildings. They must be licensed in the state where the property is located.
- 2. **ASCE/SEI 31** means the American Society of Civil Engineers standard, Seismic Evaluation of Existing Buildings." ASCE/SEI 31 can be purchased from ASCE at (800) 548-2723, or by visiting http://www.pubs.asce.org.
- 3. **ASCE/SEI 41** means American Society of Civil Engineers standard, Seismic Rehabilitation of Existing Buildings." ASCE/SEI 41 can be purchased from ASCE at (800) 548-2723, or by visiting http://www.pubs.asce.org.
- 4. Seismic Certificate means a certificate executed and stamped by an Engineer on the appropriate Certificate of Seismic Compliance form included with this solicitation together with any required attachments.
- 5. RP 8 means "Standards of Seismic Safety for Existing Federally Owned and Leased Buildings ICSSC Recommended Practice 8 (RP 8)," issued by the Interagency Committee on Seismic Safety in Construction as ICSSC RP 8 and the National Institute of Standards and Technology as NIST GCR 11-917-12. You can obtain RP 8 from the Building and Fire Research Laboratory, National Institute of Standards and Technology, Gaithersburg, MD 20899, or download copy athttp://www.wbdg.org/ccb/NIST/nist_gcr11_917_12.pdf.

SEISMIC FORM A

CERTIFICATE OF SEISMIC COMPLIANCE BENCHMARK BUILDING

Date:			
This affirms thatevaluation of the building loo			neer in charge of the seismic
_			
The building has the following	ng characteristics:		
ASCE Building Type:	No. of Stories:		Approx. Area:
Building Design Code:	Year of Design (Code:	Year of Construction:
			nitted by this level of evaluation, hmark Building as indicated in
Engineer's Name:			Affix Stamp and Sign Here
Firm:			
Address:			
Telephone:			
License No.:			
License State:			
Expiration Date:			

CERTIFICATE OF SEISMIC COMPLIANCE EXISTING BUILDING

Date:		
This affirms thatevaluation of the building located	served as engi at	neer in charge of the seismic
The building has the following cha	racteristics:	
ASCE Building Type:	No. of Stories:	Approx. Area:
Building Design Code:	Year of Design Code:	Year of Construction:
I have evaluated this building at t 8, Standards of Seismic Safety ASCE/SEI 31 methodology:		
Tier 1 Evaluation		
Tier 2 Evaluation		
Tier 3 Evaluation		
Other (please explain below)		
Documentation of this evaluation	on must be attached to this Ce	rtificate.
On the basis of the building chara is my opinion that subject Build Performance Level of ICSSC RP	ling (check one) ☐ does / ☐	
		Affix Stamp and Sign Here
Engineer's Name: Firm: Address: Telephone: License No.: License State: Expiration Date:		

Comments:

Attach: ASCE/SEI 31 Checklist(s) Structural, Nonstructural, and Geologic Site Hazards and Foundation.

BUILDING RETROFIT OR NEW CONSTRUCTION PREAWARD COMMITMENT

PART 1

PREAWARD COMMITMENT TO RE	TROFIT BUILDING:	
Date:		
This affirms that of the building located at Safety Objective, as set forth in AS	shall serve as the en . The retrofit m CE/SEI 41 Seismic Rehabilitation	gineer in charge of the seismic retrofit ust be designed to meet the Basic of Existing Buildings.
In accordance with the requirements Proposals (RLP), our offer includes a Objective requirements of ASCE/SEI narrative explaining the process, scop Documentation shall be provided befor standards and be completed within the	commitment to retrofit the building 41. The offer includes a Tier 1 reports of renovations, and a schedule or award that demonstrates the	ng to satisfy all of the Basic Safety sport with all supporting documents, a se for the seismic retrofit.
PART 2		
PREAWARD COMMITMENT TO CO	NSTRUCT A NEW BUILDING:	
Date:		
This affirms that of the building located at of the buil	will serve as the eng . The criteria ding code.	ineer in charge of the structural design for design must be the edition
requirements for testing and inspecting staff. We reviewed special inspection submittals. On the basis of this, and	ng critical elements of the structunal and testing reports prepared by to the extent permitted by this level.	quality assurance plan that included re and also periodic observation by our the inspection agency and contractor rel of construction surveillance, it is my ce with the requirements of the above
The building has the following charac	teristics:	
Building Type:	Building Height:	Approx. Area:
Building Design Code:	Year of Design Code:	Year of Construction:
		•
	OFFEROR	
SIGNATURE	NAME (OF SIGNER

SEISMIC FORM D

OFFEROR'S REPRESENTATION OF EXEMPTION FROM SEISMIC STANDARDS

Date:		
I represe	ent that my building is exempt from the re	equirements of RP 8 because:
	The Building is located in an area of medhave less than 10,000 ABOA SF of space upon commencement of the lease term.	,
	The Building is located in an area of hig one-story building with a steel light frame 3,000 ABOA SF of space in the building.	
	OFFEROR	
SIGNATURE		NAME OF SIGNER

CERTIFICATE OF SEISMIC COMPLIANCE RETROFITTED BUILDING

PRE-OCCUPANCY CERTIFICATE:

Date:		
This affirms that structural retrofit of the building was the Basic Safety Objectiv Buildings.	served as located ate as set forth in ASCE/SEI 41	the engineer in charge of the The standard for design Seismic Rehabilitation of Existing
observe, test, and inspect the stesting reports prepared by the and to the extent permitted by	seismic retrofit work. We have all inspection agency and contract this level of construction surveil to conform with the requirement	rance plan, which requires staff to so reviewed special inspection and tor submittals. On the basis of this, lance, it is my opinion that building as of the Standard listed above.
		IA A
ASCE Building Type:	No. of Stories:	Approx. Area:
Building Design Code:	Year of Design Code:	Year of Construction:
Retrofit Design Standard:	Year of Retrofit Standard:	Year of Retrofit:
Documentation of this retrofi	t must be available to GSA.	<u> </u>
		g does, does not meet the CE/SEI 41, Seismic Rehabilitation
or Existing Buildings.		Affix Stamp and Sign Here
Engineer's Name: Firm: Address:		
Telephone: License No.: State: Expiration Date:		

CERTIFICATE OF SEISMIC COMPLIANCE NEW BUILDING

PRE-OCCUPANCY CERTIFICATE:

Date:		
structural design of the building lowere the edition of the In accordance with the requireme	ents, we prepared a quality assu	The criteria for design rance plan, which requires staff
to observe, test, and inspect the inspection and testing reports prothe basis of this, and to the external opinion that the building was descode listed above.	epared by the inspection agency ent permitted by this level of co	y and contractor submittals. On nstruction surveillance, it is my
The building has the following cha	aracteristics:	
Building Type:	Bldg. Height:	Approx. Area:
Building Design Code:	Year of Design Code:	Year of Construction:
Engineer's Name:		Affix stamp and sign here
Firm:		
Address:		
Telephone:		
License No.:		
State:		
Expiration Date:		
Comments:		