

TECHNICAL SPECIFICATIONS / ORDER FORM

sign type
A1.b

(Page 1 of 2)

PRODUCT DESCRIPTION - BASIS OF DESIGN

2/90 Sign Systems Custom Sign (12x12) with custom element,
approx 15”h x 15”w
Liberty Building


PART A

Specs: 3form Varia, Patina Finish Plaque
Size: 14 1/2”h x 14 1/2”w, 3/8” gauge
Color: Thicket Natural (Vertical Fibers)
Note: Blunt corners of plaque with 1/32” radius corners, no sharp edges
Use Standard rubber bumpers on rear of sign area,
placed at 1 1/2” min. from edges of 3Form material

PART B

Specs: Non-glare layered acrylic window insert w/second surface
sprayed framing, routed-out notches on backer, clear display area,
magnetic tape on rear & paper insert installed
Size: 9”h x 12”w (accepting an 8”h x 12”w insert)
Color: Sapphire Blue 256 (Frame & Backer)
Paper: Light Neutral (LP-LN)
Copy: Line 1
Size: 6” left justified
Font: N/A
Color: **20% Black laser print**
Lines 2-5
Size: 1” left justified, centered vertically
Font: Helvetica Medium (HMC)
Color: Black laser print
Note: Paper insert file 8 x12A to be provided to client by ASA
Supply with suction cup for window insert access
Route-out two 2”h x 3/8”w notches on backer for
ease of paper removal; use 3/8” radius corners
Magnetically adhere to Part E

Technical Drawing / Visual Example
Scale 1/4” = 1”



PART C

Specs: Integral ADA insert w/tactile copy and braille
Size: 3”h x 12”w
Color: Sapphire Blue 256
Copy: Line 6
Size: 1” right justified (First letter and all numbers)
13/16” (All other letters)
Font: Helvetica Medium (HMC)
Color: Antique White 214
Note: Permanently attach to Part E

PART D

Specs: Thin series Waterfall frame w/mitered corners
Size: TBD by manufacturer
Color: Anodized Satin 101
Note: Permanently attach to Part E

PART E (not shown)

Specs: 1/8” thick Masonite mounting board or equal
w/magnetic paint on first surface
Size: TBD by manufacturer
Color: N/A
Note: Permanently attach to Part A

NOTES


- Pre-drill 4 holes in Parts A & E for “D” mount option in area of removable magnetic insert
- All inserts to be flush with surface of waterfall frame

Fold on this line
For faxing


sign type
A1.b

(Page 2 of 2)

Technical Layout - PART B
Scale 1/4” = 1”



Technical Layout - PART C
Scale 1/4” = 1”



Replacement part / additional sign order form - See front of manual for manufacturer contact information.

Starting Out

Make a copy & replace original sign type drawing in manual.

Refer to “How to Order New Signs” in Section 1 of manual.

Parts & Quantities

Write desired part letter & quantity in box(es) below.

A

Mounting

Indicate mounting option in box below, if applicable.

Copy

Print copy in numbered boxes on drawing above, if applicable.

Pay attention to capitalization, spelling, and placement.



PO Box 436223 Louisville, KY 40253 (502) 339-8511

Architectural
SIGN
associates

412.563.5657
signplanning.com
All Rights Reserved

Fold on this line
For faxing

For replacement part / additional sign ordering - See Page 1 of this document for order form.



PO Box 436223 Louisville, KY 40253 (502) 339-8511

Architectural
SIGN
associates

412.563.5657
signplanning.com
All Rights Reserved

TECHNICAL SPECIFICATIONS / ORDER FORM

PRODUCT DESCRIPTION - BASIS OF DESIGN

2/90 Sign Systems Custom Sign, approx 9"h x 9"w

PART A

Specs: Non-glare layered acrylic window insert w/second surface sprayed framing, routed-out notches on backer, clear display area, magnetic tape on rear & paper insert installed

Size: 7"h x 8 1/2"w (accepting a 6"h x 8 1/2"w insert)

Color: Buckskin 220 (Frame & Backer)

Paper: Light Neutral (LP-LN)

Copy: Line 1

Size: 4 1/2" left justified

Font: N/A

Color: **20 % Black laser print**

Lines 2-5

Size: 5/8" left justified, centered vertically

Font: Helvetica Medium (HMC)

Color: Black laser print

Note: Paper insert file 6x8.5A to be provided to client by ASA


Supply with suction cup for window insert access

Route-out two 2"h x 3/8"w notches on backer for ease of paper removal; use 3/8" radius corners

Magnetically adhere to Part D

Technical Drawing / Visual Example

Scale 1/4" = 1"



PART B

Specs: Integral ADA insert w/tactile copy and braille

Size: 2"h x 8 1/2"w

Color: Buckskin 220

Copy: Line 6

Size: 3/4" right justified (First letter and all numbers)

5/8" (All other letters)

Font: Helvetica Medium (HMC)

Color: Black 204

Note: Permanently attach to Part D

PART C

Specs: Thin series Waterfall frame w/mitered corners

Size: TBD by manufacturer

Color: Anodized Satin 101

Note: Permanently attach to Part D

PART D (not shown)

Specs: 1/8" thick Masonite mounting board or equal w/magnetic paint on first surface

Size: TBD by manufacturer


Color: N/A

NOTE

- Pre-drill 4 holes in Part D for "D" mount option in area of removable magnetic insert
- All inserts to be flush with surface of waterfall frame


Technical Layout - PART A

Scale 1/4" = 1"



Technical Layout - PART B

Scale 1/4" = 1"



Replacement part / additional sign order form - See front of manual for manufacturer contact information.

Starting Out

Make a copy & replace original sign type drawing in manual.

Refer to "How to Order New Signs" in Section 1 of manual.

Parts & Quantities

Write desired part letter & quantity in box(es) below.

Part	Quantity
A	
B	
C	
D	

Entire Sign

Mounting

Indicate mounting option in box below, if applicable.

--

Copy

Print copy in numbered boxes on drawing above, if applicable.

Pay attention to capitalization, spelling, and placement.



PO Box 436223 Louisville, KY 40253 (502) 339-8511

Architectural
SIGN
associates

412.563.5657
signplanning.com

All Rights Reserved

TECHNICAL SPECIFICATIONS / ORDER FORM

PRODUCT DESCRIPTION - BASIS OF DESIGN

2/90 Sign Systems Custom Sign, approx 9"h x 9"w

PART A

Specs: ABS insert w/D2S print

Size: 6"h x 8 1/2"w

Color: Buckskin 220

Copy: Line 1

Size: 3/8" right justified

Font: Helvetica Medium (HMC)

Color: Match Black 204

Line 2

Size: 4 1/4" centered

Font: N/A

Color: Match Black 204

Note: Permanently attach to Part D

PART B

Specs: Integral ADA insert w/tactile copy and braille

Size: 3"h x 8 1/2"w

Color: Buckskin 220

Copy: Lines 3 & 4

Size: 3/4" centered as shown

Font: Helvetica Medium (HMC)

Color: Black 204

Note: If symbol follows text, spacing between text and symbol is to match 50% of letter height

Note: Permanently attach to Part D

PART C

Specs: Thin series Waterfall frame w/mitered corners

Size: TBD by manufacturer

Color: Anodized Satin 101

Note: Permanently attach to Part D

PART D (not shown)

Specs: 1/8" thick Masonite mounting board or equal


Size: TBD by manufacturer

Color: N/A


NOTE

- Pre-drill 4 holes in Part D for "D" mount option in area of ABS insert
- All inserts to be flush with surface of waterfall frame


Technical Drawing / Visual Example
Scale 1/4" = 1"



Technical Layout - PART A
Scale 1/4" = 1"



Technical Layout - PART B
Scale 1/4" = 1"



Replacement part / additional sign order form - See front of manual for manufacturer contact information.

Starting Out

Make a copy & replace original sign type drawing in manual.

Refer to "How to Order New Signs" in Section 1 of manual.

Parts & Quantities

Write desired part letter & quantity in box(es) below.

Part	Quantity
A	
B	
C	
D	

Entire Sign

Mounting

Indicate mounting option in box below, if applicable.

--

Copy

Print copy in numbered boxes on drawing above, if applicable.

Pay attention to capitalization, spelling, and placement.



PO Box 436223 Louisville, KY 40253 (502) 339-8511

Architectural
SIGN
associates
412.563.5657
signplanning.com
All Rights Reserved