










IF THIS SHEET IS NOT 30" x 42" FULL SIZE, USE GRAPHIC SCALES

one inch = one foot
 three-quarter inch = one foot
 one-half inch = one foot
 three-eighths inch = one foot
 one-quarter inch = one foot
 one-eighth inch = one foot




- NOTES**
- FOR LOCATION AND SIZE OF SLAB PENETRATIONS SEE ARCHITECTURAL AND MECHANICAL DRAWINGS.
 - EXISTING REINFORCING STEEL IS SHOWN DASHED.
 - CHOP OUT SLAB 8 INCHES MINIMUM LARGER IN ALL DIMENSIONS THAN FINAL PENETRATION SIZE.
 - USE CARE NOT TO CUT ANY REINFORCING BARS WHILE REMOVING THE CONCRETE.
 - CUT AND HOOK REINFORCING BARS ONLY AS SHOWN ON PLAN.

Grossfield Macri Engineering
 8 Sunset Place
 Hawthorne, NY 10532
 914 747-4145
 GM #11-101

Revisions	Date
VA FORM 08-6231, DEC 1989	

Kenneth Irving, Architect P.C.
 42 MEMORIAL PLAZA, SUITE 301, PLEASANTVILLE, N.Y. 10570
 PHONE: (914) 747-0002 • E-MAIL: kmadrado@kierch.com • FAX: (914) 747-9211

NOTE AND READ CAREFULLY:
 The Contractor shall consult and study the requirements of each and every drawing and each specification section of this contract so that he/she may become acquainted with the project as a whole in order to determine how the work of his/hers subcontractor or vendor may affect the work required under this contract.
 Written Specifications are part of this contract.



Drawing Title
SECTIONS & DETAILS

Approved: Division Chief
 Approved: Service Director

Project Title
 Renovation to Dental Clinic
 Building 18
 Hudson Valley Healthcare System
 Castle Point, New York

Building Number
 18

Location
 Castle Point, New York

Date
 08/04/2010

Project No.
 620A4-09-110

DRAWING NO.
SF102

Dwg. B DF 52

