


IF THIS SHEET IS NOT 30" x 42" FULL SIZE, USE GRAPHIC SCALES




PLUMBING FIXTURE SCHEDULE




- P5 FLOOR MOUNTED SERVICE SINK BASIN**
 - AMERICAN STANDARD MODEL #3544112 EXPOSED YOKE WALL MOUNTED UTILITY FAUCET WITH TOP BRACE, OR COTR APPROVED EQUAL.
 - MOLDED STONE TOP SERVICE SINK 36"x24"x10" FLAT PRODUCTS MODEL NUMBER 36EFS.
- P6 KITCHEN SINK & FAUCET**
 - ELKAY "SOURNET" SERIES UNDERMOUNT SINK BASIN #R3122 (31"x22"x10") D
 - STAINLESS STEEL TOP MOUNT, 1 HOLE FAUCET, BY KOHLER, MODEL #K-10865 "CARAFE", FILTERED WATER FAUCET, POLISHED CHROME FINISH, 1 HOLE OR COTR APPROVED EQUAL.
- P7 NOT USED.**
- P8 EMERGENCY EYE/FACE WASHER**
 - GUARDIAN WIDE - AREA EYE / FACE WASHER
 - MODEL #61724
 - W TEMPERING VALE (TMV) OR COTR APPROVED EQUAL.

TOILET ACCESSORY SCHEDULE




THE FOLLOWING ACCESSORIES SHALL BE PROVIDED AND INSTALLED BY CONTRACTOR ALL OTHER ACCESSORIES SHALL BE PROVIDED BY VA AND INSTALLED BY CONTRACTOR.


PLUMBING FIXTURE CLEARANCES



TYPICAL MOUNTING HEIGHTS FOR ACCESSORIES PROVIDED BY VA AND INSTALLED BY CONTRACTOR




VA TO PROVIDE ALL OTHER TOILET ACCESSORIES FOR THE ADA TOILET AND THE MEN'S AND WOMEN'S STAFF TOILET ROOMS OTHER THAN THE ACCESSORIES INDICATED IN THE TOILET ACCESSORY SCHEDULE ABOVE. CONTRACTOR SHALL BE RESPONSIBLE TO FIELD VERIFY THE LOCATION WITH THE VA COTR. MOUNTING HEIGHTS AND LOCATIONS SHALL CONFORM WITH THE BARRIER FREE REQUIREMENTS FOR THE ACTUAL ACCESSORIES PROVIDED BY THE VA. ADDITIONAL ACCESSORIES NOT INDICATED ABOVE MAY BE PROVIDED BY THE VA AND THE CONTRACTOR SHALL BE RESPONSIBLE TO INSTALL THE ACCESSORIES PROVIDED BY THE VA.



Revisions
Date

Kenneth Irving, Architect P.C.
42 MEMORIAL PLAZA SUITE 301, PLEASANTVILLE, NY 10570
PHONE (914) 747-0002 • E-MAIL mandraoe@kiarch.com • FAX (914) 747-9211

NOTE AND READ CAREFULLY:
The Contractor shall consult and study the requirements of each and every drawing and each specification section of this contract so that he/she may become acquainted with the project as a whole in order to determine how the work of his/hers subcontractor or vendor may affect the work required under this contract.
Written Specifications are part of this contract



Drawing Title
INTERIOR ELEVATIONS - TOILET ACCESSORIES
Approved: Division Chief
Approved: Service Director

Project Title
Renovation to Dental Clinic Building 18 Hudson Valley Healthcare System Castle Point, New York
Building Number: 18
Checked: MA
Drawn: DW, JTL, DC
Location: Castle Point, New York

Date: 04/23/2012
Project No: 620A4-09-110
DRAWING NO: **AE304**
Dwg. 19 Of 52

