




IF THIS SHEET IS NOT 30" x 42" FULL SIZE, USE GRAPHIC SCALES




**A** STAFF (MEN) INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"




**B** STAFF (MEN) INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"




**C** STAFF (MEN/WOMEN) INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"




**D** STAFF (MEN/WOMEN) INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"




**E** STAFF (WOMEN) INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"




**F** STAFF (WOMEN) INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"




**I** STAFF TOILET ROOMS  
SCALE: 1/2" = 1'-0"




**T** TYPICAL TILE ELEVATION  
SCALE: 1/4" = 1'-0"




**P** ADA ACCESSIBLE INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"



**Q** ADA ACCESSIBLE INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"



**R** ADA ACCESSIBLE INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"




**S** ADA ACCESSIBLE INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"

**TOILET GENERAL NOTES:**


- REMOVE AND/OR MODIFY EXISTING CEILING IN AREAS BELOW NEW WORK AS REQUIRED TO SUIT NEW WORK. AFTER NEW WORK IS COMPLETED, RESTORE CEILING BACK TO ORIGINAL CONDITIONS. FINISHES TO MATCH EXISTING. COORDINATE WITH VA COTR FOR SCHEDULING AND ACCESS TO AREA ON LOWER FLOOR.
- CORE DRILL EXISTING SLABS AS REQUIRED TO SUIT NEW WORK. ALL PENETRATIONS MADE THROUGH SLABS MUST BE PATCHED, SLEEVED, FIRE SAFED AND SEALED DAILY WITH LISTED/RATED FIRE STOPPING MATERIAL IN ORDER TO MAINTAIN PROPER FIRE RATINGS.
- PROVIDE CERAMIC TILE MAINSCOT, WHERE INDICATED, WITH BULLNOSE CAP. PROVIDE ACCENT TILE PATTERN SIMILAR TO PATTERN INDICATED ON ELEVATIONS.
- REFER TO PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
- ALL FIXTURE INSTALLATIONS MUST CONFORM TO ALL GOVERNING STANDARDS, INCLUDING BUT NOT LIMITED TO (ADA) AMERICANS WITH DISABILITIES ACT (ADAA), AMERICANS WITH DISABILITIES ACT ACCESSIBILITY GUIDELINES, (ANSI) AMERICAN NATIONAL STANDARDS INSTITUTE, AND (UFAS) UNIFORM FEDERAL ACCESSIBILITY STANDARD.
- PROVIDE ALL NECESSARY REINFORCEMENT WITHIN WALLS TO SUPPORT ALL NEW WALL MOUNTED GRAB BARS AND TOILET ACCESSORIES.
- ALL TOILET FLUSH VALVES MUST CLEAR GRAB BARS.
- PROVIDE PIPE INSULATION SLEEVE AT ALL EXPOSED HOT WATER LINES AT TOILET ROOM LAVATORIES.
- ALL MOUNTING HEIGHT ARE ABOVE FINISHED FLOOR (AFF) TYPICAL.

**LEGEND**


- PH** PLUMBING FIXTURE REFER TO PLUMBING FIXTURE SCHEDULE ON SHEET AE304.
- AA1** ACCESSORY TO BE SUPPLIED AND INSTALLED BY CONTRACTOR. REFER TO ACCESSORY SCHEDULE ON SHEET AE304.
- VA1** ACCESSORY TO BE SUPPLIED BY THE VA AND INSTALLED BY CONTRACTOR. REFER TO ACCESSORY SCHEDULE ON SHEET AE304.




**2** ADA TOILET ROOM  
SCALE: 1/2" = 1'-0"




**G** STAFF (MEN) LOCKER ROOM ELEVATION  
SCALE: 1/4" = 1'-0"




**H** STAFF (MEN) LOCKER ROOM ELEVATION  
SCALE: 1/4" = 1'-0"




**I** STAFF (MEN) LOCKER ROOM ELEVATION  
SCALE: 1/4" = 1'-0"




**J** STAFF (MEN) LOCKER ROOM ELEVATION  
SCALE: 1/4" = 1'-0"




**K** STAFF (MEN) LOCKER ROOM ELEVATION  
SCALE: 1/4" = 1'-0"



**L** STAFF (MEN) LOCKER ROOM ELEVATION  
SCALE: 1/4" = 1'-0"



**N** STAFF (MEN) LOCKER ROOM ELEVATION  
SCALE: 1/4" = 1'-0"




**O** STAFF (MEN) LOCKER ROOM ELEVATION  
SCALE: 1/4" = 1'-0"

**NOTE AND READ CAREFULLY:**

The Contractor shall consult and study the requirements of each and every drawing and each specification section of this contract so that he/she may become acquainted with the project as a whole in order to determine how the work of his/hers subcontractor or vendor may affect the work required under this contract.

Written Specifications are part of this contract

**KEY PLAN**



**Interior Elevations - TOILETS AND LOCKERS**

Approved: Division Chief  
Approved: Service Director

Project Title: **Renovation to Dental Clinic Building 18 Hudson Valley Healthcare System Castle Point, New York**

Date: **04/23/2012**

Project No: **620A4-09-110**

Building Number: **18** Checked: **MA** Drawn: **DW,JTL, DC**

Location: **Castle Point, New York**

DRAWING NO. **AE303**  
Dwg. 18 of 52

Office of Facilities

DEPARTMENT OF VETERANS AFFAIRS