0001: Atomos 5200mAh Battery

Kastar LCD Dual Smart Fast Charger & 2 x

Battery for Sony BP-UGO, BPU60, BP-U66 and PMW-100, PMW-150, PMW-160, PMW-200, PMW-300, PMW-EX1, EX3, PMW-EX160, PMW-EX260, PMW-EX280, PMW-F3, PXW-FSS, PXW-FS7

• Kastar Battery Ultra- h19h Capacity. Use high quality Japanese Cells for longer battery life with no Memory Effect.

• Kastar Dual Fast Charger, wide range compatibility. It can charge for batteries with 6.SV 16.SVof any capacity. Control MCU can

0002: Atomos Shogun Inferno 7" 4K HDMI/Quad 3GSDI/12G-SDI Recording Monitor 1 OPC Accessory Kit. Includes SanDisk 480GB Extreme Pro Solid State Drive + 2 Replacement F970 Batteries

• 1920 x1200 Touchscreen Display; 10-Bit FRC Monitor Processing

- 4K HDMI and 12G-SOI Inputs/Outputs; 1500 cd/ m' Brightness
- HOR Mode with 10-Stop Dynamic Range; High Blight Mode for Rec. 709 Viewing
- UHD 41(up to 30p / 1080p up to 240 fps; 10-Bit 4:2:2 ProRes & ONxHR Encoding
- Records to 2.5" SSD/ HDD Media; Dual Sony L-Series Battery Slots

0003: Cinetics Axis 360 motorized slider Cinetics Two Axis360 Pro Motorized Slider, Track, Pan, Tilt

- Professional rnaneuverab1hty for video. time-lapse, and stop-motion.
- Get precise shots with variable speeds up to 2.4cm/s or 110"/s and accurate to 0 1°
- Supports up to 11 Ib3W motorized pan or tilt allows for smooth, repeatable movement in any direction
- Compact design can be stored for travel without having to completely disassemble

• Set up in any environment with outrigger legs or for added Height mount to any tripod with a 3/8" - 16 or $\frac{1}{4}" - 20$ mount.

0004: DJI Mavic fly more combo DJI Mavic Pro Bundle with Shoulder Bag, Props, Car Charger and 2 Extra Batteries

• What's in this combo: MAVIC PRO Original Package, 2 Extra batteries. 2 Extra propellers, 1 charging hub, 1 *car* charger, 1 battery to power bank adaptor and a shoulder bag

• The DJI Mavic Pro folds down as small as a bottle of water, making it small enough to bring with you everywhere. New OcuSync transmission system offers up to 4.3 miles (7km) of transmission range

• Fly at up to 40mph (64krnh) or for as long as 27-minutesTrue 4K, fully stabilized ensures smooth footageActive Track. Tap Fly and other smart features make professional looking video effortless.

• Obstacle Avoidance combined with sensor redundancy increases flight safety and reliability.

• Vision positioning paired with GPS and GLONASS ensure precise positioning indoors and outdoors. Fly by Phone over Wi-Fi for even easier flight.

0005: DJI Ronin M3 axis gimbal Zhiyun Crane 3 Axis Brushless Handheld Gimbal Stabilizer -Three 32bit MCUs, Brushless Motors with Encoders Including Wireless Remote Control for Cameras Weights between 0.77Lb/350g and 2.64Lb/1200g

• The First Handheld Gimbal with CCI (Camera Control Interface), thus the camera's shutter and focus *can* be controlled by the buttons on gimbal's handle 3 operation modes. Quiet, simple and tool-less camera mounting system saves time and effort.

• 3 Axis 360 *Degree* Unlimited Rotation. With the automotive grade magnetic encoders attached to each *motor,* the gimbal can sense every 0.02-degree change Intervals. Any shooting requirements will be

perfectly satisfied, i.e. positive grip, upright shooting, low angle, high flight photography.
The industry's first to achieve three 32-bit MCUs running In parallel at incredible 4k hertz. Powerful MCUs (Microcontroller Unit) combined with Zhiyun's efficient attitude control algorithm and advanced servo control algorithm, the gimbal is able to sense compute then control the camera to *a* 0.01-degree accuracy, within 0.25 millisecond

• Built-in wireless control module can be connected with Zhiyun's gimbal remote controller or smartphone APP wh1eh can also be used for wireless

0006: Genaray Escort Daylight LED Interview 3-Light Kit 1 x Escort Daylight LEO Spot light • 2 x Escort Daylight LED Flood Light ' 3Q0.400W Incandescent Equivalent

• 96 CRI. 2s- and 75• Beam Angles - 10-100% Dimming, 100-240 VAC

Adapters • Includes 6 x NP-750 Batteries & Chargers

• Includes CTO Tungsten Conversion Filters • Wireless Remote Control

- Built-In Wireless Receiver and Barndoors
- Padded Kit Bag

• Wireless Remote for MoonBright LED, 2 x Escort Daylight LEO Flood Light. Escort Daylight LED Spot Light. Padded Kit Bag

0007: Glide Gear iPad teleprompter Glide Gear TMP100 Adjustable iPad/ Tablet/ Smartphone Teleprompter Beam Splitter Glass

- Beam split glass with 70% visible light transmission.
- Accommodates any smartphone or tablet up to 10.5 x 9.5 Inches
- Collapsible teleprompter for small footprint and easy transport.
- Your camera will not photograph the text in the video.
- Protective carry case/ Tripod NOT included

0008: G-Technology atomos master 4k 1TB Solid-State Drive. Aluminum, transfer rates up to 520MB/s, Atomos compatible Mfr Part: OG05221

0009: GyroVu heavy duty rod clamp

GyroVu Heavy-Duty Monitor Mount with Quick Release for Ronin-M, MoVI

- High Quality Aluminum Machined / Anodized Ball Head with Quick Release Plate System
- Ball Head mounted on stronger than steel and lighter that aluminum 4mm carbon Fiber Plate to support up to 10. Monitors (up to 3 lb),
- Will Mount on ANY 2Smm Rod / Round Pipe;
- Clamp on Attachment; Secures with Screws; Assembled In the USA,
- Lightweight only 3.4 oz.

0010: Hoya 77mm variable ND filter HOYA VARIABLE DENSITY 77MM Mfr Part: A-77VDY

0011: Nissin i40S Camera Flash for Sony (Black)

- Selector dial- Simply operation panel
- LED Video light
- high-speed synchronization
- Metal hotshoe Quick release button
- Softbox Included

0012: Pelican Air 1535 Case Mfr Part: 015350-0050-110 1535AirTP, *WUTP* INSERT.BLACK 1535TP AIR, Pelican AIR Case with TrekPak Dividers. Color: Black. Interior (I X W X D) 20.39" x 11 .20" x 7.20". Exterior (L X W X D) 21 .96" x 11.97" x 8.89".

0013: Rode NTG4 Shotgun mic kit

Rode NTG4 Shotgun mic kit

Rode Microphones NTG4 Deluxe Boom Kit - NTG4 Shotgun Mic with Digital Switches, Standard Hole Softie Kit with Lyre Mount and Pistol Grip Handle, Mic Cable XLR-3 Female Right Angle to Male Straight

• RODE M1crophorcs NTG4 Shotgun Microphone - RMS Durable Microphone Chp- ZPI Padded Zip Pouch - Windshield - RODE

Microphones 11 Year USA Warranty (1 Year 10 Year with Registration)

- Rycote 033342 14cm Standard Hole Softie Kit with lyre Mount and

Pistol Grip Handle - Mic Cable XLR-3 Female Right Afl9le to XLR-3 Mate Straight & 20'

Adorama Valuable Bundle Kit Includes

• ROOC Microphones NTG4 Shotgun Microphone with D1g1tal Sw1tchl>S, RMS Durable MIc1ophonc Chp, ZPI Padded Zip Pouch, W1ndshlcld, RODE Microphones 11 Year USA Warranty (1 Year • 10 Year Upon Registration)

• Rycote 033342 14tm Standard Hole Softie Kit for Shotgun Microphone's with Lyre Mount and Pistol Grip Handle

• Microphone Cable XLR 5 Female R19ht Angle to XLR 3 Male Straight, 20'

0014: Sachtler Ace M Fluid head

SACHTLER 1002 ACE M GS SYSTEM WITH ACE M

Mfr Part: SCSACEMGS

The Sachtler 1002 System Ace M GS Head with 2-Stage Aluminum Tripod & On-Ground Spreader is a full tripod system for videographers who use HDSLR cameras and smaller camcorders.

0015: Sony Alpha A7Sii & 24-70 f2.8 combo

Sony Alpha a7SII Mirrorless Digital Camera w/FE 24-70mm f /2.8 GM Lens & 128GB SD Card Bundle

0016: Sony FE 70-200mm f/2.8 GM OSS Lens

• G Master design combines extraordinary sharpness and smooth bokeh, Constant F2.8 max aperture maintains exposure and depth of field

Class-leading min. focus distance of 37.8" / 0.2Sx max. mag, Dual floating focus system for high AF speed and precision, XA. ED/Super ED elements and Nano AR Coating for superb resolution

• Aspherical elements & 11-blade circular aperture for gorgeous bokeh,

Min. focus breathing and par focal design ideal for video, Direct coupled mechanical focus system for precise manual focus

• Contestant lens length during focusing and zooming, High performance Optical Steady Shot Image stabilization, Dust and moisture resistant for robust reliability

• Nano AR coating suppress reflections, flare and ghosting, XA (extreme aspherical) element with 0.01 micron surface precision

0017: Sony UWP-D wireless lav mic LAV MIC, BODYPACK TX, PLUG-ON TX AND PORTABLE RX WIRELESS SYSTEM Mfr: UWPD16/42 UPC: 027242874077

0018: Sony vertical battery pack/grip SONY VG-C2EM - BATTERY GRIP - FOR A7 II (ALPHA 7 II) ILCE-7M2, ILCE-7M2K Vertical Grip Sony VG-C2EM. Width: 12. 7 cm, Depth: 6.05 cm, Height: 10.1 cm

0019: Sony XLR-K2M hotshoe adapter SONY XLR-K2M – MICROPHONE ADAPTER KIT – FOR HANDYCAM FDRAX100, AXP33, HDRCX900, A7 (ALPHA 7), A7 II (ALPHA 7 11), A7S (ALPHA 7S) XLR Microphone Adaptor Kit Sony XLR-K2M. Diameter: 2.1 cm, Length: 16.2 cm, Weight: 121.5 g Genera I Operating Temperature : 32A °F to 104A°F (Oa to +40a)Material : Microphone: Fe / AI Adaptor: PC / PC + ABS / FeOperatIng Conditions Storage

0020: Tamron SP 150-600 f/5-6.3 lens Tamron SP 150-600mm f/5-6.3 Di USO Lens for Sony Bundle Mfr Part: AAFA011S700K1

0021: Tilta E-17 camera cage

Tilta A7 Rig A7S A7S2 A7R A7R2 Rig Cage + Baseplate + Wooden Handle + Top Handle For SONY A7 series camera Film shooting

- Extremely versatile for adding other equipment. suitable for different shooting styles
- CNC merchandised aluminum cage protects the camera from being damaged
- Suitable for all SONY A7 series Cameras, with spaces for all control buttons
- Built-in chop control device, can change signal cable in order to control cameras.
- New design rigs for SONY A7 series cameras

0022: Tilta FF-T03 15mm Follow Focus with Hard Stops (Black)

- Prec1s1on Machined Anodized Aluminum -Construction
- Hard Slops x 2
- Adjustable Tension Control
- Compatible with 15mm Rod Based Systems
- Includes S Gear Rings, 12" Whip and Crank Handle

0023: Wireless thumb controller DJI Wireless Thumb Controller for Ronin M Gimbal Stabilizer (Without External Receiver) Wireless Thumb Controller *'or* Ronin M Gimbal Stabilizer • CPZM 000174

0024: Zhiyun-Tech Crane 3 axis stabilizer

DJI Ronin-M 3-Axis Brushless Gimbal Stabilizer Includes Manufacturer Accessories+ DJI Intelligent Battery for Ronin-M +Microfiber Cleaning Cloth

- Supports Cameras up to 8 Pounds: Precision of Control: +0.02"
- Transmitter for Remote Pan/Tilt Control: Tool-Less Balance Adjustment System
- Assistant Software for iOS and Windows; Bluetooth Wireless Interface for Setup
- Silent Mode For Quiet Operation; USB and PowerTap Power Outputs
- Includes: Ronin-M Transmitter 2 DJI Intelligent Batteries Battery

Charger - Handle Bar Turing Stand Cable Pack - Micro-USB Cable -

Camera Mounting Plate • 8 Camera Screws - Lens Support Screw - Lens

Support - 3 Allen Wrenches - SSC: Transmitter Lanyard • Cleaning Cloth