

VA Medical Center  
Grand Island, Nebraska  
636-12-103, Renovate Backfill Canteen Space  
Addendum No. 2

**Attachment B**

**3.5 HARDWARE SETS**

Verify location of door operator push pads and key switches with Owner and Architect. All operator boxes shall be recessed in new and existing walls.

1. MK - McKinney
2. RO - Rockwood
3. BE - Stanley Security Solutions Inc (BE)
4. SA - Sargent
5. RF - Rixson
6. NO - Norton
7. LC - LCN Closers
8. PE - Pemko
9. RU - Corbin Russwin
10. 00 - Other

**Hardware Schedule**

**Set: 1.0**

Doors: 202, 204, 205, 206, 207, 210, 213, 214, 216, 217, 221, 225, 226, 229

3 Hinge (heavy weight)	T4A3786 5" x 4-1/2"	US26D	MK
1 Cylindrical Lock (office)	93K7AB 15D S3 LM	626	BE
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO

**Set: 2.0**

Doors: 228

3 Hinge (heavy weight)	T4A3786 5" x 4-1/2"	US26D	MK
1 Cylindrical Lock (office)	93K7AB 15D S3 LM	626	BE
1 Concealed Overhead Stop (hd duty)	1-X36	630	RF
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 3.0**

Doors: 103

3 Hinge	TA2714 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (office)	93K7AB 15D S3 LM	626	BE
1 Concealed Overhead Stop (hd duty)	1-X36	630	RF
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 4.0**

Doors: 201, 219

3 Hinge	TA2714 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (classroom)	93K7R 15D S3 LM	626	BE
1 Door Closer (reg arm, pull side)	7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO

**Set: 5.0**

Doors: 224

3 Hinge	TA2714 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (classroom)	93K7R 15D S3 LM	626	BE
1 Surface Overhead Stop (hd duty)	9-X36	630	RF
1 Door Closer (reg arm, pull side)	7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 6.0**

Doors: 101

3 Hinge (heavy weight)	T4A3786 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (classroom)	93K7R 15D S3 LM	626	BE
1 Surface Overhead Stop (hd duty)	9-X36	630	RF
1 Door Closer (reg arm, pull side)	7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 7.0**

Doors: 102

3 Hinge (heavy weight)	T4A3786 4-1/2" x 4-1/2"	US26D	MK
1 Mortise Deadbolt (classroom)	48H7R	626	BE
1 Cylinder (mortise)	1E-74	626	BE
1 Push Plate	70C 4" x 16"	US32D	RO
1 Pull w/ Plate	BF 111 x 70C 4" x 16"	US32D	RO
1 Automatic Door Operator (pull side)	4631 STD	AL	LC
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Switch	MKA		RU
2 Actuator	8310-856		LC
2 Actuator Box	8310-868F		LC

**Set: 8.0**

Doors: 223

3 Hinge (heavy weight)	T4A3786 NRP 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (classroom)	93K7R 15D S3 LM	626	BE
1 Concealed Overhead Stop (hd duty)	1-X36	630	RF
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 9.0**

Doors: 209

3 Hinge (heavy weight)	T4A3786 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (classroom)	93K7R 15D S3 LM	626	BE
1 Door Closer (reg arm, pull side)	7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO

**Set: 10.0**

Doors: 220

3 Hinge	TA2714 NRP 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (classroom)	93K7R 15D S3 LM	626	BE
1 Door Closer (hd arm w/ stop, push side)	CPS7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 11.0**

Doors: 222

3 Hinge (heavy weight)	T4A3786 5" x 4-1/2"	US26D	MK
1 Cylindrical Lock (privacy)	93K0L 15D S3	626	BE
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO
1 Gasketing	S88D		PE
1 Automatic Door Bottom	434ARL		PE

**Set: 12.0**

Doors: 211

3 Hinge (heavy weight)	T4A3786 5" x 4-1/2"	US26D	MK
1 Cylindrical Lock (privacy)	93K0L 15D S3	626	BE
1 Concealed Overhead Stop (hd duty)	1-X36	630	RF
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Gasketing	S88D		PE
1 Automatic Door Bottom	434ARL		PE

**Set: 13.0**

Doors: 212

3 Hinge (heavy weight)	T4A3786 5" x 4-1/2"	US26D	MK
1 Cylindrical Lock (storeroom)	93K7D 15C S3 LM	626	BE
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO
1 Gasketing	S88D		PE
1 Automatic Door Bottom	434ARL		PE

**Set: 14.0**

Doors: 203

3 Hinge	TA2714 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (storeroom)	93K7D 15C S3 LM	626	BE
1 Surface Overhead Stop (hd duty)	9-X36	630	RF
1 Door Closer (reg arm, pull side)	7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Gasketing	S88D		PE

**Set: 15.0**

Doors: 215

3 Hinge	TA2714 NRP 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (storeroom)	93K7D 15C S3 LM	626	BE
1 Concealed Overhead Stop (hd duty)	1-X36	630	RF
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 16.0**

Doors: 218

3 Hinge (heavy weight)	T4A3786 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (storeroom)	93K7D 15C S3 LM	626	BE
1 Door Closer (reg arm, pull side)	7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO

**Set: 17.0**

Doors: 208

6 Hinge (heavy weight)	T4A3786 NRP 4-1/2" x 4-1/2"	US26D	MK
1 Exit Device (svr, exit only)	NB8710 (less bottom rod)	US32D	SA
1 Exit Device (svr, classroom)	NB8713 ETL (less bottom rod)	US32D	SA
2 Cylinder (mortise)	1E-74	626	BE
2 Automatic Door Operator (push side)	4642 REG	AL	LC
2 Kickplate	K1050 8" x 1" LDW 4BE CSK	US32D	RO
2 Electromagnetic Holder	998 Tri-volt	689	RF
1 Switch	MKA		RU
2 Actuator	8310-856		LC
2 Actuator Box	8310-868F		LC

Notes: Electric Wall Magnets to be wired into Fire Alarm System  
Automatic Operator's to be wired into Key Switch - to control On/Off operation.  
Exits must be in dogged position to use Auto. Operator.

**Set: 18.0**

Doors: 227

6 Hinge (heavy weight)	T4A3786 4-1/2" x 4-1/2"	US26D	MK
2 Exit Device (svr, exit only)	NB8710 (less bottom rod)	US32D	SA
1 Cylinder (mortise)	1E-74	626	BE
2 Automatic Door Operator (push side)	4642 REG	AL	LC
2 Kickplate	K1050 8" x 1" LDW 4BE CSK	US32D	RO
2 Electromagnetic Holder	998 Tri-volt	689	RF
1 Switch	MKA		RU
2 Actuator	8310-856		LC
2 Actuator Box	8310-868F		LC

Notes: Electric Wall Magnets to be wired into Fire Alarm System  
Automatic Operator's to be wired into Key Switch - to control On/Off  
operation.

Exits must be in dogged position to use Auto. Operator.

**Set: 19.0**

Doors: 230, 231

3 Hinge (heavy weight)	T4A3786 4-1/2" x 4-1/2"	US26D	MK
1 Mortise Deadbolt (classroom)	48H7R	626	BE
1 Push Plate	70C 4" x 16"	US32D	RO
1 Pull w/ Plate	BF 111 x 70C 4" x 16"	US32D	RO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO
1 Automatic Door Operator	Automatic Door Operator / Existing to be reused		MA

**Set: 20.0**

Doors: 232, 235, 255, 256

3 Hinge	TA2714 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (office)	93K7AB 15D S3 LM	626	BE
1 Concealed Overhead Stop (hd duty)	1-X36	630	RF
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 21.0**

Doors: 236, 237, 241

3 Hinge	TA2714 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (office)	93K7AB 15D S3 LM	626	BE
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO

**Set: 22.0**

Doors: 233

3 Hinge (heavy weight)	T4A3786 5" x 4-1/2"	US26D	MK
1 Cylindrical Lock (office)	93K7AB 15D S3 LM	626	BE
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO

**Set: 23.0**

Doors: 234

3 Hinge (heavy weight)	T4A3786 5" x 4-1/2"	US26D	MK
1 Cylindrical Lock (office)	93K7AB 15D S3 LM	626	BE
1 Concealed Overhead Stop (hd duty)	1-X36	630	RF
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 24.0**

Doors: 238

6 Hinge (heavy weight)	T4A3786 NRP 4-1/2" x 4-1/2"	US26D	MK
1 Exit Device (svr, exit only)	NB8710 (less bottom rod) x pull by others	US32D	SA
1 Exit Device (svr,night latch-turn unit)	NB8710 x 306 Turn Unit (less bottom rod) x pull by others	US32D	SA
1 Cylinder (mortise)	1E-74	626	BE
2 Pull - Mid Bow	RM2004-72 Mtg-Type (Dec. ends)	US32D	RO
2 Door Closer (hd arm, push side)	PR7500	689	NO
2 Kickplate	K1050 8" x 1" LDW 4BE CSK	US32D	RO
2 Wall Stop	409	US32D	RO

Notes: Verify mounting between exit device turn unit and pull.

**Set: 25.0**

Doors: 240

3 Hinge (heavy weight)	T4A3786 5" x 4-1/2"	US26D	MK
1 Cylindrical Lock (classroom)	93K7R 15D S3 LM	626	BE
1 Concealed Overhead Stop (hd duty)	1-X36	630	RF
1 Door Closer (reg arm, pull side)	7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 26.0**

Doors: 239

3 Hinge	TA2714 NRP 4-1/2" x 4-1/2"	US26D	MK
1 Cylindrical Lock (storeroom)	93K7D 15C S3 LM	626	BE
1 Wall Stop	409	US32D	RO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO

**Set: 27.0**

Doors: 242, 243

3 Hinge (heavy weight)	T4A3786 NRP 5" x 4-1/2"	US26D	MK
1 Exit Device	12 8813 ETL	US32D	SA
1 Cylinder (mortise)	1E-74	626	BE
1 Door Closer (hd arm, push side)	PR7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO
1 Gasketing	S88D		PE

**Set: 28.0**

Doors: 238A

3 Hinge (heavy weight)	T4A3786 NRP 4-1/2" x 4-1/2"	US26D	MK
1 Exit Device	12 8813 ETL	US32D	SA
1 Cylinder (mortise)	1E-74	626	BE
1 Door Closer (hd arm, push side)	PR7500	689	NO
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO
1 Gasketing	S88D		PE



**Set: 29.0**

Doors: 245, 246

3 Hinge (heavy weight)	T4A3786 NRP 4-1/2" x 4-1/2"	US26D	MK
1 Mortise Deadbolt (classroom)	48H7R	626	BE
1 Cylinder (mortise)	1E-74	626	BE
1 Push Plate	70C 4" x 16"	US32D	RO
1 Pull w/ Plate	BF 111 x 70C 4" x 16"	US32D	RO
1 Automatic Door Operator (push side)	4642 REG	AL	LC
1 Kickplate	K1050 8" x 2" LDW 4BE CSK	US32D	RO
1 Wall Stop	409	US32D	RO
1 Switch	MKA		RU
1 Actuator	8310-856		LC
2 Actuator Box	8310-868F		LC

Notes: Automatic Operator's to be wired into Key Switch - to control On/Off operation.

**Set: 30.0**

Doors: 245A, 246A

2 Hinge	TA2314 4-1/2" x 4-1/2"	US32D	MK
1 Cylindrical Lock (privacy)	93K0L 15D S3	626	BE
1 Wall Stop	409	US32D	RO

**Set: 31.0**

Doors: 201A (Window Type "H")

1 Cylinder	Verify Type Needed	626	BE
1 Hardware	Balance of Hardware by Door Supplier		00

**Set: 32.0**

Doors: 250

3 Hinge (heavy weight)	T4A3786 5" x 4-1/2"	US26D	MK
------------------------	---------------------	-------	----