

Attachment 9 Government Furnished Equipment

Nomenclature	Site	Estimated Quantity	Unit of Issue	Serial Numbers if Known
<u>Computers</u> Set to include Dell Workstation, Monitor, Keyboard and Mouse Minimal Requirement: - Standard VA Software -Windows 7	Washington	26 Sets	EA	TBD
<u>Lab Equipment</u> - DCA Devices (Point of Care Analyzers that checks a patient's A1c) Minimal Requirements: - Direct connect to port/power	Washington	1	EA	TBD
<u>Lab Equipment</u> - Coaguchek Devices (Point of Care Analyzers that checks a patient's INR) Set to include a Meter and Base Minimal Requirements: - Must have at least one base connected to port for connectivity	Washington	1 / 1	EA	TBD
<u>Lab Equipment</u> - Glucometer (Point of Care Analyzers that checks a patient's Glucose level) Minimal Requirements: - Includes a meter and base connected to a PC loaded with RRC software - need an active port and power for connectivity	Washington	1	EA	TBD

Attachment 9 Government Furnished Equipment

<u>AED (Automated External Defibrillator)</u> Bio-Med	Washington	1	EA	TBD
<u>Telehealth Equipment - Basic Cart</u> Set to include Camera, TV, Keyboard - Need power source	Washington	2	EA	TBD
<u>Telehealth Equipment - Specialty Cart</u> Set to include Camera, TV Monitor, Computer, Keyboard. - Some include specialty scopes - Need power source	Washington	1	EA	TBD
<u>Video Conference Equipment</u> (Set to include Camera, TV Monitor, Remote) - Need power source	Washington	1	EA	TBD